

1.Create an HTML page that uses Bootstrap utility classes to add 3 different levels of spacing (margin and padding) around a card displaying a Flipkart-style product image and name.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flipkart Product Card - Bootstrap Spacing</title>

  <!-- Bootstrap CSS -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

  <style>
    body{
      background:#f1f3f6;
    }

    .product-card{
      max-width:350px;
      margin:auto;
      transition:0.3s;
    }

    .product-card:hover{
      transform:translateY(-5px);
      box-shadow:0 8px 20px rgba(0,0,0,0.2);
    }

    .product-card img{
      height:220px;
      object-fit:cover;
    }

    .product-name{
      color:#212121;
      font-weight:bold;
      font-size:1.2rem;
    }
  </style>
</head>
<body>

<div class="container mt-5">
```

```

<h2 class="text-center text-primary mb-4">
  🛒 Flipkart Product Card
</h2>

<!--
  Bootstrap Spacing Utilities Used:
  mt-5  = Large top margin
  p-4   = Medium padding
  mb-3  = Bottom margin
  p-2   = Small padding
-->

<div class="card product-card mt-5 p-4">

  

  <div class="card-body p-2 text-center">

    <h5 class="product-name">
      Wireless Bluetooth Headphones
    </h5>

  </div>

</div>

</div>

<!-- Bootstrap JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
></script>

</body>
</html>

```

2. Build a movie review card (like BookMyShow) using Bootstrap typography utilities to style the movie title, rating, and review text with different font weights and sizes.

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>BookMyShow Movie Review Card</title>

```

```
<!-- Bootstrap CSS -->
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

<style>
  body{
    background:#f5f5f5;
  }

  .movie-card{
    max-width:500px;
    margin:50px auto;
    border:none;
    border-radius:15px;
    box-shadow:0 5px 15px rgba(0,0,0,0.15);
    overflow:hidden;
  }

  .movie-card img{
    height:350px;
    object-fit:cover;
  }

  .rating-badge{
    display:inline-block;
    background:#28a745;
    color:#fff;
    padding:6px 12px;
    border-radius:6px;
  }

  .btn-book{
    background:#f84464;
    color:#fff;
  }

  .btn-book:hover{
    background:#d62d4d;
    color:#fff;
  }
</style>
</head>
<body>

<div class="container">
```

```

<div class="card movie-card">

  

  <div class="card-body">

    <!-- Movie Title -->
    <h2 class="fw-bold display-6">
      Avengers: Endgame
    </h2>

    <!-- Rating -->
    <p class="fs-5 fw-semibold">
      ⭐ Rating:
      <span class="rating-badge">4.8 / 5</span>
    </p>

    <!-- Review -->
    <p class="fs-6 fw-light text-secondary">
      Avengers: Endgame is an action-packed superhero film with
      stunning visual effects, emotional storytelling, and an
      unforgettable finale. It delivers an exciting cinematic
      experience for Marvel fans.
    </p>

    <button class="btn btn-book w-100 mt-3">
      📖 Book Now
    </button>

  </div>

</div>

</div>

<!-- Bootstrap JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
></script>

</body>
</html>

```

3.Design a Zomato-style restaurant list where each restaurant card uses at least three different Bootstrap color utility classes to highlight ratings, offers, and open/closed status.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zomato Restaurant List</title>

  <!-- Bootstrap CSS -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

  <style>
    body{
      background:#f8f8f8;
    }

    .restaurant-card{
      transition:0.3s;
      border:none;
      border-radius:12px;
      box-shadow:0 5px 15px rgba(0,0,0,0.12);
    }

    .restaurant-card:hover{
      transform:translateY(-5px);
      box-shadow:0 10px 20px rgba(0,0,0,0.18);
    }

    .restaurant-img{
      height:220px;
      object-fit:cover;
    }
  </style>
</head>
<body>

<div class="container py-5">

  <h2 class="text-center text-danger mb-4">
    🍽️ Zomato Restaurant List
  </h2>

  <div class="row g-4">
```

```
<!-- Restaurant 1 -->
<div class="col-md-6">

  <div class="card restaurant-card">

    

    <div class="card-body">

      <h4 class="card-title">Spice Garden</h4>

      <p class="text-muted">
        North Indian • Chinese • Fast Food
      </p>

      <!-- Rating -->
      <span class="badge bg-success">
        ⭐ 4.5
      </span>

      <!-- Offer -->
      <span class="badge bg-warning text-dark ms-2">
        20% OFF
      </span>

      <!-- Status -->
      <span class="badge bg-primary ms-2">
        Open
      </span>

    </div>

  </div>

</div>

<!-- Restaurant 2 -->
<div class="col-md-6">

  <div class="card restaurant-card">

    

    <div class="card-body">
```

```

        <h4 class="card-title">Pizza Palace</h4>

        <p class="text-muted">
            Pizza • Italian • Beverages
        </p>

        <!-- Rating -->
        <span class="badge bg-success">
            🍕 4.7
        </span>

        <!-- Offer -->
        <span class="badge bg-info text-dark ms-2">
            Free Delivery
        </span>

        <!-- Status -->
        <span class="badge bg-danger ms-2">
            Closed
        </span>

    </div>

</div>

</div>

</div>

</div>

<!-- Bootstrap JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
></script>

</body>
</html>

```

**4. Override the Bootstrap primary button color in your own CSS file to use a custom shade (not the default blue), and apply it to a 'Book Ticket' button on your page.

Hint: Use the CSS selector .btn-primary in your custom stylesheet and link it after the Bootstrap CSS.**

HTML Code:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>BookMyShow - Book Ticket</title>

  <!-- Bootstrap CSS -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

  <!-- Custom CSS (Loaded AFTER Bootstrap) -->
  <link rel="stylesheet" href="styles.css">
</head>
<body class="bg-light">

<div class="container py-5">

  <div class="card mx-auto shadow" style="max-width:400px;">

    

    <div class="card-body text-center">

      <h3 class="card-title">Avengers: Endgame</h3>

      <p class="text-muted">
        Action • Adventure • Sci-Fi
      </p>

      <!-- Uses the overridden Bootstrap primary button -->
      <button class="btn btn-primary">
        🎫 Book Ticket
      </button>

    </div>

  </div>

</div>

<!-- Bootstrap JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
></script>

```



```
</body>
</html>
```

CSS:

```
/* -----
Override Bootstrap's Primary Button
This CSS file is linked AFTER Bootstrap,
so these styles replace the default
Bootstrap blue button.
----- */

.btn-primary{
  background-color:#f84464;      /* Custom pink/red */
  border-color:#f84464;
  color:#ffffff;
}

.btn-primary:hover{
  background-color:#d62d4d;
  border-color:#d62d4d;
  color:#ffffff;
}

.btn-primary:focus,
.btn-primary:active{
  background-color:#c91f45 !important;
  border-color:#c91f45 !important;
  box-shadow:0 0 0 .25rem rgba(248,68,100,.35);
}
```

5. Add a theme switcher button to your page that toggles between a light and dark background using Bootstrap classes, and updates the text color for readability.

Hint: Use JavaScript to toggle 'bg-light'/'bg-dark' and 'text-dark'/'text-light' classes on the main container.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Bootstrap Theme Switcher</title>

  <!-- Bootstrap CSS -->
```

```

    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.
css" rel="stylesheet">
</head>
<body>

<!-- Main Container -->
<div id="mainContainer" class="container-fluid bg-light text-dark min-vh-
100 py-5">

    <div class="container">

        <div class="d-flex justify-content-between align-items-center mb-
4">

            <h2>🎬 BookMyShow Movie Page</h2>

            <button id="themeBtn" class="btn btn-primary">
                🌙 Dark Mode
            </button>

        </div>

        <!-- Movie Card -->
        <div id="movieCard" class="card shadow">

            

            <div class="card-body">

                <h3 class="card-title">Avengers: Endgame</h3>

                <p class="card-text">
                    Genre: Action • Adventure • Sci-Fi
                </p>

                <p class="card-text">
                    Rating: ⭐ 4.8 / 5
                </p>

                <button class="btn btn-danger">
                    🎫 Book Ticket
                </button>
            </div>
        </div>
    </div>

```

```

        </div>

    </div>

</div>

</div>

<!-- Bootstrap JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle
.min.js"></script>

<script>

const container = document.getElementById("mainContainer");
const movieCard = document.getElementById("movieCard");
const button = document.getElementById("themeBtn");

button.addEventListener("click", function(){

    // Toggle Bootstrap background and text classes
    container.classList.toggle("bg-light");
    container.classList.toggle("text-dark");

    container.classList.toggle("bg-dark");
    container.classList.toggle("text-light");

    // Change card theme
    movieCard.classList.toggle("bg-dark");
    movieCard.classList.toggle("text-light");

    // Update button text
    if(container.classList.contains("bg-dark")){
        button.innerHTML = "☀️ Light Mode";
    }else{
        button.innerHTML = "🌙 Dark Mode";
    }

});

</script>

</body>
</html>

```

