

1. Create a simple IPL Fan Bot that takes your favorite IPL team name as input and uses if-else-if statements to print a unique cheer message for each team (e.g., 'Go Mumbai Indians!', 'Chennai Super Kings for the win!'). If the team is not recognized, print 'Team not found!'

```
2. // Take user input
3. let team = prompt("Enter your favorite IPL team:");
4.
5. // Check the team and print a cheer message
6. if (team === "Mumbai Indians") {
7.     console.log("Go Mumbai Indians! 🇮🇳");
8. } else if (team === "Chennai Super Kings") {
9.     console.log("Chennai Super Kings for the win! 🏆");
10. } else if (team === "Royal Challengers Bengaluru") {
11.     console.log("Ee Sala Cup Namde! 🇮🇳");
12. } else if (team === "Kolkata Knight Riders") {
13.     console.log("Korbo Lorbo Jeetbo Re! 🇮🇳");
14. } else if (team === "Rajasthan Royals") {
15.     console.log("Halla Bol! 🇮🇳");
16. } else if (team === "Sunrisers Hyderabad") {
17.     console.log("Orange Army, Rise Up! 🇮🇳");
18. } else if (team === "Delhi Capitals") {
19.     console.log("Roar for Delhi Capitals! 🇮🇳");
20. } else if (team === "Punjab Kings") {
21.     console.log("Sadda Punjab, Go PBKS! 🇮🇳");
22. } else if (team === "Lucknow Super Giants") {
23.     console.log("Let's Go Lucknow Super Giants! 🇮🇳");
24. } else if (team === "Gujarat Titans") {
25.     console.log("Aava De Gujarat Titans! 🇮🇳");
26. } else {
27.     console.log("Team not found!");
28. }
```

2. Build a Zomato-style food suggestion tool: take the user's preferred meal time ('breakfast', 'lunch', 'dinner', or 'snack') and use a switch-case statement to suggest a popular dish for that time. If the input doesn't match any meal, suggest 'Try some fruits!'.

```
// Take user input
let meal = prompt("Enter your preferred meal time (breakfast, lunch, dinner, snack):");

// Convert input to lowercase
meal = meal.toLowerCase();

switch (meal) {
    case "breakfast":
        console.log("Suggested Dish: Masala Dosa");
        break;
```

```

    case "lunch":
        console.log("Suggested Dish: Veg Biryani");
        break;

    case "dinner":
        console.log("Suggested Dish: Paneer Butter Masala with Naan");
        break;

    case "snack":
        console.log("Suggested Dish: Samosa with Tea");
        break;

    default:
        console.log("Try some fruits!");
}

```

3. Create a Flipkart discount calculator that asks the user for the total cart amount. Use nested if statements to check: if amount > 2000, apply 20% discount; else if amount > 1000, apply 10% discount; else, no discount. Print the final amount to pay.

Hint: Use nested ifs to check each discount slab.

```

// Ask the user for the total cart amount
let amount = Number(prompt("Enter the total cart amount:"));
let finalAmount;

// Check discount using nested if
if (amount > 1000) {
    if (amount > 2000) {
        finalAmount = amount - (amount * 20 / 100);
        console.log("20% discount applied.");
    } else {
        finalAmount = amount - (amount * 10 / 100);
        console.log("10% discount applied.");
    }
} else {
    finalAmount = amount;
    console.log("No discount applied.");
}

// Print the final amount
console.log("Final Amount to Pay: ₹" + finalAmount.toFixed(2));

```

4. Write a program that takes a user's age and checks eligibility for three things using if-else statements: if age ≥ 18 , print 'Eligible for Driving License'; if age ≥ 21 , also print 'Eligible for Credit Card'; if age ≥ 25 , also print 'Eligible for Car Rental'. Print all applicable messages for the given age.

```
// Take user input
let age = Number(prompt("Enter your age:"));

// Check eligibility
if (age  $\geq 18$ ) {
    console.log("Eligible for Driving License");

    if (age  $\geq 21$ ) {
        console.log("Eligible for Credit Card");

        if (age  $\geq 25$ ) {
            console.log("Eligible for Car Rental");
        }
    }
} else {
    console.log("Not eligible for Driving License, Credit Card, or Car Rental.");
}
```