

ASSIGNMENT - 2

FULL PYRAMID :-



```
1  /*
2      1
3      2 3 2
4      3 4 5 4 3
5      4 5 6 7 6 5 4
6      5 6 7 8 9 8 7 6 5
7  */
8
9
10 #include <iostream>
11 using namespace std;
12
13 int main(){
14     for(int i = 1; i <= 5; i++) {
15
16         for(int s = 1; s <= 5 - i; s++)
17             cout << " ";
18
19         for(int j = i; j <= i + i - 1; j++)
20             cout << j << " ";
21
22         for(int j = i + i - 2; j >= i; j--)
23             cout << j << " ";
24
25         cout << endl;
26     }
27 }
```

HALF PYRAMID :-



```
1  /*
2  1
3  12
4  123
5  1234
6  12345
7  */
8
9  #include <iostream>
10 using namespace std;
11
12 int main(){
13     for(int i = 1; i <= 5;i++){
14
15         for(int j =1; j < i+1 ; j++){
16             cout << j;
17         }
18         cout << "\n";
19     }
20
21 }
```

HALLOW HALF PYRAMID :-



```
1  /*
2  1
3  12
4  1 3
5  1  4
6  12345
7  */
8
9
10 #include <iostream>
11 using namespace std;
12
13 int main(){
14     for(int i = 1; i <= 5;i++){
15
16         for(int j =1; j < i+1 ; j++){
17             if (j == 1 || j == i || i == 5){
18
19                 cout << j <<" ";
20             }
21             else{
22                 cout << "  ";
23             }
24
25
26         }
27         cout << "\n";
28     }
29
30 }
```

HOLLOW HALF INVERTED PYRAMID :-



```
1  /*
2  12345
3  1  4
4  1  3
5  1  2
6  1
7  */
8
9
10 #include <iostream>
11 using namespace std;
12
13 int main(){
14     for(int i = 0; i < 5;i++){
15
16         for(int j =1; j < 6-i ; j++){
17             if(i == 0 || j == 1 || j == 5-i){
18                 cout << j <<" ";
19             }
20             else{
21                 cout << "  ";
22             }
23         }
24         cout << "\n";
25     }
26
27 }
```

HOLLOW FULL PYRAMID :-



```
1  #include <iostream>
2  using namespace std;
3
4  int main() {
5      int n = 5;
6
7      for(int i = 1; i <= n; i++) {
8
9          for(int s = 1; s <= n - i; s++)
10             cout << " ";
11
12         for(int j = 1; j <= i; j++) {
13
14             if(i == 1 || i == n || j == 1 || j == i)
15                 cout << j << " ";
16             else
17                 cout << " ";
18         }
19
20         cout << endl;
21     }
22
23     return 0;
24 }
```

INVERTED HALF PYRAMID :-



```
1  /*
2  12345
3  1234
4  123
5  12
6  1
7  */
8
9
10 #include <iostream>
11 using namespace std;
12
13 int main(){
14     for(int i = 0; i < 5;i++){
15
16         for(int j =1; j < 6-i ; j++){
17             cout << j;
18         }
19         cout << "\n";
20     }
21
22 }
```