# Продвинутое использование git

Элза Синюшко<sup>1</sup> 6 марта, 2024, Москва, Россия

<sup>&</sup>lt;sup>1</sup>Российский Университет Дружбы Народов

# Цели и задачи работы —

# Цель лабораторной работы

Получение навыков правильной работы с репозиториями git.

# Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

# Процесс выполнения лабораторной работы

# Node.js

```
\oplus
                                       ridoykhan@ridoykhan:~
ridoykhan@ridoykhan:~$ pnpm setup
Appended new lines to /home/ridoykhan/.bashrc
Next configuration changes were made:
export PNPM_HOME="/home/ridoykhan/.local/share/pnpm"
case ":$PATH:" in
  *":$PNPM_HOME:"*) ;;
  *) export PATH="$PNPM_HOME:$PATH" ;;
esac
To start using pnpm, run:
source /home/ridoykhan/.bashrc
ridoykhan@ridoykhan:~$ source ~/.bashrc
ridovkhan@ridovkhan:~$
```

**Рис. 1:** Node.js

#### commitizen

```
idoykhan@ridoykhan:~$ source ~/.bashrc
 idoykhan@ridoykhan:~$ pnpm add -g commitizen
                    Update available! 8.12.0 \rightarrow 8.15.4.
       Changelog: https://github.com/pnpm/pnpm/releases/tag/v8.15.4
                    Run "pnpm add -g pnpm" to update.
          Follow @pnpmjs for updates: https://twitter.com/pnpmjs
Packages: +152
Downloading registry.npmjs.org/typescript/5.3.3: 5,76 MB/5,76 MB, done
Progress: resolved 152, reused 0, downloaded 152, added 152, done
  commitizen 4.3.0
Done in 4.7s
ridovkhan@ridovkhan:~$
```

**Рис. 2:** установка commitizen

# standard-changelog

```
Progress: resolved 208, reused 152, downloaded 56, added 56, done

/home/ridoykhan/.local/share/pnpm/global/5:
- standard-changelog 5.0.0

Done in 4.9s
ridoykhan/idoykhan:-$
```

Рис. 3: установка standard-changelog

# package.json

Рис. 4: package.json

#### Использование commitizen

```
dovkhan@ridoykhan:~/git-extended$ git add .
cz-cli@4.3.0, cz-conventional-changelog@3.3.0
 Select the type of change that you're committing; chore: Other changes that don't modify
 What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer d∰scription of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
[master 347be87] chore: v
1 file changed, 14 insertions(+)
create mode 108644 package.json
ridoykhan@ridoykhan:~/git-extended$ git push
Перечисление объектов: 4. готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 180% (3/3), 482 байта | 482.00 КиБ/с, готово.
Всего 3 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:ridoykhanrudn/git-extended.git
  b6c0461..347be87 master -> master
 idoykhan@ridoykhan:~/git-extended$
```

Рис. 5: Отправка

```
idovkhan@ridovkhan:~/git-extended$ git flow init
Which branch should be used for bringing forth production releases?
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/ridoykhan/git-extended/.git/hooks]
 idoykhan@ridoykhan:~/git-extended$ gfit branch
ridovkhan@ridovkhan:~/git-extended$ git push --all
Всего 0 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:
            https://github.com/ridovkhanrudn/git-extended/pull/new/develop
remote:
To github.com:ridoykhanrudn/git-extended.git
 * [new branch] develop -> develop
  dovkhan@ridovkhan:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

## git-flow

```
doykhan@ridoykhan:~/git-extended$ git branch --set-upstream-to=origin/develop develop
branch 'develop' set up to track 'origin/develop'.
 idoykhan@ridoykhan:~/git-extended$ git flow release start 1.0.0
Переключились на новую ветку «release/1.0.8»
Summary of actions:
- A new branch 'release/1.0.0' was created, based on 'develop'
 You are now on branch 'release/1.0.0'
Follow-up actions:
 Bump the version number now!
 Start committing last-minute fixes in preparing your release
 When done, run:
    git flow release finish '1.0.0'
ridovkhan@ridovkhan;~/git-extended$ standard-changelog --first-release
created CHANGELOG.md

✓ output changes to CHANGELOG.md

ridoykhan@ridoykhan:-/git-extended$ git add CHANGELOG.md
ridoykhan@ridoykhan:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 671acb7] chore(site): add changelog
1 file changed, 4 insertions(+)
create mode 180644 CHANGELOG.md
ridoykhan@ridoykhan:-/git-extended$ git flow release finish 1.0.0
Переключились на ветку «master»
```

Рис. 7: Завершение релиза

# Отправим данные на github

```
Перечисление объектов: 6, готово.
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 554 байта | 277.00 КиБ/с, готово.
Всего 5 (изменений 2), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote: Resolving deltas: 100% (2/2), done.
To github.com:ridoykhanrudn/git-extended.git
  347be87..3265785 develop % develop
  347be87..d0beca6 master -> master
 ridovkhan@ridovkhan:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 158 байтов | 158.00 КиБ/с, готово.
Всего 1 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:ridoykhanrudn/git-extended.git
* [new tag]
                    1.0.0 -> 1.0.0
ridoykhan@ridoykhan:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/ridoykhanrudn/git-extended/releases/tag/v1.0.0
 idoykhan@ridoykhan:~/git-extended$
```

Рис. 8: Отправка

### Объединение веток

```
idoykhan@ridoykhan:-/git-extended$ git flow feature start feature_branch
Переключились на новую ветку «feature/feature branch»
Summary of actions:

    A new branch 'feature/feature_branch' was created, based on 'develop'

  You are now on branch 'feature/feature branch'
Now, start committing on your feature. When done, use:
 idoykhan@ridoykhan:~/git-extended$ touch test2
 idovkhan@ridovkhan:~/git-extended$ git flow feature finish feature branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature_branch удалена (была 3265785).
Summary of actions:

    The feature branch 'feature/feature branch' was merged into 'develop'

  Feature branch 'feature/feature branch' has been locally deleted
  You are now on branch 'develop'
 ridoykhan@ridoykhan:~/git-extended$
```

Рис. 9: Объединение веток

## git-flow

```
ridoykhan@ridoykhan:~/git-extended
  doykhan@ridoykhan:~/git-extended$ standard-changelog
 output changes to CHANGELOG.md
  doykhan@ridoykhan:-/git-extended$ git add CHANGELOG.md
  doykhan@ridoykhan:~/git-extended$ git commit -am 'chore(site): update changelog'
 release/1.2.3 1395181] chore(site): update changelog
2 files changed, 5 insertions(+), 1 deletion(-)
   loykhan@ridoykhan:~/git-extended$ git flow release finish 1.2.3
 leреключились на ветку «master»
Эта ветка соответствует «origin/master».
Herge made by the 'ort' strategy.
CHANGELOG.md | 4 ****
 package.json | 2
2 files changed, 5 insertions(+), 1 deletion(-)
 aша ветка опережает «origin/master» на 3 коммита.
 (используйте «git push», чтобы опубликовать ваши локальные коммиты)
 ереключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Herge made by the 'ort' strategy.
CHANGELOG.md | 4 ++++
package.json | 2
2 files changed, 5 insertions(+), 1 deletion(-)
Ветка release/1.2.3 удалена (была 1395181).
Summary of actions:
 Release branch 'release/1.2.3' has been merged into 'master'
  The release was tagged '1.2.3'
  Release tag '1.2.3' has been back-merged into 'develop'
 Release branch 'release/1.2.3' has been locally deleted
 You are now on branch 'develop'
 idovkhan@ridovkhan:~/git-extended$ git push --all
Перечисление объектов: 9, готово.
Подсчет объектов: 100% (9/9), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (6/6), готово,
```

Рис. 10: Завершение релиза

# Подготовка рабочего репозитория

```
an@ridoykhan:-$ cd work/study/2023-2024/Операционные\ системы/os-intro/
 idovkhan@ridovkhan:~/work/studv/2023-2024/Операционные системы/os-intro$ pnpm init
Wrote to /home/ridoykhan/work/study/2023-2024/Операционные системы/os-intro/package.json
 "name": "os-intro",
 "description": "",
 "main": "index.is".
   "test": "echo \"Error: no test specified\" && exit 1"
 "kevwords": [].
 "license": "ISC"
 idoykhan@ridoykhan:-/work/study/2023-2024/Операционные системы/os-intro$ gedit package.ison
 idovkhan@ridovkhan:~/work/study/2023-2024/Операционные системы/os-intro$ git add .
cz-cli@4.3.0. cz-conventional-changelog@3.3.0
 Select the type of change that you're committing: chore: Other changes that don't modify
 What is the scope of this change (e.g. component or file name): (press enter to skip) v
 Write a short, imperative tense description of the change (max 90 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
[master 1150b98] chore(v): v
 1 file changed, 14 insertions(+)
```

**Рис. 11:** package.json и коммит

# Подготовка рабочего репозитория




Рис. 12: Завершение релиза

Выводы по проделанной работе

### Вывод

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.