

Получение доступа к Google Calendar через API

инструкция



Шаг 1: Создание проекта



Этап 1.1

Создание **нового** рабочего пространства.




Перейдите в Google Cloud Console.
<https://console.cloud.google.com/>



В верхней панели нажмите на список проектов.



Выберите "New Project"
(Новый проект).



Этап 1.2

Создание нового рабочего пространства

- Введите название и нажмите Create.
Название любое, например
My-Telegram-Calendar-Bot

New Project

 You have 11 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[Manage Quotas](#)

Project name *

Project ID: my-telegram-calendar-bot. It cannot be changed later. [Edit](#)

Parent resource * [Browse](#)

Select the organization or folder where this resource will be created


[Create](#) [Cancel](#)

Этап 1.3

Создание **нового** рабочего пространства.




После создания убедитесь, что в верхней панели выбран именно ваш новый проект. У нас на скрине My-Telegram-Calendar-Bot



Этап 1.4

Включение Google Calendar API

Откройте меню
(три полоски) >
APIs & Services
> Library.




Этап 1.5

Включение Google Calendar API

🔍 В строке поиска введите "Google Calendar API".

🖱️ Нажмите на Google Calendar API



Этап 1.6

Включение Google Calendar API

- Нажмите "Enable".



Google Calendar API

[Google Enterprise API](#)

Manage calendars and events in Google Calendar.

Enable

Try this API [↗](#)

[Overview](#)

[Documentation](#)

[Support](#)

[Related Products](#)


Шаг 2: Настройка доступа (OAuth)



Этап 2.1

Конфигурация экрана согласия.


Перейдите в **OAuth consent screen**.



Этап 2.2

Конфигурация экрана согласия.

Нажимаем кнопку **Get started**
(Давай начинать)



Этап 2.3

Заполняем информацию по нашему приложению

👤 Заполняем название приложения (App name) как будет называться приложение

✉ User support email - Выберите ваш Email из раскрывающего списка

→ Нажмите Next (Дальше)

The screenshot shows a web application configuration interface. On the left is a sidebar with a menu: Overview (selected), Branding, Audience, Clients, Data Access, Verification Center, and Settings. The main area is titled 'Project configuration' and contains a progress indicator with four steps: 1 App Information, 2 Audience, 3 Contact Information, and 4 Finish. The 'App Information' step is active and contains two required text fields: 'App name *' with the value 'Ассистент назначения встреч' and 'User support email *' with the value 'av8278665@gmail.com'. Below these fields is a 'Next' button. At the bottom of the main area are 'Create' and 'Cancel' buttons. Three green arrows originate from the text on the left: one points to the 'App name' field, another to the 'User support email' field, and a third to the 'Next' button.

Overview

Project configuration

1 App Information

App name *
Ассистент назначения встреч

The name of the app asking for consent

User support email *
av8278665@gmail.com

For users to contact you with questions about their consent. [Learn more](#)

Next

2 Audience

3 Contact Information

4 Finish

Create Cancel

Этап 2.4

Заполняем информацию
по нашему приложению

Выберите тип **External**

Нажмите **Next**

✓ App Information

2 Audience

☐ Internal ⓘ

Only available to users within your organization. You will not need to submit your app for verification. [Learn more about user type](#) ⓘ

☒ External ⓘ

Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. [Learn more about user type](#) ⓘ

Next

3 Contact Information

4 Finish

Create Cancel

Этап 2.5

Заполняем информацию
по нашему приложению



в разделе Contact
information снова
пишем свой email



Нажмите Next (Дальше)

The screenshot shows the 'Project configuration' screen in the Google Play Console. The left sidebar contains a menu with the following items: Overview, Branding, Audience, Clients, Data Access, Verification Center, and Settings. The main content area displays a progress list with four steps: 1 App Information, 2 Audience, 3 Contact Information (highlighted with a green box), and 4 Finish. Under the 'Contact Information' step, there is a field labeled 'Email addresses *' containing the email 'av8278665@gmail.com' with a close icon. Below this field, a note states: 'These email addresses are for Google to notify you about any changes to your project.' At the bottom of the configuration area, there are 'Create' and 'Cancel' buttons. A green arrow points from the 'Next' button in the instructions to the 'Next' button in the interface.

Project configuration

- 1 App Information
- 2 Audience
- 3 Contact Information
- 4 Finish

Email addresses *

av8278665@gmail.com

These email addresses are for Google to notify you about any changes to your project.

Next

Create Cancel

Этап 2.6

Конфигурация экрана согласия.



Ставим галочку I agree to the Google API Services: User Data Policy



Нажмите Continue (Продолжить)



Нажмите Create (Создать)

The screenshot shows the 'Project configuration' window in Google API Services. The left sidebar contains a menu with 'Overview' (selected), 'Branding', 'Audience', 'Clients', 'Data Access', 'Verification Center', and 'Settings'. The main area displays a progress list: '1 App Information', '2 Audience', '3 Contact Information' (checked), and '4 Finish'. Under '4 Finish', there is a checkbox labeled 'I agree to the Google API Services: User Data Policy' which is checked. Below this are 'Continue' and 'Create' buttons, with a 'Cancel' link to the right of 'Create'. Green arrows from the instruction box on the left point to the checked checkbox, the 'Continue' button, and the 'Create' button.


Project configuration

- 1 App Information
- 2 Audience
- 3 Contact Information
- 4 Finish
 - ☒ I agree to the [Google API Services: User Data Policy](#)
 - Continue
 - Create Cancel

Этап 2.7

Добавление прав (Scopes).

- » Перейдите в меню "Data Access".
- » Нажмите "Add or Remove Scopes".



Этап 2.8

Добавление прав (Scopes).




Введите в поле Filter:
`.../auth/calendar.events.`



Отметьте галочкой первый, который
совпадает полностью с текстом в
строке фильтр.



Нажмите **"Update"**.




Этап 2.9

Добавление прав (Scopes).

Нажмите


Save



Этап 2.10

Добавление тестовых аккаунтов.

- Перейдите на вкладку Audience
- В разделе "Test users" нажмите "Add Users".




Этап 2.11

Добавление тестовых аккаунтов.

→ Введите ваш Gmail адрес.

→ Нажмите 'Save'.

(это снимает ограничения на личное использование для работы с одним календарем). Для массового использования и коммерческой деятельности нужно получение одобрения от гугл. В рамках нашего проекта это нам не нужно).



Шаг 3:


Получение ключей



Этап 3.1

Создание OAuth Client ID.


- ✓ Нажмите три черточки слева вверху окна.
- ✓ Перейдите в раздел "Credentials".



Этап 3.2

Создание OAuth Client ID.

- Нажмите "+ Create Credentials" > "OAuth client ID".
- Выберите "Desktop App" или "Web".



ШАГ 3.4

Создание OAuth Client ID.

- Name - пишем любое как удобно
- Application type - Выберите "Web application".
- Authorized redirect URIs - запрашиваем у нейросети, что туда вставить
- Нажимаем Save

The screenshot shows the 'Web application' configuration page in the Google Cloud Console. The left sidebar contains navigation links: Overview, Branding, Audience, Clients (highlighted), Data Access, Verification Center, and Settings. The main content area is titled 'Client ID for Web application' with a 'Delete' button. A red box highlights the 'Name' field, which contains the text 'Помощник назначения встреч'. Below this is a warning message: 'The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.' Another red box highlights the 'Authorized redirect URIs' section, which includes a sub-header 'Authorized JavaScript origins' with a help icon, a sub-label 'For use with requests from a browser', and a '+ Add URI' button. Below this is another red box around the 'Authorized redirect URIs' sub-header, which has a sub-label 'For use with requests from a web server' and another '+ Add URI' button. At the bottom, there is a note: 'Note: It may take 5 minutes to a few hours for settings to take effect' and two buttons: 'Save' and 'Cancel'.

Overview

Branding

Audience

Clients

Data Access

Verification Center

Settings

Client ID for Web application Delete

Name *

Помощник назначения встреч

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins **?**

For use with requests from a browser

[+ Add URI](#)

Authorized redirect URIs **?**

For use with requests from a web server

URIs 1 *

[+ Add URI](#)


Note: It may take 5 minutes to a few hours for settings to take effect

[Save](#) [Cancel](#)

Нейросети: профи-уровень. Вайб-кодинг

Этап 3.4: Сохранение секретных данных

- Нажмите кнопку "Download JSON" (стрелочка вниз).
- Переименуйте файл в `client_secret.json`.
- Не передавайте этот файл посторонним.





Поздравляем!

Вы получили секретный ключ. На этом
настройка в google console завершена