



Database



#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 Judul	varchar(255)	utf8mb4_general_ci		No	None			Change Drop More
☐	2 SubJudul	varchar(255)	utf8mb4_general_ci		No	None			Change Drop More
☐	3 Kategori	varchar(255)	utf8mb4_general_ci		No	None			Change Drop More
☐	4 tanggalPost	date			No	None			Change Drop More
☐	5 Deadline	date			No	None			Change Drop More
☐	6 Deskripsi	varchar(255)	utf8mb4_general_ci		No	None			Change Drop More

INFORMATICS LAB



The image shows a code editor interface with three tabs: 'Welcome', 'db_connect.php', and 'index.php'. The 'index.php' tab is active, displaying the following HTML code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>Document</title>
7 </head>
8 <body>
9     <h1>INFORMATICS LAB</h1>
10
11 </body>
12 </html>
13
14
```

Welcome

db_connect.php ×

index.php ●

db_connect.php

```
1  <?php
2  $host = "localhost";
3  $user = "root";
4  $pass = "";
5  $db = "Database_TP";
6
7  // Create connection
8  $conn = new mysqli($servername, $username, $password);
9
10 // Check connection
11 if ($conn->connect_error) {
12     die("Connection failed: " . $conn->connect_error);
13 }
14 echo "Connected successfully";
15 ?>
```