FAKULTÄT
FÜR INFORMATIK

Faculty of Informatics

MODELING AND SOLVING CONSTRAINED OPTIMIZATION PROBLEMS

Assignment

WS15/186.816

Luca Di Gaspero
luca.digaspero@uniud.it

University of Udine, Italy

PROJECT ASSIGNMENT

CAPACITATED LOCATION-ROUTING PROBLEM

- ▶ integrates the two classical optimization problems of *facility location* and *vehicle routing* in which both location and tour planning decisions are adressed in a single step

CAPACITATED LOCATION-ROUTING PROBLEM

- integrates the two classical optimization problems of *facility location* and *vehicle routing* in which both location and tour planning decisions are adressed in a single step
- Given:

CAPACITATED LOCATION-ROUTING PROBLEM

- ▶ integrates the two classical optimization problems of *facility location* and *vehicle routing* in which both location and tour planning decisions are adressed in a single step
- ▶ Given:
  - ▶ a *graph* whose vertex set consists of *facilities* and *clients* with a *spatial location* and given *demands*

CAPACITATED LOCATION-ROUTING PROBLEM

- integrates the two classical optimization problems of *facility location* and *vehicle routing* in which both location and tour planning decisions are adressed in a single step
- Given:
    - a *graph* whose vertex set consists of *facilities* and *clients* with a *spatial location* and given *demands*
    - edges have *euclidean costs* (i.e., the euclidean distance between the spatial locations),

CAPACITATED LOCATION-ROUTING PROBLEM

- integrates the two classical optimization problems of *facility location* and *vehicle routing* in which both location and tour planning decisions are adressed in a single step
- Given:
    - a *graph* whose vertex set consists of *facilities* and *clients* with a *spatial location* and given *demands*
    - edges have *euclidean costs* (i.e., the euclidean distance between the spatial locations),
    - *vehicles* have *uniform capacity*.

CAPACITATED LOCATION-ROUTING PROBLEM

- ▶ integrates the two classical optimization problems of *facility location* and *vehicle routing* in which both location and tour planning decisions are adressed in a single step
- ▶ Given:
  - ▶ a *graph* whose vertex set consists of *facilities* and *clients* with a *spatial location* and given *demands*
  - ▶ edges have *euclidean costs* (i.e., the euclidean distance between the spatial locations),
  - ▶ *vehicles* have *uniform capacity*.
- ▶ the aim is to find a subset of facilities that have to be opened, and a set of vehicle tours originating from those facilities, serving all clients, not violating the vehicle capacity, and minimizing the opening and connection costs.

CAPACITATED LOCATION-ROUTING PROBLEM

► integrates the two classical optimization problems of *facility location* and *vehicle routing* in which both location and tour planning decisions are adressed in a single step
► Given:
  ► a *graph* whose vertex set consists of *facilities* and *clients* with a *spatial location* and given *demands*
  ► edges have *euclidean costs* (i.e., the euclidean distance between the spatial locations),
  ► *vehicles* have *uniform capacity*.
► the aim is to find a subset of facilities that have to be opened, and a set of vehicle tours originating from those facilities, serving all clients, not violating the vehicle capacity, and minimizing the opening and connection costs.
► Instances:
  http://prodhonc.free.fr/Instances/instances_us.htm,
  http://www.coga.tu-berlin.de/clrlib

CAPACITATED LOCATION-ROUTING PROBLEM

- integrates the two classical optimization problems of *facility location* and *vehicle routing* in which both location and tour planning decisions are adressed in a single step
- Given:
  - a *graph* whose vertex set consists of *facilities* and *clients* with a *spatial location* and given *demands*
  - edges have *euclidean costs* (i.e., the euclidean distance between the spatial locations),
  - *vehicles* have *uniform capacity*.
- the aim is to find a subset of facilities that have to be opened, and a set of vehicle tours originating from those facilities, serving all clients, not violating the vehicle capacity, and minimizing the opening and connection costs.
- Instances:
  http://prodhonc.free.fr/Instances/instances_us.htm,
  http://www.coga.tu-berlin.de/clrlib
- a Python converter to .dzn will be available very soon