

- compose commands, data persistence).
- If any of these files are missing or empty, the review ends now.



Simple setup

- Ensure that NGINX can be accessed by port 443 only. Once done, open the page.
- Ensure that a SSL/TLS certificate is used.
- Ensure that the WordPress website is properly installed and configured (you shouldn't see the WordPress Installation page). To access it, open <https://login.42.fr> in your browser, where login is the login of the evaluated learner. You shouldn't be able to access the site via <http://login.42.fr>. If something doesn't work as expected, the evaluation process ends now.



Docker Basics

- Start by checking the Dockerfiles. There must be one Dockerfile per service. Ensure that the Dockerfiles are not empty files. If it's not the case or if a Dockerfile is missing, the evaluation process ends now.
- Make sure the evaluated learner has written their own Dockerfiles and built their own Docker images. Indeed, it is forbidden to use ready-made ones or to use services such as DockerHub.
- Ensure that every container is built from the penultimate stable version of Alpine/Debian. If a Dockerfile does not start with 'FROM alpine:XXX' or 'FROM debian:XXXX', or any other local image, the evaluation process ends now.
- The Docker images must have the same name as their corresponding service. Otherwise, the evaluation process ends now.
- Ensure that the Makefile has set up all the services via docker compose. This means that the containers must have been built using docker compose and that no crash happened. Otherwise, the evaluation process ends.



Docker Network

- Ensure that docker-network is used by checking the docker-compose.yml file. Then run the 'docker network ls' command to verify that a network is visible.
- The evaluated learner has to give you a simple explanation of docker-network.
- If any of the above points is not correct, the evaluation process ends now.



NGINX with SSL/TLS

- Ensure that there is a Dockerfile.
- Using the 'docker compose ps' command, ensure that the container was created (using the flag '-p' is authorized if necessary).
- Try to access the service via http (port 80) and verify that you cannot connect.
- Open <https://login.42.fr/> in your browser, where login is the login of the evaluated learner. The displayed page must be the configured WordPress website (you shouldn't see the WordPress Installation page).
- The use of a TLS v1.2 or TLS v1.3 certificate is mandatory and must be demonstrated. The SSL/TLS certificate doesn't have to be recognized. A self-signed certificate warning may appear.
- If any of the above points is not clearly explained and correct, the evaluation process ends now.



WordPress with php-fpm and its volume

- Ensure that there is a Dockerfile.
- Ensure that there is no NGINX in the Dockerfile.
- Using the 'docker compose ps' command, ensure that the container was created (using the flag '-p' is authorized if necessary).
- Ensure that there is a Volume. To do so: Run the command 'docker volume ls' then 'docker volume inspect <volume name>'. Verify that the result in the standard output contains the path: '/home/login/data/' , where login is the login of the evaluated learner.
- Ensure that you can add a comment using the available WordPress user.
- Sign in with the administrator account to access the Administration dashboard. The Admin username must not include 'admin' or 'Admin' (e.g., admin, administrator, Admin-login, admin-123, and so forth).
- From the Administration dashboard, edit a page. Verify on the website that the page has been updated.
- If any of the above points is not correct, the evaluation process ends now.



MariaDB and its volume

- Ensure that there is a Dockerfile.
- Ensure that there is no NGINX in the Dockerfile.
- Using the 'docker compose ps' command, ensure that the container was created (using the flag '-p' is authorized if necessary).
- Ensure that there is a Volume. To do so: Run the command 'docker volume ls' then 'docker volume inspect <volume name>'. Verify that the result in the standard output contains the path: '/home/login/data/' , where login is the login of the evaluated learner.
- The evaluated learner must be able to explain you how to login into the database. Verify that the database is not empty.
- If any of the above points is not correct, the evaluation process ends now.



Persistence

- This part is pretty straightforward. You have to reboot the virtual machine. Once it has restarted, launch docker compose again. Then, verify that everything is functional, and that both WordPress and MariaDB are configured. The changes you made previously to the WordPress website should still be here. If any of the above points is not correct, the evaluation process ends now.



Configuration modification

- During the defense, the reviewer must ask the evaluated person to modify the configuration of one service (for example by changing the port it is using).
- The reviewer is free to choose which service and which new port, as long as the port is available on the system.
- After the change, the evaluated person must rebuild and restart the project.
- The service must remain accessible and functional with the new configuration.
- If the modification cannot be performed or the service no longer works, the evaluation ends now.



Bonus

For this project, the bonus part is intended to be simple. A Dockerfile must be written for each additional service. Thus, each service will run inside its own container and will have, if necessary, its dedicated volume. Evaluate the bonus part only if the mandatory part has been completed entirely and perfectly. Perfect means the mandatory part has been fully completed and functions without any malfunctions. If you have not passed ALL the mandatory requirements, your bonus part will not be evaluated at all.

Bonus

Bonus list:

- Set up redis cache for your WordPress website in order to properly manage the cache.
- Set up a PHP API container pointing to the volume of your WordPress website.
- Create a simple static website in the language of your choice except PHP (yes, PHP is excluded). For example, a showcase site or a site for presenting your resume.
- Set up Adminer.
- Set up a service of your choice that you think is useful. During the defense, you will have to justify your choice. Add 1 point per bonus authorized in the subject. Verify and test the proper functioning and implementation of each additional service. For the free choice service, the evaluated student must provide a simple explanation of how it works and why they believe it is useful.

Rate it from 0 (Failed) through 5 (Excellent)



Ratings

Don't forget to check the flag corresponding to the defense



Empty work

Incomplete work

Cheat

Crash

Concerning situation

Can't support / explain code

Conclusion

Leave a comment on this evaluation (2048 chars max)

Finish evaluation

API General Terms of Use

Declaration on the use of cookies

Privacy policy

General term of use of the site

Rules of procedure

Terms of use for video surveillance

Legal notices