Backpropagation

Gradient Descent

Network parameters $\theta = \{w_1, w_2, \cdots, b_1, b_2, \cdots\}$

Starting Parameters $\theta^0 \longrightarrow \theta^1 \longrightarrow \theta^2 \longrightarrow \cdots\cdots$

$$\nabla L(\theta) = \begin{bmatrix} \partial L(\theta)/\partial w_1 \\ \partial L(\theta)/\partial w_2 \\ \vdots \\ \partial L(\theta)/\partial b_1 \\ \partial L(\theta)/\partial b_2 \\ \vdots \end{bmatrix}$$

$Compute\ \nabla L(\theta^0)$ $\quad \theta^1 = \theta^0 - \eta \nabla L(\theta^0)$

$Compute\ \nabla L(\theta^1)$ $\quad \theta^2 = \theta^1 - \eta \nabla L(\theta^1)$

Millions of parameters ……

To compute the gradients efficiently, we use ***backpropagation***.

Chain Rule

Case 1 $y = g(x) \quad z = h(y)$

$$\Delta x \to \Delta y \to \Delta z \qquad \frac{dz}{dx} = \frac{dz}{dy}\frac{dy}{dx}$$

Case 2

$$x = g(s) \qquad y = h(s) \qquad z = k(x, y)$$



$$\frac{dz}{ds} = \frac{\partial z}{\partial x}\frac{dx}{ds} + \frac{\partial z}{\partial y}\frac{dy}{ds}$$

Backpropagation



$$L(\theta) = \sum_{n=1}^{N} l^n(\theta) \quad \Rightarrow \quad \frac{\partial L(\theta)}{\partial w} = \sum_{n=1}^{N} \frac{\partial l^n(\theta)}{\partial w}$$



Backpropagation, Continued



Forward pass:

Compute $\partial z/\partial w$ for all parameters

$$\frac{\partial l}{\partial w} = ? \quad \frac{\partial z}{\partial w}\frac{\partial l}{\partial z}$$

(Chain rule)

Backward pass:

Compute $\partial l/\partial z$ for all activation function inputs z

Backpropagation – Forward Pass: Part I

Compute $\partial z/\partial w$ for all parameters



$\partial z/\partial w_1 =?\ x_1$

$\partial z/\partial w_2 =?\ x_2$

The value of the input connected by the weight

Backpropagation – Forward Pass: Part II

Compute $\partial z/\partial w$ for all parameters



Backpropagation – Backward Pass: Part III

Compute $\partial l/\partial z$ for all activation function inputs z



$$\frac{\partial l}{\partial z} = \frac{\partial a}{\partial z}\frac{\partial l}{\partial a}$$

$\Rightarrow \sigma'(z)$



Backpropagation – Backward Pass: Part IV

Compute $\partial l/\partial z$ for all activation function inputs z



$$\frac{\partial l}{\partial z} = \frac{\partial a}{\partial z}\frac{\partial l}{\partial a} \qquad \frac{\partial l}{\partial a} = \frac{\partial z'}{\partial a}\frac{\partial l}{\partial z'} + \frac{\partial z''}{\partial a}\frac{\partial l}{\partial z''}$$ (Chain rule)

$\frac{\partial z'}{\partial a}$: w_3 — $\frac{\partial l}{\partial z'}$: ?

$\frac{\partial z''}{\partial a}$: w_4 — $\frac{\partial l}{\partial z''}$: ?

Assume it's known

Backpropagation – Backward Pass: Part V

Compute $\partial l/\partial z$ for all activation function inputs z



$$\frac{\partial l}{\partial z} = \sigma'(z)\left[w_3 \frac{\partial l}{\partial z'} + w_4 \frac{\partial l}{\partial z''}\right]$$

Backpropagation – Backward Pass: Part VI



$\sigma'(z)$ is a constant because z is already determined in the forward pass.

$$\frac{\partial l}{\partial z} = \sigma'(z)\left[w_3 \frac{\partial l}{\partial z'} + w_4 \frac{\partial l}{\partial z''}\right]$$

Backpropagation – Backward Pass: Part VII

Compute $\partial l/\partial z$ for all activation function inputs z



Case 1. Output Layer

$$\frac{\partial l}{\partial z'} = \frac{\partial y_1}{\partial z'}\frac{\partial l}{\partial y_1} \qquad \frac{\partial l}{\partial z''} = \frac{\partial y_2}{\partial z''}\frac{\partial l}{\partial y_2}$$

Done!

Backpropagation – Backward Pass: Part VIII

Compute $\partial l / \partial z$ for all activation function inputs z

Case 2. Not Output Layer



Backpropagation – Backward Pass: Part IX

Compute $\partial l/\partial z$ for all activation function inputs z

Case 2. Not Output Layer



Backpropagation – Backward Pass: Part X

Compute $\partial l/\partial z$ for all activation function inputs z

Case 2. Not Output Layer



Backpropagation – Backward Pass: Part XI

Compute $\partial l/\partial z$ for all activation function inputs z

Compute $\partial l/\partial z$ from the output layer



Backpropagation – Backward Pass: Part XII

Compute $\partial l/\partial z$ for all activation function inputs z

Compute $\partial l/\partial z$ from the output layer



Backpropagation – Summary

Forward Pass



Backward Pass



$$\frac{\partial z}{\partial w} = a \qquad \text{X} \qquad \frac{\partial l}{\partial z} \qquad = \frac{\partial l}{\partial w}$$

for all w