

API v1 · DOCS

< Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

DEVELOPER REFERENCE

WeatherAI API Documentation

Real-time and forecast weather data with AI-generated summaries, SMS/USSD delivery, webhook subscriptions, and usage analytics — all behind a single REST API.

Free — 1K req/mo

Pro — 50K req/mo

Scale — 500K req/mo + SMS

SETUP


Authentication

Every request must include your API key as a Bearer token. Keys are prefixed `wai_` and scoped to your plan.

i Generate keys from **Dashboard** → **API Keys**. Keys are SHA-256 hashed before storage — the plaintext is only shown once on creation.

HTTP HEADER

Copy



API v1 · DOCS

< Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 **PRO+**

GET /v1/insights **PRO+**

GET /v1/weather-geo

GET /v1/ip-lookup **PRO+**

ACCOUNT

GET /v1/usage

Authorization: Bearer wai_<your_api_key>

CURL

Copy

```
curl https://api.weather-ai.co/v1/weather?lat=-1.2921&lon=36.8219 \
-H "Authorization: Bearer wai_your_key_here"
```

JAVASCRIPT

Copy

```
const res = await fetch(
  'https://api.weather-ai.co/v1/weather?lat=-1.2921&lon=36.8219',
  { headers: { Authorization: 'Bearer wai_your_key_here' } }
);
const data = await res.json();
```

BILLING

Plans & Rate Limits

Limits reset on a 30-day rolling period from subscription date, not calendar month.

PLAN	REQUESTS/MO	AI REQUESTS/MO	FORECAST DAYS	WEBHOOKS	SMS/USSD	TEAM SEATS
Free	1,000	200	7	✗	✗	1
Pro	50,000	10,000	14	✓ up to 10	✗	5
Scale	500,000	100,000	16	✓ up to 50	✓ approval req.	20



API v1 · DOCS

Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

⚠ Add `?ai=false` to skip Gemini AI summaries and preserve your AI quota.

RATE LIMIT HEADERS

X-RateLimit-Limit: 50000 # monthly cap
X-RateLimit-Remaining: 49987 # requests remaining
X-RateLimit-Reset: 1717977600 # unix epoch reset time

REFERENCE

Error Codes

STATUS	MEANING	COMMON CAUSE
401	Unauthorized	Missing, malformed, or revoked API key
403	Forbidden	Plan doesn't include this feature; SMS not yet enabled
429	Too Many Requests	Monthly quota exceeded — check <code>X-RateLimit-Reset</code>
400	Bad Request	Missing required parameters
500	Internal Error	Server-side issue — retry with exponential backoff
503	Service Unavailable	Database unreachable — fail-closed for SMS gates

WEATHER ENDPOINTS

Weather API



API v1 · DOCS

< Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

Fetch current conditions and multi-day forecasts by coordinates. Gemini AI summaries included by default.

GET /v1/weather

ALL PLANS

Current conditions + forecast ^

QUERY PARAMETERS

PARAM	TYPE	REQ	DESCRIPTION
lat	float	required	Latitude e.g. -1.2921
lon	float	required	Longitude e.g. 36.8219
days	integer	optional	Forecast days (1–7 Free, 1–14 Pro, 1–16 Scale). Default: 7
ai	boolean	optional	Include AI summary. Default: true
units	string	optional	metric (°C) or imperial (°F). Default: metric
lang	string	optional	Language code for AI summary e.g. en, sw. Default: en

< TRY IT

key from top bar

lat -1.2921

lon 36.8219

days 3

ai true

units metric

► Send Request



API v1 · DOCS

← Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

● Network Error 366ms

Copy

```
{
  "error": "Failed to fetch"
}
```

GET /v1/forecast

ALL PLANS

Alias of /v1/weather



i Convenience alias for `/v1/weather`. Accepts identical parameters, returns the same shape.

⌵ TRY IT

lat -1.2921

lon 36.8219

days 7

ai false




► Send Request

● Network Error 540ms

Copy

```
{
  "error": "Failed to fetch"
}
```



API v1 · DOCS

< Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

GET /v1/current

ALL PLANS

Current conditions only ^

i Returns present-moment weather conditions. Delegates to the same handler as `/v1/weather` — accepts identical parameters.

PARAM	TYPE	REQ	DESCRIPTION
lat	float	required	Latitude e.g. -1.2921
lon	float	required	Longitude e.g. 36.8219
ai	boolean	optional	Include AI summary. Default: true
units	string	optional	<code>metric</code> or <code>imperial</code> . Default: metric
lang	string	optional	Language code for AI summary. Default: en

GET /v1/daily

ALL PLANS

Daily forecast breakdown ^

i Day-by-day forecast. Delegates to the same handler as `/v1/weather` — accepts identical parameters.

PARAM	TYPE	REQ	DESCRIPTION
lat	float	required	Latitude e.g. -1.2921
lon	float	required	Longitude e.g. 36.8219
days	integer	optional	Forecast days (1–7 Free, 1–14 Pro, 1–16 Scale). Default: 7
ai	boolean	optional	Include AI summary. Default: true



API v1 · DOCS

Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

PARAM	TYPE	REQ	DESCRIPTION
units	string	optional	metric or imperial . Default: metric

GET /v1/hourly

ALL PLANS Hourly forecast breakdown ^

i Hour-by-hour forecast data. Delegates to the same handler as /v1/weather — accepts identical parameters.

PARAM	TYPE	REQ	DESCRIPTION
lat	float	required	Latitude e.g. -1.2921
lon	float	required	Longitude e.g. 36.8219
days	integer	optional	Forecast days (1–7 Free, 1–14 Pro, 1–16 Scale). Default: 7
ai	boolean	optional	Include AI summary. Default: true
units	string	optional	metric or imperial . Default: metric

GET /v1/forecast14

PRO+ 14-day extended forecast ^

⚠ Requires Pro or Scale plan. Free-plan keys receive a 403 .

Extended 14-day forecast endpoint. Accepts identical parameters to /v1/weather ; the days parameter is capped at 14 for Pro and 16 for Scale.

PARAM	TYPE	REQ	DESCRIPTION
lat	float	required	Latitude e.g. -1.2921



API v1 · DOCS

Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

PARAM	TYPE	REQ	DESCRIPTION
lon	float	required	Longitude e.g. 36.8219
days	integer	optional	Forecast days up to 14 (Pro) or 16 (Scale). Default: 14
ai	boolean	optional	Include AI summary. Default: true
units	string	optional	metric or imperial . Default: metric
lang	string	optional	Language code for AI summary. Default: en

GET /v1/insights

PRO+ AI-powered weather insights ^

⚠ Requires Pro or Scale plan. Free-plan keys receive a 403 .

Returns weather data with enhanced Gemini AI analysis — agronomic context, risk flags, and actionable recommendations alongside standard forecast fields. Delegates to the same handler as /v1/weather ; AI is always enabled.

PARAM	TYPE	REQ	DESCRIPTION
lat	float	required	Latitude e.g. -1.2921
lon	float	required	Longitude e.g. 36.8219
days	integer	optional	Forecast days (plan-limited). Default: 7
units	string	optional	metric or imperial . Default: metric
lang	string	optional	Language code for AI summary. Default: en



API v1 · DOCS

Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

GET /v1/weather-geo

ALL PLANS

Weather + IP geo-detection ^

Auto-detects caller location from IP when `?ip=auto`. Returns weather + geo metadata in response headers.

PARAM	TYPE	REQ	DESCRIPTION
ip	string	optional	Pass <code>auto</code> to detect from request IP, or an explicit IP
lat	float	optional	Override detected latitude
lon	float	optional	Override detected longitude
days	integer	optional	Forecast days (plan-limited)
ai	boolean	optional	Include AI summary. Default: true

RESPONSE HEADERS

X-Country: KE
X-Region: Nairobi County
X-City: Nairobi

TRY IT

ip auto

days 3

ai false

Send Request



API v1 · DOCS

Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

GET /v1/ip-lookup

PRO+

Resolve IP address to geo coordinates

Resolves an IP address to latitude, longitude, city, region, country, and timezone. Pass `?ip=auto` (default) to detect from the request IP, or supply any explicit IPv4/IPv6 address.

PARAM	TYPE	REQ	DESCRIPTION
ip	string	optional	IP to resolve. Pass <code>auto</code> (default) to detect from request, or an explicit IPv4/IPv6 address

RESPONSE

```
{
  "ip": "41.90.64.1",
  "ip_hash": "a3f1...",
  "ip_version": "v4",
  "geo": {
    "lat": -1.2921,
    "lon": 36.8219,
    "city": "Nairobi",
    "region": "Nairobi County",
    "country": "KE",
    "timezone": "Africa/Nairobi"
  }
}
```

TRY IT

ip auto

Send Request

Network Error 409ms

Copy



API v1 · DOCS

Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

ACCOUNT

Usage & Quota

GET /v1/usage

ALL PLANS

Billing period usage stats ^

Returns request counts, AI request counts, plan limits, and billing period start/end. No query parameters.

TRY IT


Send Request

Network Error 523ms

Copy

```
{
  "error": "Failed to fetch"
}
```

WEBHOOKS



API v1 · DOCS

← Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

Webhooks PRO+

Subscribe to weather trigger events. WeatherAI POSTs to your URL when conditions are met.

POST /v1/webhooks

PRO+ Create a webhook subscription ^

REQUEST BODY (JSON)

FIELD	TYPE	REQ	DESCRIPTION
url	string	required	HTTPS endpoint to receive POST payloads
lat	float	required	Latitude of location to monitor
lon	float	required	Longitude of location to monitor
triggers	string[]	required	e.g. ["rain", "extreme_wind", "frost"]
timezone	string	optional	IANA timezone. Default: UTC

EXAMPLE

Copy

```
POST /v1/webhooks
Authorization: Bearer wai_your_key
Content-Type: application/json

{
  "url": "https://yourapp.com/weather-hook",
  "lat": -1.2921,
  "lon": 36.8219,
  "triggers": ["rain", "extreme_wind"],
  "timezone": "Africa/Nairobi"
}
```



API v1 · DOCS

< Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

✓ Pro supports up to 10 webhooks. Scale supports up to 50.

GET /v1/webhooks

PRO+

List your webhooks ^

Returns all active webhook subscriptions for your account.

RESPONSE

```
{
  "webhooks": [
    {
      "id": "abc123",
      "url": "https://yourapp.com/hook",
      "lat": -1.2921,
      "lon": 36.8219,
      "triggers": ["rain"],
      "timezone": "Africa/Nairobi",
      "active": true,
      "createdAt": "2024-11-01T10:00:00Z"
    }
  ]
}
```

DEL /v1/webhooks/:id


PRO+

Delete a webhook ^

Permanently deletes a webhook. Returns 404 if not found or owned by another account.

CURL

Copy



API v1 · DOCS

< Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

```
curl -X DELETE https://api.weather-ai.co/v1/webhooks/abc123 \
-H "Authorization: Bearer wai_your_key"
```

SMS / USSD

SMS API

SCALE ONLY

Programmatic SMS delivery and farmer registration. Requires Scale plan + admin compliance approval.

⚠ SMS routes require (1) Scale plan and (2) **smsEnabled = true** on your account — set by admin after compliance review. Submit documents via Billing panel → Request SMS Access. Until approved, calls return **403 SMS_NOT_ENABLED**.

POST /v1/sms/send

SCALE


Send an SMS message ^

REQUEST BODY (JSON)

FIELD	TYPE	REQ	DESCRIPTION
to	string	required	Recipient phone in E.164 format e.g. +254712345678
message	string	required	SMS body text (max 160 chars per segment)
type	string	optional	Type tag for analytics. Default: general
pilotTag	string	optional	Pilot programme identifier for grouping in SMS stats

EXAMPLE

Copy



API v1 · DOCS

< Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

POST /v1/sms/send

Authorization: Bearer wai_your_key

```
{
  "to":      "+254712345678",
  "message": "Heavy rain expected tomorrow. Plan ahead.",
  "type":    "weather_alert"
}
```

POST /v1/sms/alert

SCALE Send a structured alert ^

Sends a formatted weather alert using a predefined template keyed by `alertType`.

FIELD	TYPE	REQ	DESCRIPTION
to	string	required	Recipient phone in E.164
alertType	string	required	rain · frost · extreme_wind · drought
data	object	optional	Context merged into template e.g. { "mm": 45, "day": "tomorrow" }

POST /v1/sms/bomet/register

SCALE Register a Bomet farmer ^

Registers a farmer in the Bomet Agricultural Alert System. Creates a profile and schedules daily weather SMS alerts.

FIELD	TYPE	REQ	DESCRIPTION
phone	string	required	Farmer's phone (E.164)
name	string	required	Full name

OVERVIEW

[Introduction](#)

[Authentication](#)

[Plans & Limits](#)

[Error Codes](#)

WEATHER

[GET /v1/weather](#)

[GET /v1/forecast](#)

[GET /v1/current](#)

[GET /v1/daily](#)

[GET /v1/hourly](#)

[GET /v1/forecast14](#) PRO+

[GET /v1/insights](#) PRO+

[GET /v1/weather-geo](#)

[GET /v1/ip-lookup](#) PRO+

ACCOUNT

[GET /v1/usage](#)

FIELD	TYPE	REQ	DESCRIPTION
location	string	optional	Village/ward e.g. <code>Bomet Central</code>
cropType	string	optional	Primary crop e.g. <code>maize</code> · <code>tea</code>

[GET /v1/sms/stats](#)

[SCALE](#) SMS usage statistics ^

Returns delivery stats, message counts by type, gateway usage, and opt-out rates. No parameters.

[GET /v1/sms/health](#)

[SCALE](#) SMS gateway health check ^

Connectivity status for the SMS gateway and Africa's Talking fallback.

EXAMPLE RESPONSE

```
{
  "gateway": "ok",
  "fallback": "ok",
  "lastCheck": "2025-05-20T07:58:00Z",
  "latencyMs": 142
}
```

AGROFORESTRY

Trees & Forestry API



API v1 · DOCS

Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

Upload drone, aerial, or satellite images to automatically count tree crowns, assess canopy health, and get agronomic recommendations — powered by OpenCV computer vision and Gemini AI.

PLAN	ANALYSES / MONTH	CV ENGINE	OVERLAY IMAGE	GEMINI CONTEXT
Free	5	✓	✓	✓
Pro	100	✓	✓	✓
Scale	Unlimited	✓	✓	✓

POST /v1/trees/analyze

ALL PLANS

Count trees + assess canopy health from image ^

Upload a farm image (drone, aerial, satellite) as `multipart/form-data`. Returns tree count, density, health breakdown, an annotated overlay image, and Gemini-powered agronomic observations.

FORM FIELDS

FIELD	TYPE	REQ	DESCRIPTION
image	file	required	JPEG, PNG, or WEBP — max 20 MB
farmerId	string	optional	Your farmer / plot identifier — echoed in response
county	string	optional	County or region — provides context for Gemini
landAcres	float	optional	Plot size in acres — enables <code>tree_density_per_acre</code>
location	string	optional	Human-readable farm name or GPS description
notes	string	optional	Extra context for Gemini e.g. "Tea plantation, recently pruned"



API v1 · DOCS

[Back to weather-ai.co](#)

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

[GET](#) /v1/weather

[GET](#) /v1/forecast

[GET](#) /v1/current

[GET](#) /v1/daily

[GET](#) /v1/hourly

[GET](#) /v1/forecast14 [PRO+](#)

[GET](#) /v1/insights [PRO+](#)

[GET](#) /v1/weather-geo

[GET](#) /v1/ip-lookup [PRO+](#)

ACCOUNT

[GET](#) /v1/usage

CURL EXAMPLE

Copy

```
curl -X POST https://api.weather-ai.co/v1/trees/analyze \
-H "Authorization: Bearer wai_your_key" \
-F "image=@/path/to/farm.jpg" \
-F "farmerId=F-001" \
-F "county=Bomet" \
-F "landAcres=2.5" \
-F "notes=Tea plantation"
```

RESPONSE 200

```
{
  "analysis_id": "Kx8mP2qRvTnZ",
  "timestamp": "2026-06-01T09:15:00.000Z",
  "farmer_id": "F-001",
  "county": "Bomet",
  "location": "Kapkimolwa Farm, Block C",
  "land_acres": 2.5,
  "total_tree_count": 84,
  "tree_density_per_acre": 33.6,
  "confidence_score": 0.87,
  "canopy_coverage_pct": 41.2,
  "tree_health": {
    "healthy": 68,
    "needs_care": 12,
    "needs_replacement": 4
  },
  "low_confidence": false,
  "tree_species_guess": "Tea (Camellia sinensis)",
  "observations": [
    "Dense canopy in northern quadrant – possible over-crowding",
    "3 trees near water source show yellowing – likely waterlogging"
  ],
  "recommendations": [
    "Consider thinning northern section to improve light penetration",

```



API v1 · DOCS

Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

```
"Improve drainage around water source trees"
],
"original_image_url": "https://storage.googleapis.com/.../original.jpg",
"overlay_image_url": "https://storage.googleapis.com/.../overlay.jpg",
"cv_debug": {
  "orig_resolution": "4000x3000",
  "work_resolution": "1500x1125",
  "canopy_px": 412500,
  "peaks_detected": 91,
  "after_area_filter": 84
}
}
```

TRY IT — Image Upload

multipart/form-data



Drop a farm image here or [click to browse](#)

JPEG · PNG · WEBP · max 20 MB

farmerId F-001 (optional)

county Bomet (optional)

landAcres 2.5 (optional)

location Farm name or GPS (optional)

notes Tea plantation, recently pruned...



API v1 · DOCS

Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

Analyze Image

GET /v1/trees/history

ALL PLANS

List past analyses for your account

Returns a paginated list of past tree analyses for the authenticated caller, ordered newest first.

PARAM	TYPE	REQ	DESCRIPTION
limit	integer	optional	Results per page (default 20, max 100)
cursor	string	optional	Pagination cursor from previous response <code>next_cursor</code>

TRY IT

limit 10

cursor leave blank for page 1

Send Request

GET /v1/trees/quota


ALL PLANS

Remaining tree analysis quota this month

Returns how many tree analyses you have used and remaining for the current calendar month.

RESPONSE

```
{
  "plan": "pro",
  "used": 12,
  "limit": 100,
```



API v1 · DOCS

◀ Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 PRO+

GET /v1/insights PRO+

GET /v1/weather-geo

GET /v1/ip-lookup PRO+

ACCOUNT

GET /v1/usage

```
"remaining": 88,  
"unlimited": false,  
"resets_at": "2026-07-01T00:00:00.000Z"  
}
```

✂ TRY IT

▶ Send Request

POST

/v1/forestry/count-trees

ALL PLANS

Legacy alias — identical to /v1/trees/analyze ^

i Convenience alias for `/v1/trees/analyze`. Accepts the same multipart fields and returns the identical response shape. Useful if you have existing integrations pointing to `/v1/forestry/count-trees`.

CURL

Copy

```
curl -X POST https://api.weather-ai.co/v1/forestry/count-trees \  
-H "Authorization: Bearer wai_your_key" \  
-F "image=@/path/to/farm.jpg" \  
-F "farmerId=F-001" \  
-F "county=Bomet" \  
-F "landAcres=2.5"
```

FIREBASE CALLABLE FUNCTIONS



API v1 · DOCS

← Back to weather-ai.co

OVERVIEW

Introduction

Authentication

Plans & Limits

Error Codes

WEATHER

GET /v1/weather

GET /v1/forecast

GET /v1/current

GET /v1/daily

GET /v1/hourly

GET /v1/forecast14 **PRO+**

GET /v1/insights **PRO+**

GET /v1/weather-geo

GET /v1/ip-lookup **PRO+**

ACCOUNT

GET /v1/usage

Billing Functions

These are Firebase HTTPS callable functions invoked via the Firebase SDK — not plain REST. They require an authenticated Firebase user session.

i Call these via the Firebase JS SDK: `httpsCallable(functions, 'functionName')(payload)`. They enforce Firebase Auth internally — no API key needed, but the user must be signed in.

FN **cancelSubscription**

PRO / SCALE

Cancel active subscription ▾

FN **requestSmsAccess**

SCALE

Submit SMS compliance request ▾

FN **contactSales**

ALL PLANS

Send a sales / enterprise enquiry ▾

FN **getPaystackConfig**

ALL PLANS

Fetch Paystack public config ▾