amaniq

INTERNAL GUIDE · AMANIQ PROJECTS LIMITED

Going live on GO54: *the AMANIQ playbook.*

Everything learned while launching amaniqgroup.com, turned into steps you can follow for the next site, starting with academy.amaniqgroup.com.

Written 23 October 2026 from the amaniqgroup.com launch (21 to 22 October 2026).
Keep this guide private: it describes how the servers are set up. It contains no passwords and never should.

CONTENTS

What is in this guide

1. Quick reference card
2. The GO54 panel: what is different from cPanel
3. Lessons from the amaniqgroup.com launch
4. Playbook A: launch any simple PHP site
5. Playbook B: launch academy.amaniqgroup.com (Laravel)
6. Email: mailboxes, website sending, phones
7. Launch-day checks
8. Troubleshooting
9. Updating a live site safely
10. Where everything lives, and backups
11. Command cheat sheet

> **How to use it.** For a new site, read sections 1 to 3 once, then follow Playbook A (simple PHP sites like amaniqgroup.com) or Playbook B (the Laravel Academy) step by step, ticking the boxes. Finish with section 7. If anything fails, go to section 8.

> **Golden rules.**
> 1. Secrets (passwords, keys) live **only** in the server's settings file (`config.php` or `.env`). Never in GitHub, email or chat.
> 2. Only the web folder (`public_html`) is public. Code, settings and logs sit **beside** it, never inside it.
> 3. Never delete files on the server blindly. Download a copy, or move them to a backup folder first.
> 4. After 2 failed logins (email, SMTP), stop and check. Repeated failures get you blocked.

SECTION 1

Quick reference card

Hosting facts (confirmed during the launch)

ITEM	VALUE
Host	GO54 shared hosting. Control panel is DirectAdmin-style (not cPanel), with CloudLinux (you will see `.cagefs` and `.cl.selector` folders)
Account user	`amaniqgr` (database and other names are prefixed with it, e.g. `amaniqgr_academy`)
Server	IP 102.68.97.69, mail server hostname `da42.host-ww.net` (Exim)
Web folder per domain	`domains/<domain>/public_html`
Home `public_html`	Only a shortcut (link icon) to the main domain's folder. Do not work in it
SSL	Let's Encrypt wildcard `*.amaniqgroup.com` + `amaniqgroup.com`, renews automatically. Covers www, mail and every subdomain, including academy
Folder already created	`domains/academy.amaniqgroup.com` exists, ready for the Academy

Email server settings (tested)

USE	SERVER	PORT	SECURITY
Reading mail (IMAP)	`mail.amaniqgroup.com`	993	SSL/TLS
Reading mail (POP3)	`mail.amaniqgroup.com`	995	SSL/TLS
Sending mail (SMTP)	`mail.amaniqgroup.com`	465 (or 587 with STARTTLS)	SSL/TLS
User name	Always the **full** email address, e.g. `info@amaniqgroup.com`		

Mailboxes and their jobs

MAILBOX	JOB	ON THE WEBSITE?
info@	Public address. Receives general, procurement and partnership enquiries, plus a copy of every enquiry	Yes
contact@	The website's private sending mailbox (the site logs in with it)	No, keep it private
technologies@ · consulting@ · digitallabs@ · academy@	Receive enquiries for their division	No

mohammed.ibrahim@	Personal mailbox. Not used by any website	No

Your three copies of every site

WHERE	WHAT IT IS FOR
Your PC: `D:\My PROJECTS\<project>`	Working copy plus full history (hidden `.git` folder)
GitHub: `github.com/rifkeey/<repo>`	Off-site backup of code and history. Never holds secrets
GO54: `domains/<domain>/`	The live copy, plus the only copy of the live settings file. Keep a private backup of that file

SECTION 2

The GO54 panel: what is different from cPanel

Most online guides (and the first version of our own docs) assume cPanel. GO54's panel uses different names and a different folder layout. Use this table to translate any cPanel instruction.

A CPANEL GUIDE SAYS	ON GO54 LOOK FOR
File Manager	**File Manager** (My Files). Hidden files such as `.htaccess` are already shown
`/home/user/public_html`	`domains/<domain>/public_html`
Domains / Subdomains	**Domain Setup** / **Subdomain Management** (each gets its own folder under `domains/`)
SSL/TLS Status, AutoSSL	**SSL/TLS Certificates** → **Manage certificates**. Ours is already a wildcard, so new subdomains are covered
Email Accounts	**E-mail Manager** → **E-mail Accounts**
Connect Devices (mail settings)	Not available. Use the settings in Section 1. **MX Records** shows the mail server name
MultiPHP Manager / Select PHP Version	**Select PHP Version** (CloudLinux PHP Selector). Also where extensions are switched on
MySQL Databases	**MySQL Management** (names get the `amaniqgr_` prefix). phpMyAdmin for importing data
Cron Jobs	**Advanced Features** → **Cron Jobs**
Terminal / SSH	May not be enabled. Ask GO54 support if you need it. Both playbooks work without it
Change Permissions	File Manager → select file → **More** → **Permissions** (CHMOD)

> **If you cannot find something,** take a screenshot of the panel and ask. Menu names can change when GO54 updates the panel.

SECTION 3

Lessons from the amaniqgroup.com launch

Each of these happened during the launch. Knowing them in advance turns a long evening into a short one.

WHAT HAPPENED	WHY	WHAT TO DO NEXT TIME
Guide steps did not match the screen	GO54 is not cPanel	Use the translation table in Section 2
Two old files sat in `public_html` (`index.html` , `index.html.bak`)	A placeholder page and an old site backup	Download them, then move them to `old-site-backup` beside `public_html` . An `index.html` can override the new site
The site showed "The website is being configured"	The settings file did not exist yet	This is a **good** sign: the files are connected. Create the settings file next
Contact form: "could not be sent just now"	Log said `535 Incorrect authentication data` : the mailbox password in `config.php` was wrong	Check the password in webmail first. Use letters and numbers only. Paste it with no spaces, and remove any `getenv(...)` part from that line
I first guessed the mail ports were blocked	Guessing before reading the log	**Always read the log first**: `storage/logs/` tells you the real reason
PowerShell refused the PHP command	A quoted program path needs `&` in front of it in PowerShell	Start such commands with `& "C:\...\php.exe"`
The local preview server stopped by itself	The Claude app stops the servers it starts after a while	Start your own in a terminal (see `TO RUN THE SYSTEM.txt`)
Live checks from the PC failed with certificate errors	The PC's PHP had no list of trusted certificate authorities. The server was fine	Run checks with Git's certificate list (Section 11)
iPhone mail would not connect	Usually a short user name or wrong password, or a temporary block after failed tries	Full address as user name, same password for outgoing, then wait 30 minutes after failures

> **What worked first time:** SSL (already a wildcard), the folder layout with the private folder beside `public_html` , uploading two ZIP files and extracting them, the HTTPS and www redirects, and the security headers. 48 out of 48 live checks passed once the site was up.

SECTION 4

Playbook A: launch any simple PHP site

Use this for sites built like amaniqgroup.com: plain PHP, no database, a `public_html` folder and a private folder beside it. About 1 to 2 hours.

Phase 1: prepare on your PC

1 **Make sure everything is saved and pushed**

The upload is built from the last saved version in Git, so commit and push first.

2 **Build the two upload ZIP files**

In Git Bash, inside the project folder (replace `amaniq` with the private folder's name for other projects):

```
mkdir -p ../UPLOAD
git archive --format=zip -o ../UPLOAD/public_html.zip HEAD:public_html
git archive --format=zip --prefix=amaniq/ -o ../UPLOAD/amaniq.zip HEAD:amaniq
```

This automatically includes hidden files like `.htaccess` and leaves out your local settings file and test data.

3 **Generate a security key**

In PowerShell, then copy the 64-character result somewhere private for a few minutes:

```
& "C:\Users\IBRAHIM
MOHAMMED\AppData\Local\Microsoft\WinGet\Packages\PHP.PHP.8.3_Microsoft.Winget.Source_8wekyb3d8
bbwe\php.exe" -r "echo bin2hex(random_bytes(32));"
```

Phase 2: domain, SSL and email

4 **Create the domain or subdomain**

In **Domain Setup** (new domain) or **Subdomain Management** (e.g. `labs.amaniqgroup.com`). It appears as `domains/<name>/public_html`. A new domain bought elsewhere must have its nameservers set to GO54's (from your hosting welcome email); allow up to 48 hours.

5 **Check SSL**

SSL/TLS Certificates → Manage certificates. Any `*.amaniqgroup.com` subdomain is already covered by the wildcard. A brand-new domain needs its own certificate: request it there once the domain points to GO54.

6 **Create the sending mailbox**

In **E-mail Accounts**, create (or reuse) a private sending mailbox with a long password of **letters and numbers only**. Log in to webmail once with it to prove the password works.

Phase 3: upload

7 Clear the web folder safely

Open `domains/<domain>/public_html`. If anything is there (except `cgi-bin` or `.well-known`), download it, create `old-site-backup` one level up, and **Move** the files into it.

8 Upload and extract the website files

In `public_html`: **Upload** `public_html.zip` → select it → **Extract** (under More) → delete the ZIP.

9 Upload and extract the private folder

Go up to `domains/<domain>` (the folder that contains `public_html`, `logs`, `stats`). Upload `amaniq.zip` there, extract, delete the ZIP. Opening the site should now say "*The website is being configured*".

```
domains/<domain>/
├── amaniq/            private: code, content, settings, logs
├── public_html/       public: index.php, .htaccess, assets
├── old-site-backup/   anything that was there before
└── logs, stats, awstats, public_ftp   (created by GO54, leave alone)
```

Phase 4: settings, PHP and go

10 Create the settings file

In `amaniq/config`: select `config.example.php` → **Duplicate** → **Rename** the copy to `config.php` → **Edit**:

```
'env' => 'production',
'base_url' => 'https://amaniqgroup.com',      // this site's address
'force_https' => true,                        // once SSL is valid
'username' => 'contact@amaniqgroup.com',      // mail section
'password' => 'TheMailboxPasswordLettersAndNumbers',
'app_key' => 'THE-64-CHARACTER-KEY',          // security section
```

Remove any `getenv(...) ?:` part from the lines you edit. Keep the quotes and the comma. Save, then **More** → **Permissions** → **600**.

11 Set the PHP version

Select PHP Version → PHP 8.3. Extensions: `mbstring`, `openssl`, `curl` on.

12 Open the site and run the launch-day checks

Reload the site, then work through Section 7. Save a private copy of the server's `config.php` (password manager or encrypted USB).

SECTION 5

Playbook B: launch academy.amaniqgroup.com (Laravel)

The Academy (`D:\My PROJECTS\ACADEMY-laravel` , GitHub `rifkeey/ACADEMY-laravel`) is a Laravel 13 app with a MySQL database, learner accounts and optional Paystack payments. It needs a few more steps than Playbook A. Allow half a day, and do it on a quiet day.

> **Good news already in place:** the folder `domains/academy.amaniqgroup.com` exists, the wildcard SSL certificate covers the subdomain, and the `academy@` mailbox exists.

> **The Academy repo's own `docs/DEPLOYMENT_GO54.md` was written for cPanel.** Where it disagrees with this playbook about folders or menu names, follow this playbook.

Before you start: confirm with GO54 support

- [ ] PHP 8.3 (or newer) is available in Select PHP Version, with: `pdo_mysql, mbstring, intl, gd, fileinfo, openssl, zip, bcmath, curl, dom, xml, tokenizer, ctype`
- [ ] The database server version (MySQL 8 or MariaDB). phpMyAdmin shows it on its home page
- [ ] Whether SSH/Terminal access can be enabled (makes setup and updates much easier)
- [ ] Whether the website may connect out to `api.paystack.co` (only if you will take payments)
- [ ] The full path of PHP 8.3 for cron jobs (on CloudLinux often `/opt/alt/php83/usr/bin/php` ; confirm)

Phase 1: prepare the release on your PC

1 Install production dependencies

In the ACADEMY-laravel folder:

```
composer install --no-dev --optimize-autoloader
php artisan test          # optional, needs the local test database
```

Compiled CSS/JS (`public/build`) is already saved in Git, so Node.js is not needed on the server.

2 Make two ZIP files

academy-app.zip: the whole project folder **except** `.env` , `node_modules` , `tests` , `.git` and the contents of `storage/logs` . It **must include** `vendor/` .
academy-public.zip: the contents of the `public` folder, including `.htaccess` .

Ask Claude to build both ZIP files; it can do this reliably and check what is inside.

Phase 2: folders on the server

GO54 serves the subdomain from `domains/academy.amaniqgroup.com/public_html` . Laravel expects to be served from its own `public` folder. We use the same pattern as the main site: public files in `public_html` , the application beside it.

```
domains/academy.amaniqgroup.com/
├── academy/          the Laravel app: app, bootstrap, config, vendor, storage, .env
└── public_html/      contents of Laravel's public/ folder, with an edited index.php
```

3 Upload

Clear `public_html` safely (Playbook A step 7). Upload `academy-public.zip` into `public_html` and extract. Upload `academy-app.zip` into `domains/academy.amaniqgroup.com` and extract so the app is in a folder named `academy`.

4 Point `public_html/index.php` at the app

Edit `public_html/index.php` so it reads exactly:

```php
<?php

use Illuminate\Foundation\Application;
use Illuminate\Http\Request;

define('LARAVEL_START', microtime(true));

$appDir = __DIR__.'/../academy';   // the app sits beside public_html

if (file_exists($maintenance = $appDir.'/storage/framework/maintenance.php')) {
    require $maintenance;
}

require $appDir.'/vendor/autoload.php';

/** @var Application $app */
$app = require_once $appDir.'/bootstrap/app.php';
$app->usePublicPath(__DIR__);      // so CSS/JS and images load from public_html

$app->handleRequest(Request::capture());
```

Alternative: ask GO54 support to set the subdomain's document root to `academy/public`. Then you upload only the app and skip this edit.

Phase 3: database

5 Create the database

MySQL Management → Create new database. Name it e.g. `academy` (it becomes `amaniqgr_academy`), with a user and a long letters-and-numbers password. Note the full database name, user name and password.

Phase 4: the `.env` settings file

6 Create `academy/.env` from `.env.example`

Duplicate `.env.example`, rename the copy to `.env`, edit:

```
APP_ENV=production
APP_DEBUG=false
APP_KEY=base64:...                  # from: php artisan key:generate --show (on your PC)
APP_URL=https://academy.amaniqgroup.com
ACADEMY_SITE_URL=https://academy.amaniqgroup.com
DB_HOST=localhost
DB_DATABASE=amaniqgr_academy
DB_USERNAME=amaniqgr_academy
DB_PASSWORD=TheDatabasePassword
MAIL_HOST=mail.amaniqgroup.com
MAIL_PORT=465
MAIL_SCHEME=smtps
MAIL_USERNAME=academy@amaniqgroup.com
MAIL_PASSWORD=TheAcademyMailboxPassword
MAIL_FROM_ADDRESS="academy@amaniqgroup.com"
PAYMENT_PROVIDER=none               # or paystack with a live sk_live_ key
```

Permissions: `.env` → **600**. Folders `academy/storage` and `academy/bootstrap/cache` → **775**.

Phase 5: create the tables and content

7 With SSH (if GO54 enables it)

```
cd ~/domains/academy.amaniqgroup.com/academy
php -v                                      # must say 8.3; otherwise use the full path
php artisan migrate --force
php artisan db:seed --class=CatalogueSeeder --force
php artisan config:cache && php artisan route:cache && php artisan view:cache
```

8 Without SSH

In **Cron Jobs**, add a one-off job set to run every minute, with the command below. Wait two minutes, check `academy/storage/logs`, then **delete the job**. Repeat with `db:seed --class=CatalogueSeeder --force`.

```
cd /home/amaniqgr/domains/academy.amaniqgroup.com/academy && /opt/alt/php83/usr/bin/php artisan migrate --force
```

Avoid importing a database dump from your PC if GO54 runs MariaDB: MySQL 8 dumps can use collations MariaDB rejects. Running the migrations on the server avoids this.

Phase 6: first administrator and scheduler

9. **Create your admin account**

   Register normally on `https://academy.amaniqgroup.com`. In phpMyAdmin, run `UPDATE users SET role='admin' WHERE email='your@email';` Sign in, open **Account** → **Security** and turn on two-factor authentication. The admin area stays locked until you do. **Never** run `DevAccountsSeeder` on the server.

10. **Add the scheduler cron job (every minute, permanent)**

```
cd /home/amaniqgr/domains/academy.amaniqgroup.com/academy && /opt/alt/php83/usr/bin/php
artisan schedule:run >> /dev/null 2>&1
```

Phase 7: payments and the main site link

11. **Paystack (only when ready to sell)**

    Set `PAYMENT_PROVIDER=paystack` and the live secret key in `.env`. In the Paystack dashboard: webhook URL `https://academy.amaniqgroup.com/webhooks/payments`, callback `https://academy.amaniqgroup.com/checkout/complete`. Make one real low-value purchase and refund it. **This has never been tested against the live API.**

12. **Switch the main site's Academy tab to the live platform**

    On the server, edit `domains/amaniqgroup.com/amaniq/config/config.php` and set `'academy' => ['url' => 'https://academy.amaniqgroup.com', 'live' => true],`. The "Coming soon" page then sends visitors straight to the Academy.

SECTION 6

Email: mailboxes, website sending and phones

How the main website sends enquiries

ENQUIRY TYPE	DELIVERED TO	COPY TO
Cybersecurity and IT	technologies@	info@
Consulting	consulting@	info@
Digital products	digitallabs@	info@
Training and Academy	academy@	info@
Procurement, Partnerships, General	info@	(none needed)

Everything is sent *from* contact@. Pressing Reply goes to the person who wrote in. The routing is in the server's `config.php` under `mail → routing` and `copy_to`. The form allows 5 enquiries per visitor per 15 minutes.

Website mail settings that work on GO54

```
'transport'  => 'smtp',
'host'       => 'mail.amaniqgroup.com',    // or 127.0.0.1 if ports are ever blocked
'port'       => 465,
'encryption' => 'ssl',
'peer_name'  => 'mail.amaniqgroup.com',    // keeps the certificate check working with 127.0.0.1
'username'   => 'contact@amaniqgroup.com',
'password'   => '...letters and numbers...',
```

Setting up a mailbox on a phone or computer

1. **iPhone:** Settings → Apps → Mail → Mail Accounts → Add Account → Other → Add Mail Account → choose **IMAP**.
2. Incoming and outgoing host `mail.amaniqgroup.com`; user name is the **full** address; enter the password for outgoing too, even though iOS says "optional".
3. If it saves but will not sync: incoming Advanced → SSL on, port 993; outgoing SMTP server → SSL on, port 465, Authentication: Password.
4. Good apps: Apple Mail, Microsoft Outlook (phone and PC), Mozilla Thunderbird (free, PC), or webmail in any browser.
5. Add **info@** everywhere you want to see enquiries. Do not add contact@ to personal devices.

Email deliverability

In the panel's email section, make sure SPF and DKIM records exist for the domain, so enquiries and Academy emails do not land in spam. If a test email lands in spam, check these first.

SECTION 7

Launch-day checks

In a browser (5 minutes)

- [ ] The home page loads with a padlock; click through every menu item, on a computer and on a phone
- [ ] `http://` and `www.` versions redirect to `https://` without www
- [ ] A made-up page (e.g. `/test-404/`) shows the branded "not found" page
- [ ] `/amaniq/config/config.php` (or `/.env` for the Academy) shows Forbidden or Not Found, **never** the file
- [ ] `/sitemap.xml` and `/robots.txt` load
- [ ] Paste the address into LinkedIn's Post Inspector to check the sharing preview

Email (15 to 30 minutes)

- [ ] One test enquiry per enquiry type arrives in the right inbox, with the copy in info@
- [ ] Reply to one: it addresses the person who wrote in, not contact@
- [ ] For the Academy: registration and password-reset emails arrive

From the PC (optional, automatic)

Ask Claude to "run the live checks against the site". For amaniqgroup.com that is 48 read-only checks: pages, redirects, security headers, blocked files and SEO files. Nothing is submitted.

After launch

- [ ] Google Search Console: add the site and submit `/sitemap.xml`
- [ ] Google Business Profile: same name, address and phone number as the website
- [ ] Save a private copy of the server's settings file (`config.php` or `.env`)
- [ ] Commit and push any last changes, so GitHub matches what is live

SECTION 8

Troubleshooting

> **First, always read the log.** Main site: `domains/amaniqgroup.com/amaniq/storage/logs/app-YYYY-MM.log`. Academy: `domains/academy.amaniqgroup.com/academy/storage/logs/`. Copy the last lines (they never contain passwords) and share them.

SYMPTOM	LIKELY CAUSE	FIX
"The website is being configured"	The settings file is missing or misnamed	Create `config.php` from the example (exact name, lower case)
"The website is not configured correctly"	The private folder is not beside `public_html`	Move `amaniq/` into `domains/<domain>/`
Old page still shows	An `index.html` is still in `public_html`, or the browser cache	Move old files out; reload with Ctrl+F5
Home works, other pages give 404	`.htaccess` missing (not extracted)	Re-extract the ZIP; check `.htaccess` is in `public_html`
Blank page or "Something went wrong"	A PHP error, often a typo in the settings file	Check the log; check quotes and commas on the lines you edited
Log: `535 Incorrect authentication data`	Wrong mailbox password or user name	Test in webmail; re-type the password (letters and numbers only); full address as user name
Log: `connection failed`, `timed out`, `refused`	Outgoing mail ports blocked for websites	`host` = `127.0.0.1` with `peer_name` = `mail.amaniqgroup.com`
Phone mail says "cannot connect" after several tries	Temporary block after failed logins	Wait 30 minutes or switch Wi-Fi/mobile data; then one careful attempt
Emails land in spam	SPF or DKIM missing	Check them in the panel's email deliverability settings
Academy: 500 error	`APP_KEY` empty, wrong DB details, or `storage` not writable	Check `.env`; set `storage` and `bootstrap/cache` to 775; read the Laravel log
Academy: page loads without styling	`usePublicPath` line missing, or `build/` not uploaded	Check `public_html/index.php` (Playbook B step 4) and that `public_html/build` exists
Academy: refuses to start, says HTTPS required	`APP_URL` starts with http	Use `https://academy.amaniqgroup.com`

SECTION 9

Updating a live site safely

Main site (amaniqgroup.com)

1. Make the change on your PC and test it at `http://127.0.0.1:8080`.
2. Run the smoke test: `php tools/smoke-test.php http://127.0.0.1:8080` (53 checks).
3. Commit and push to GitHub.
4. Upload **only the changed files** to the same place on the server. Never upload your local `config.php`.
5. If you changed `site.css`, run `php tools/build-assets.php` first and upload `site.min.css` too.

Academy

1. Turn on maintenance mode (SSH: `php artisan down`).
2. Upload the changed files; upload `vendor/` again if dependencies changed.
3. Run `php artisan migrate --force`, then `php artisan optimize:clear` and the three cache commands.
4. Turn maintenance mode off (`php artisan up`) and test sign-in.

Routine care

- **Monthly:** send one test enquiry; skim the logs for repeated errors.
- **Quarterly:** confirm the PHP version is still supported; check SSL renewal in the panel.
- **Yearly:** review the Privacy Policy and Terms; update their "last updated" dates if changed.

SECTION 10

Where everything lives, and backups

ITEM	LOCATION	BACK IT UP?
Main site code	PC `D:\My PROJECTS\AMANIQGROUP`, GitHub `rifkeey/AMANIQ-WEBSITE`, server `domains/amaniqgroup.com`	GitHub does this
Main site live settings	Server only: `domains/amaniqgroup.com/amaniq/config/config.php`	**Yes, privately**
Academy code	PC `D:\My PROJECTS\ACADEMY-laravel`, GitHub `rifkeey/ACADEMY-laravel`	GitHub does this
Academy live settings	Server only: `academy/.env`	**Yes, privately**
Academy database	Server only (MySQL)	**Yes**: phpMyAdmin → Export weekly, or the panel's backup tool
Old site files	Server `domains/amaniqgroup.com/old-site-backup`	Downloaded once
Upload ZIPs	PC `D:\My PROJECTS\AMANIQGROUP-upload`	No, can be rebuilt from Git
Project docs	`AMANIQGROUP/docs/`: deployment, content, security, checklists	In GitHub

> **Never** commit `config.php` or `.env` to GitHub, never email them, and never paste passwords into chat. If one leaks, change that password in the panel straight away and update the settings file.

SECTION 11

Command cheat sheet

Run the main site on your PC (PowerShell, in `D:\My PROJECTS\AMANIQGROUP`)

```
& "C:\Users\IBRAHIM
MOHAMMED\AppData\Local\Microsoft\WinGet\Packages\PHP.PHP.8.3_Microsoft.Winget.Source_8wekyb3d8bbwe\php
.exe" -S 127.0.0.1:8080 -t public_html tools/dev-router.php
```

Then open `http://127.0.0.1:8080`. Press Ctrl+C to stop.

Generate a security key

```
& "C:\...\php.exe" -r "echo bin2hex(random_bytes(32));"
```

Build upload ZIPs from Git (Git Bash, in the project folder)

```
git archive --format=zip -o ../UPLOAD/public_html.zip HEAD:public_html
git archive --format=zip --prefix=amaniq/ -o ../UPLOAD/amaniq.zip HEAD:amaniq
```

Tests

```
php tools/smoke-test.php http://127.0.0.1:8080      # 53 local checks (sends test enquiries)
php tools/build-assets.php                          # rebuild site.min.css after CSS changes
```

Live checks from the PC with trusted certificates (Git Bash)

```
php -d curl.cainfo="$(cygpath -m /mingw64/etc/ssl/certs/ca-bundle.crt)" your-check-script.php
```

Academy (Laravel), on your PC

```
php artisan serve                     # http://127.0.0.1:8000
php artisan key:generate --show       # value for APP_KEY
composer install --no-dev --optimize-autoloader
```

Prepared with Claude from the amaniqgroup.com launch sessions. Update this guide whenever something new is learned, so the next launch is easier still.