


API Integration with Wialon Platform




Procedure to Integrate with Wialon



1. Create Token

1. Log in at the login page


<https://hosting.wialon.com/login.html>



The screenshot shows the Wialon login interface. At the top is the Wialon logo. Below it are two input fields: 'User' and 'Password'. The 'User' field contains the text 'User' and the 'Password' field contains 'Password'. To the right of the password field is an eye icon for toggling visibility. Below these fields is a blue 'Log in' button. At the bottom, there is a light gray box containing text about account access levels and a 'Show details' link with a downward arrow.

2. Token appears in the URL

`access_token=ec1d*****`



● Default behavior of token:

- Online tracking access
- Token active immediately
- No expiration (unless unused for a long time)

These settings can be configured via URL parameters.

See the API documentation for details.

<https://help.wialon.com/en/api/user-guide/api-reference/login>

2. Generate Session ID

Request

`https://hst-api.wialon.com/wialon/ajax.html?svc=token/login¶ms={"fl":2,"token":"<text>"}`

Params:

token API token

Response

```
{
  "eid":<text>,          /* session ID */
  "gis_sid":<text>,
  "host":<text>,
  "hw_gw_ip":<text>,
  "au":<text>,
  "pi":<int>,
  "tm":<uint>,
  "wsdk_version":<text>
  "user": {
    "nm": <text>,
    "id": <long>,        /* user ID*/
    ...
  },
  ...
}
```

- "eid" is a session identifier(sid) for any request to inquiry data from the system.
- "id" is user_id for the API service to convert latitude/longitude to address.
- *eid (session ID) will expire after 5 mins of idle (no requests). Any request with current SID will prolong session.

3. Request Data (Template)

Request

```
https://hst-api.wialon.com/wialon/ajax.html?sid=<sid>&svc=<svc>&params={<params>}
```

Parameters:

```
<sid>      The session identifier (sid) is a required parameter for all requests.
<svc>      The name of the request.
<params>   The parameters for the request execution.
```

Error Response:

```
{"error":<code>}
```

Error codes:

```
0      Successful operation (for example, for logging out it will be a successful exit).
1      Invalid session.
2      Invalid API service name.
4      Invalid input.
5      Error performing request.
6      Unknown error.
7      Access denied.
10     Reached the limit of concurrent requests.
```

The request parameters “svc” and “params” are described in the API reference.

<https://help.wialon.com/en/api/user-guide/api-reference>

Example) Get Latest Unit Location

Request

```
https://hst-api.wialon.com/wialon/ajax.html?svc=core/search_items&params={"spec":{"itemsType":"avl_unit","propName":"sys_name","propValueMask":"*","sortType":"sys_name"},"force":1,"flags":4194305,"from":0,"to":0}&sid=<text>
```

Params:

sid	Session ID
-----	------------

Response

```
{
  ...
  "items": [
    {
      "nm": "<text>",          /* Unit Name */
      "cls": <uint>,
      "id": <uint>,          /* Unit ID */
      "pos":{                /* Last known location */
        "t":<uint>,          /* Time (UTC) */
        "y":<double>,        /* Latitude */
        "x":<double>,        /* Longitude */
        "z":<double>,        /* Altitude */
        "s":<int>,           /* Speed */
        "c":<int>,           /* Course */
        "sc":<int>           /* Number of satellites */
      },
      "uac1": <uint>
    },
    ...
  ]
}
```