Feature Register - Negative Case

Execution Environment

Host name ASUS - ASUS-RN911 Local OS Windows 10 64bit

Katalon version 8.6.0.208

Browser Chrome 114.0.0.0

Summary

ID Test Suites/Feature Register - Negative Case

Description

Total 9

Passed 7 Failed 2
Error 0 Incomplete 0

Skipped

Start 2023-07-03 17:22:11 End 2023-07-03 17:24:26

Elapsed 2m - 14.764s

#	ID	Description	Status
1	Test Cases/Step Definition/Feature Register/REG02 - User register with invalid email	invalid email (empty, without '@', registered, incomplete format)	PASSED
2	Test Cases/Step Definition/Feature Register/REG02 - User register with invalid email	invalid email (empty, without '@', registered, incomplete format)	PASSED
3	Test Cases/Step Definition/Feature Register/REG02 - User register with invalid email	invalid email (empty, without '@', registered, incomplete format)	PASSED
4	Test Cases/Step Definition/Feature Register/REG02 - User register with invalid email	invalid email (empty, without '@', registered, incomplete format)	PASSED
5	Test Cases/Step Definition/Feature Register/REG02 - User register with invalid email	invalid email (empty, without '@', registered, incomplete format)	PASSED
6	Test Cases/Step Definition/Feature Register/REG03 - User register with non-TLD email format	email without Top Level Domain or dotless such as .com, .co, etc	FAILED
7	Test Cases/Step Definition/Feature Register/REG04 - User register without enter any data	empty all fields (Nama, Email, Password)	PASSED
8	Test Cases/Step Definition/Feature Register/REG05 - User register with invalid password	invalid password (empty & less than 8 characters)	FAILED
9	Test Cases/Step Definition/Feature Register/REG05 - User register with invalid password	invalid password (empty & less than 8 characters)	PASSED

Information

ID Test Cases/Step Definition/Feature Register/REG02 - User register with invalid email

Description invalid email (empty, without '@', registered, incomplete format)

Tag

Start 2023-07-03 17:22:11 End 2023-07-03 17:22:23

Elapsed 11.475s Status PASSED

#	Description	Elapsed	Status
1	Start listener action : BeforeTestCase Current window maximized	4.480s	PASSED
2	callTestCase(findTestCase("Pages/Homepage/Click Masuk from homepage"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Homepage/Click Masuk from homepage' successfully	0.568s	PASSED
3	callTestCase(findTestCase("Pages/Register/Click Button Daftar di sini from login page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Click Button Daftar di sini from login page' successfully	0.632s	PASSED
4	callTestCase(findTestCase("Pages/Register/Input Nama with test data"), ["nama":nama], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Nama with test data' successfully	1.018s	PASSED
5	callTestCase(findTestCase("Pages/Register/Input Email with test data"), ["email":email], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Email with test data' successfully	0.843s	PASSED
6	callTestCase(findTestCase("Pages/Register/Input Password"), ["password":password], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Password' successfully	0.825s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Register/Click Button Daftar to submit"), [:], STOP_ON_FAILURE)	0.508s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Click Button Daftar to submit' successfully		
8	callTestCase(findTestCase("Pages/Register/Verify with if-else"), ["status":status], STOP_ON_FAILURE)	1.795s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Verify with if-else' successfully		
9	Start listener action : AfterTestCase	0.632s	PASSED

Information

ID Test Cases/Step Definition/Feature Register/REG02 - User register with invalid email

Description invalid email (empty, without '@', registered, incomplete format)

Tag

Start 2023-07-03 17:22:23 End 2023-07-03 17:22:32

Elapsed 8.901s
Status PASSED

#	Description	Elapsed	Status
1	Start listener action : BeforeTestCase Current window maximized	3.008s	PASSED
2	callTestCase(findTestCase("Pages/Homepage/Click Masuk from homepage"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Homepage/Click Masuk from homepage' successfully	0.406s	PASSED
3	callTestCase(findTestCase("Pages/Register/Click Button Daftar di sini from login page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Click Button Daftar di sini from login page' successfully	0.730s	PASSED
4	callTestCase(findTestCase("Pages/Register/Input Nama with test data"), ["nama":nama], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Nama with test data' successfully	0.935s	PASSED
5	callTestCase(findTestCase("Pages/Register/Input Email with test data"), ["email":email], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Email with test data' successfully	0.808s	PASSED
6	callTestCase(findTestCase("Pages/Register/Input Password"), ["password":password], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Password' successfully	0.704s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Register/Click Button Daftar to submit"), [:], STOP_ON_FAILURE)	0.420s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Click Button Daftar to submit' successfully		
8	callTestCase(findTestCase("Pages/Register/Verify with if-else"), ["status":status], STOP_ON_FAILURE)	1.267s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Verify with if-else' successfully		
9	Start listener action : AfterTestCase	0.618s	PASSED

Information

ID Test Cases/Step Definition/Feature Register/REG02 - User register with invalid email

Description invalid email (empty, without '@', registered, incomplete format)

Tag

Start 2023-07-03 17:22:32 End 2023-07-03 17:22:42

Elapsed 10.299s Status PASSED

#	Description	Elapsed	Status
1	Start listener action : BeforeTestCase Current window maximized	4.407s	PASSED
2	callTestCase(findTestCase("Pages/Homepage/Click Masuk from homepage"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Homepage/Click Masuk from homepage' successfully	0.402s	PASSED
3	callTestCase(findTestCase("Pages/Register/Click Button Daftar di sini from login page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Click Button Daftar di sini from login page' successfully	0.723s	PASSED
4	callTestCase(findTestCase("Pages/Register/Input Nama with test data"), ["nama":nama], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Nama with test data' successfully	0.986s	PASSED
5	callTestCase(findTestCase("Pages/Register/Input Email with test data"), ["email":email], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Email with test data' successfully	0.825s	PASSED
6	callTestCase(findTestCase("Pages/Register/Input Password"), ["password":password], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Password' successfully	0.701s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Register/Click Button Daftar to submit"), [:], STOP_ON_FAILURE)	0.410s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Click Button Daftar to submit' successfully		
8	callTestCase(findTestCase("Pages/Register/Verify with if-else"), ["status":status], STOP_ON_FAILURE)	1.097s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Verify with if-else' successfully		
9	Start listener action : AfterTestCase	0.743s	PASSED

Information

ID Test Cases/Step Definition/Feature Register/REG02 - User register with invalid email

Description invalid email (empty, without '@', registered, incomplete format)

Tag

Start 2023-07-03 17:22:42 End 2023-07-03 17:22:51

Elapsed 8.361s
Status PASSED

#	Description	Elapsed	Status
1	Start listener action : BeforeTestCase Current window maximized	2.620s	PASSED
2	callTestCase(findTestCase("Pages/Homepage/Click Masuk from homepage"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Homepage/Click Masuk from homepage' successfully	0.409s	PASSED
3	callTestCase(findTestCase("Pages/Register/Click Button Daftar di sini from login page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Click Button Daftar di sini from login page' successfully	0.618s	PASSED
4	callTestCase(findTestCase("Pages/Register/Input Nama with test data"), ["nama":nama], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Nama with test data' successfully	0.932s	PASSED
5	callTestCase(findTestCase("Pages/Register/Input Email with test data"), ["email":email], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Email with test data' successfully	0.800s	PASSED
6	callTestCase(findTestCase("Pages/Register/Input Password"), ["password":password], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Password' successfully	0.705s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Register/Click Button Daftar to submit"), [:], STOP_ON_FAILURE)	0.421s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Click Button Daftar to submit' successfully		
8	callTestCase(findTestCase("Pages/Register/Verify with if-else"), ["status":status], STOP_ON_FAILURE)	1.106s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Verify with if-else' successfully		
9	Start listener action : AfterTestCase	0.739s	PASSED

Information

ID Test Cases/Step Definition/Feature Register/REG02 - User register with invalid email

Description invalid email (empty, without '@', registered, incomplete format)

Tag

Start 2023-07-03 17:22:51 End 2023-07-03 17:22:59

Elapsed 8.349s
Status PASSED

#	Description	Elapsed	Status
1	Start listener action : BeforeTestCase Current window maximized	2.491s	PASSED
2	callTestCase(findTestCase("Pages/Homepage/Click Masuk from homepage"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Homepage/Click Masuk from homepage' successfully	0.400s	PASSED
3	callTestCase(findTestCase("Pages/Register/Click Button Daftar di sini from login page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Click Button Daftar di sini from login page' successfully	0.728s	PASSED
4	callTestCase(findTestCase("Pages/Register/Input Nama with test data"), ["nama":nama], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Nama with test data' successfully	0.957s	PASSED
5	callTestCase(findTestCase("Pages/Register/Input Email with test data"), ["email":email], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Email with test data' successfully	0.818s	PASSED
6	callTestCase(findTestCase("Pages/Register/Input Password"), ["password":password], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Password' successfully	0.702s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Register/Click Button Daftar to submit"), [:], STOP_ON_FAILURE)	0.407s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Click Button Daftar to submit' successfully		
8	callTestCase(findTestCase("Pages/Register/Verify with if-else"), ["status":status], STOP_ON_FAILURE)	1.099s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Verify with if-else' successfully		
9	Start listener action : AfterTestCase	0.743s	PASSED

Information

ID Test Cases/Step Definition/Feature Register/REG03 - User register with non-TLD email format

Description email without Top Level Domain or dotless such as .com, .co, etc

Tag

Start 2023-07-03 17:22:59 End 2023-07-03 17:23:30

Elapsed 30.704s
Status FAILED


#	Description	Elapsed	Status
1	Start listener action : BeforeTestCase Current window maximized	4.429s	PASSED
2	callTestCase(findTestCase("Pages/Homepage/Click Masuk from homepage"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Homepage/Click Masuk from homepage' successfully	0.388s	PASSED
3	callTestCase(findTestCase("Pages/Register/Click Button Daftar di sini from login page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Click Button Daftar di sini from login page' successfully	0.940s	PASSED
4	callTestCase(findTestCase("Pages/Register/Input Nama with test data"), ["nama":"invalid domain"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Nama with test data' successfully	0.936s	PASSED
5	callTestCase(findTestCase("Pages/Register/Input Email with non-TLD"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Email with non-TLD' successfully	0.543s	PASSED
6	callTestCase(findTestCase("Pages/Register/Input Password"), ["password":"abc!12345"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Password' successfully	0.695s	PASSED


#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Register/Click Button Daftar to submit"), [:], STOP ON FAILURE)	0.385s	PASSED

Call Test Case 'Test Cases/Pages/Register/Click Button Daftar to submit' successfully

callTestCase(findTestCase("Pages/Register/Verify Required Email"), [:], STOP_ON_FAILURE) Unable to call Test Case 'Test Cases/Pages/Register/Verify Required Email' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Register/Verify Required Email' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordFreltatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.	21.631s	FAILED
com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Register/Verify Required Email' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
Cases/Pages/Register/Verify Required Email' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format.s2) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format.s2) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
(KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
groovy:334) at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
at REG03 - User register with non-TLD email format.run(REG03 - User register with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
with non-TLD email format:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1688379729800.run(TempTestSuite1688379729800.groovy:36)		
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to verify if object		
'Object Repository/Register/input_Email' has attribute 'required' with value 'true'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.		
VerifyElementAttributeValueKeyword.verifyElementAttributeValue		
(VerifyElementAttributeValueKeyword.groovy:109)		
at com.kms.katalon.core.webui.keyword.builtin.		
VerifyElementAttributeValueKeyword.execute(VerifyElementAttributeValueKeyword.groovy: 70)		

Status





REG04 - User register without enter any data

Information

ID Test Cases/Step Definition/Feature Register/REG04 - User register without enter any data

Description empty all fields (Nama, Email, Password)

Tag

Start 2023-07-03 17:23:30 End 2023-07-03 17:23:39

Elapsed 8.878s
Status PASSED

#	Description	Elapsed	Status
1	Start listener action : BeforeTestCase Current window maximized	3.414s	PASSED
2	callTestCase(findTestCase("Pages/Homepage/Click Masuk from homepage"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Homepage/Click Masuk from homepage' successfully	0.407s	PASSED
3	callTestCase(findTestCase("Pages/Register/Click Button Daftar di sini from login page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Click Button Daftar di sini from login page' successfully	0.626s	PASSED
4	callTestCase(findTestCase("Pages/Register/Input Nama with test data"), ["nama":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Nama with test data' successfully	1.036s	PASSED
5	callTestCase(findTestCase("Pages/Register/Input Email with test data"), ["email":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Email with test data' successfully	0.695s	PASSED
6	callTestCase(findTestCase("Pages/Register/Input Password"), ["password":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Password' successfully	0.658s	PASSED

REG04 - User register without enter any data

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Register/Click Button Daftar to submit"), [:], STOP_ON_FAILURE)	0.413s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Click Button Daftar to submit' successfully		
8	callTestCase(findTestCase("Pages/Register/Verify Required Nama"), ["expected":""], STOP_ON_FAILURE)	0.849s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Verify Required Nama' successfully		
9	Start listener action : AfterTestCase	0.658s	PASSED

Information

ID Test Cases/Step Definition/Feature Register/REG05 - User register with invalid password

Description invalid password (empty & less than 8 characters)

Tag

Start 2023-07-03 17:23:39 End 2023-07-03 17:24:18

Elapsed 39.206s Status FAILED

#	Description	Elapsed	Status
1	Start listener action : BeforeTestCase Current window maximized	2.912s	PASSED
2	callTestCase(findTestCase("Pages/Homepage/Click Masuk from homepage"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Homepage/Click Masuk from homepage' successfully	0.392s	PASSED
3	callTestCase(findTestCase("Pages/Register/Click Button Daftar di sini from login page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Click Button Daftar di sini from login page' successfully	0.626s	PASSED
4	callTestCase(findTestCase("Pages/Register/Input Nama with test data"), ["nama":nama], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Nama with test data' successfully	1.048s	PASSED
5	callTestCase(findTestCase("Pages/Register/Input Email with custom keyword"), ["email":email], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Email with custom keyword' successfully	0.659s	PASSED
6	callTestCase(findTestCase("Pages/Register/Input Password"), ["password":password], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Password' successfully	0.699s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Register/Click Button Daftar to submit"), [:], STOP ON FAILURE)	0.400s	PASSED


Call Test Case 'Test Cases/Pages/Register/Click Button Daftar to submit' successfully

#	Description	Elapsed	Status
8	callTestCase(findTestCase("Pages/Register/Verify with if-else"), ["status":status],	31.736s	FAILED
0	STOP_ON_FAILURE)	31.7305	FAILED
	Unable to call Test Case 'Test Cases/Pages/Register/Verify with if-else' (Root cause: com.		
	kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/Pages/Register/Verify with if-else' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:75)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334)		
	at REG05 - User register with invalid password.run(REG05 - User register with invalid password:32)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	187)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1688379729800.run(TempTestSuite1688379729800.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/Pages/Register/Read Error Msg - Password less than 8' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:75)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
	(

```
Description
                                                                                                                                                             Elapsed
                                                                                                                                                                                           Status
                 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords.
 groovy:334)
                 at Verify with if-else.run(Verify with if-else:35)
                 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
                 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at\ com.kms.katalon.core.main.Execute (Test Case Execut
java:285)
                at\ com.kms.katalon.core.main.Test Case Main.run Test Case (Test Case Main.java:
 144)
                at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                 ... 20 more
 Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to verify object
 'Object Repository/Register/input_Password' is visible
                 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
 (WebUlKeywordMain.groovy:64)
                at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUlKeywordMain.groovy:26)
                at\ com. kms. katalon. core. we bui. keyword. builtin. Verify Element Visible Keyword.
verifyElementVisible(VerifyElementVisibleKeyword.groovy:97)
                at\ com. kms. katalon. core. we bui. keyword. builtin. Verify Element Visible Keyword.
execute(VerifyElementVisibleKeyword.groovy:67)
                 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                at\ com. kms. katalon. core. webui. keyword. Web Ui Built In Keywords.
verifyElementVisible(WebUiBuiltInKeywords.groovy:376)
                at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$verifyElementVisible$3.call(Unknown Source)
                 at Read Error Msg - Password less than 8.run(Read Error Msg - Password less
than 8:20)
                 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                 java:448)
                 at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)
java:439)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
                 at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 144)
```

at com.kms.katalon.core.keyword.builtin.

CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)



Information

ID Test Cases/Step Definition/Feature Register/REG05 - User register with invalid password

Description invalid password (empty & less than 8 characters)

Tag

Start 2023-07-03 17:24:18 End 2023-07-03 17:24:26

Elapsed 8.235s
Status PASSED

#	Description	Elapsed	Status
1	Start listener action : BeforeTestCase Current window maximized	2.659s	PASSED
2	callTestCase(findTestCase("Pages/Homepage/Click Masuk from homepage"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Homepage/Click Masuk from homepage' successfully	0.386s	PASSED
3	callTestCase(findTestCase("Pages/Register/Click Button Daftar di sini from login page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Click Button Daftar di sini from login page' successfully	0.701s	PASSED
4	callTestCase(findTestCase("Pages/Register/Input Nama with test data"), ["nama":nama], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Nama with test data' successfully	0.925s	PASSED
5	callTestCase(findTestCase("Pages/Register/Input Email with custom keyword"), ["email":email], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Email with custom keyword' successfully	0.552s	PASSED
6	callTestCase(findTestCase("Pages/Register/Input Password"), ["password":password], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Register/Input Password' successfully	0.695s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Register/Click Button Daftar to submit"), [:], STOP_ON_FAILURE)	0.431s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Click Button Daftar to submit' successfully		
8	callTestCase(findTestCase("Pages/Register/Verify with if-else"), ["status":status], STOP_ON_FAILURE)	1.244s	PASSED
	Call Test Case 'Test Cases/Pages/Register/Verify with if-else' successfully		
9	Start listener action : AfterTestCase	0.633s	PASSED