### Feature Add Product - Positive Case

#### **Execution Environment**

Host name ASUS - ASUS-RN911 Local OS Windows 10 64bit

Katalon version 8.6.0.208 Browser null

#### Summary

ID Test Suites/Feature Add Product - Positive Case

Description

Total 1

Passed 1 Failed 0 Error 0 Incomplete 0

Skipped 0

Start 2023-07-03 18:47:18 End 2023-07-03 18:48:19

Elapsed 1m - 1.051s

#	ID	Description	Status
1	Test Cases/Step Definition/Feature Add Product/ADDP01 - Add Product With Valid Data	User want to add new product to sell with fill all field with valid data   Require: Login	PASSED

#### Information

ID Test Cases/Step Definition/Feature Add Product/ADDP01 - Add Product With Valid Data

Description User want to add new product to sell with fill all field with valid data | Require: Login

Tag

Start 2023-07-03 18:47:28 End 2023-07-03 18:48:19

Elapsed 50.763s Status PASSED

#### Details


#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	7.298s	PASSED
	Started app at: 'E:\GitRepo\Katalon\binarqa-group1-app\Apk\app-release-second-hand-gcp.apk'		
2	callTestCase(findTestCase("Pages/Homepage/Verify on Homepage"), [:], STOP_ON_FAILURE)	4.364s	PASSED
	Call Test Case 'Test Cases/Pages/Homepage/Verify on Homepage' successfully		

Status FAILED

#	Description	Elapsed
3	try	3.971s
	·	
	Unable to call Test Case 'Test Cases/Pages/Homepage/Verify Already Logged In' (Root	
	cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Homepage/Verify Already Logged In' failed	
	at com.kms.katalon.core.keyword.builtin.	
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)	
	at com.kms.katalon.core.keyword.builtin.	
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)	
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword	
	(KeywordMain.groovy:75)	
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)	
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute	
	(CallTestCaseKeyword.groovy:44)	
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:74)	
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.	
	groovy:334) at ADDP01 - Add Product With Valid Data.run(ADDP01 - Add Product With Valid	
	Data:23)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.	
	java:119)	
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.	
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.	
	java:439)	
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
	(TestCaseExecutor.java:418)	
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:410)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)	
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase	
	(CommonExecutor.java:65)	
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$	
	(TestSuiteExecutor.java:148)	
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:	
	187)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown	
	Source)	
	at TempTestSuite1688384814642.run(TempTestSuite1688384814642.groovy:36)	
	Caused by: com.kms.katalon.core.exception.StepFailedException: Element 'Object Repository/Akun/android.widget.TextView - Email' not found	
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.	
	groovy:51)	
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed	
	(MobileKeywordMain.groovy:40)	
	at com.kms.katalon.core.mobile.keyword.builtin.	
	VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall (VerifyElementVisibleKeyword.groovy:82)	
	at com.kms.katalon.core.mobile.keyword.builtin.	
	VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call	
	(VerifyElementVisibleKeyword.groovy)	
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.	

Status

```
Description
                                                                                                                                                                                                               Elapsed
 runKeyword(MobileKeywordMain.groovy:21)
                      at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.
 verifyElementVisible(VerifyElementVisibleKeyword.groovy:85)
                      at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.
 execute(VerifyElementVisibleKeyword.groovy:64)
                      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                      at\ com. kms. katalon. core. mobile. keyword. Mobile Built In Keywords.
 verifyElementVisible(MobileBuiltInKeywords.groovy:2031)
                      at com.kms.katalon.core.mobile.keyword.
 MobileBuiltInKeywords$verifyElementVisible$0.call(Unknown Source)
                      at Verify Already Logged In.run(Verify Already Logged In:24)
                      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                      java:448)
                      at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.
java:439)
                      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
                      at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 144)
                      at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                      ... 20 more
```





#	Description	Elapsed	Status
4	catch (Exception e)  Call Test Case 'Test Cases/Step Definition/Feature Login/LGN01 - User login with valid credentials' successfully	10.069s	PASSED
5	callTestCase(findTestCase("Pages/Navbar/Tap FAB Jual"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Navbar/Tap FAB Jual' successfully	1.134s	PASSED
6	callTestCase(findTestCase("Pages/Add Product/Verify on Add Product Page"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Add Product/Verify on Add Product Page' successfully	1.700s	PASSED
7	callTestCase(findTestCase("Pages/Add Product/Input Nama Produk"), ["namaProduk":"Produk B"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Add Product/Input Nama Produk' successfully	2.010s	PASSED
8	callTestCase(findTestCase("Pages/Add Product/Input Harga Produk"), ["hargaProduk":"200000"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Add Product/Input Harga Produk' successfully	1.729s	PASSED
9	callTestCase(findTestCase("Pages/Add Product/Input Kategori Produk"), ["kategoriProduk":"Fotografi"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Add Product/Input Kategori Produk' successfully	4.290s	PASSED
10	callTestCase(findTestCase("Pages/Add Product/Input Lokasi Produk"), ["lokasiProduk":"Lokasi Produk B"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Add Product/Input Lokasi Produk' successfully	2.018s	PASSED
11	callTestCase(findTestCase("Pages/Add Product/Input Deskripsi Produk"), ["deskripsiProduk":"Deskripsi Produk B"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Add Product/Input Deskripsi Produk' successfully	1.676s	PASSED

#	Description	Elapsed	Status
12	callTestCase(findTestCase("Pages/Add Product/Input Foto Produk - Camera"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Add Product/Input Foto Produk - Camera' successfully	6.453s	PASSED
13	callTestCase(findTestCase("Pages/Add Product/Tap Terbitkan Button"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Add Product/Tap Terbitkan Button' successfully	2.655s	PASSED
14	callTestCase(findTestCase("Pages/Add Product/Verify Success Message"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Add Product/Verify Success Message' successfully	0.635s	PASSED
15	Start listener action : afterTestCase	0.591s	PASSED

Close app successfully