

Broadening the Ecosystem

MISP Integration Workshop

Suricata — network rules

Zeek — Threat Intel module

Dashboards

MISP Workbench

Export MISP IOCs as Suricata rules for network-layer detection.

- Generate **Suricata rules** from MISP attributes (IPs, domains, URLs, hashes).
- Suricata matches them against live traffic at the network layer.
- Refresh the ruleset on a schedule so detection tracks the latest intel.

Network-layer coverage — catch IOCs on the wire, not just on the host.

Export MISP IOCs for the Zeek Threat Intel module.

- Export attributes into the **Zeek Intel framework** format.
- Zeek's **Threat Intel module** watches traffic for those indicators.
- Matches land in `intel.log` with the surrounding connection context.

Zeek adds rich context — who talked to the IOC, when, and how.

Dashboards

Visualize IOCs, trends, and more.

- The new **dashboards** surface what's in MISP at a glance.
- Track **IOC volume**, feed activity, tags, and correlations over time.
- Spot trends and gaps that raw event lists hide.

Dashboards turn the dataset into situational awareness.

MISP Workbench

Analyst-focused tool for threat intelligence.

- A dedicated **analyst workspace** for exploring and correlating data.
- Pivot across events, attributes, and galaxies to build the picture.
- Complements the MISP ecosystem for deeper investigation.

Built for the analyst's workflow, not just data entry.



5 / 9

Hands-on

Hands-on: Zeek → MISP

Pull model — Zeek fetches IOCs once and matches traffic itself.

- Point Zeek at MISP so it loads the IOC set into memory.
- Ship Zeek's matches to Wazuh for alerting.
- Trigger a connection to a known-bad IP and watch the match.

Full steps in the tutorial.

Hands-on: Suricata → MISP

Push model — a MISP lookup per network event.

- Send Suricata's network events to Wazuh.
- Let the manager query MISP for each observed IP and domain.
- Trigger traffic to a known-bad indicator and watch the alert fire.

Full steps in the tutorial.

Questions?