

# Craft Notes — FULL GitHub-Ready Website (Single PDF)

## 1) package.json

```
{
  "name": "craft-notes",
  "private": true,
  "version": "1.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview"
  },
  "dependencies": {
    "react": "^18.2.0",
    "react-dom": "^18.2.0"
  },
  "devDependencies": {
    "@vitejs/plugin-react": "^4.0.0",
    "vite": "^5.0.0",
    "typescript": "^5.0.0",
    "@types/react": "^18.2.0",
    "@types/react-dom": "^18.2.0"
  }
}
```

## 2) README.md

# Craft Notes ■

Craft Notes is a simple and clean note-taking web app built with React and TypeScript.

## How to run  
npm install  
npm run dev

## Deployment  
This project is ready for GitHub and Netlify/Vercel.

### 3) index.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Craft Notes</title>
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.tsx"></script>
  </body>
</html>
```

#### 4) src/main.tsx

```
import React from "react";
import ReactDOM from "react-dom/client";
import App from "./App";
import "./index.css";

ReactDOM.createRoot(document.getElementById("root")!).render(
  <React.StrictMode>
    <App />
  </React.StrictMode>
);
```

## 5) src/App.tsx

```
import { useState } from "react";

function App() {
  const [notes, setNotes] = useState<string[]>([]);
  const [text, setText] = useState("");

  const addNote = () => {
    if (!text) return;
    setNotes([...notes, text]);
    setText("");
  };

  return (
    <div style={{ padding: "30px", fontFamily: "sans-serif" }}>
      <h1>Craft Notes</h1>
      <textarea
        value={text}
        onChange={(e) => setText(e.target.value)}
        placeholder="Write your note here..."
        style={{ width: "100%", height: "120px" }}
      />
      <br />
      <button onClick={addNote}>Save Note</button>
      <ul>
        {notes.map((n, i) => (
          <li key={i}>{n}</li>
        ))}
      </ul>
    </div>
  );
}

export default App;
```

## 6) src/index.css

```
body {  
  margin: 0;  
  background: #faf9f6;  
}
```