

- WhatsApp Template Designs — Wording & Buttons
 - Template catalogue
 - 1. ttt_signup_required
 - 2. ttt_lead_welcome
 - 3. ttt_optin_request
 - 4. ttt_optin_confirmation
 - 5. ttt_optout_confirmation
 - 6. ttt_case_feedback_prompt
 - 7. ttt_case_feedback_ack_confirmed
 - 8. ttt_case_feedback_ack_escalated
 - 9. ttt_callback_confirmation
 - 10. ttt_invoice_delivery
 - 11. ttt_document_received
 - 12. ttt_loe_request
 - 13. ttt_loe_received
 - 14. ttt_staff_no_access
 - 15. ttt_session_limit_reached
 - 16. ttt_daily_limit_reached
 - 17. ttt_rapid_fire_throttle
 - 18. ttt_reengagement_check_in
 - 19. ttt_nps_prompt
 - 20. ttt_webhook_error
 - Cross-cutting design rules
 - Submission priority

WhatsApp Template Designs — Wording & Buttons

Design-first companion to [meta-templates.md](#). That file tracks submission state and code references; this one focuses on **what the user reads and taps**.

Scope: every outbound message that can leave the 24-hour customer-service window needs a Meta-approved template. Inside the window, free-form text from Tara is fine — but the wording here still applies so the voice stays consistent.

Voice: Tara — light, warm, brand-aligned. See [bot-personality.md](#) for the full rules.

Constraints to remember while drafting:

- Body $\leq$ 1024 chars (aim for $\leq$ 200 for mobile readability).
- Quick-reply buttons: max **3**, each $\leq$ **20 characters** (emoji counts as multiple bytes — keep button text ASCII where possible).
- Call-to-action buttons: max **2** (1 phone + 1 URL).
- Variables must have realistic sample values at submission time.
- No emoji in header text; body emoji is fine but sparingly ($\leq$ 3).
- No marketing wording in UTILITY templates — keep it transactional.

Template catalogue

#	Name	Category	Interactive?	Trigger
1	ttt_signup_required	UTILITY	CTA URL button	Unknown phone messages bot
2	ttt_lead_welcome	UTILITY	Quick reply	Known lead's first message
3	ttt_optin_request	UTILITY	Quick reply	Bot wants to message outside 24h window for the first time
4	ttt_optin_confirmation	UTILITY	—	Client tapped "Yes, opt me in"
5	ttt_optout_confirmation	UTILITY	—	Client used opt_out_whatsapp tool or typed STOP
6	ttt_case_feedback_prompt	UTILITY	Quick reply	Bot just answered an L1 case
7	ttt_case_feedback_ack_confirmed	UTILITY	—	User tapped "Yes, thanks"
8	ttt_case_feedback_ack_escalated	UTILITY	—	User tapped "No, still need help"
9	ttt_callback_confirmation	UTILITY	—	request_consultant_callback succeeded
10	ttt_invoice_delivery	UTILITY	Document header	Staff used send_invoice_pdf
11	ttt_document_received	UTILITY	Quick reply	Client uploaded a file, bot asks doc type
12	ttt_loe_request	UTILITY	CTA URL button	Lead onboarding — prompt to sign LOE
13	ttt_loe_received	UTILITY	—	Signed LOE uploaded + processed
14	ttt_staff_no_access	UTILITY	—	Staff role has no permitted tools
15	ttt_session_limit_reached	UTILITY	CTA phone button	Guardrails: per-session cap hit
16	ttt_daily_limit_reached	UTILITY	CTA phone button	Guardrails: per-day cap hit
17	ttt_rapid_fire_throttle	UTILITY	—	Guardrails: user flooding
18	ttt_reengagement_check_in	UTILITY	Quick reply	30 days inactive, tax season approaching
19	ttt_nps_prompt	UTILITY	Quick reply (List)	Monthly satisfaction survey trigger
20	ttt_webhook_error	UTILITY	—	Processing failure fallback

1. ttt_signup_required

Trigger: An unknown phone number messages the bot. No contact, lead, or staff match.

Body:

👋 Hi there! I'm Tara from TTT Financial Group.

It looks like you're not registered with us yet. Tap below to get started – once you're onboarded, message me again and I'll get you sorted.

Buttons (Call-to-action):

- **Get started** → URL: <https://ttt-tax.co.za/client-onboarding>

Variables: none (URL is hardcoded in button, not a variable).

2. ttt_lead_welcome

Trigger: A lead's very first inbound message. Differentiated from clients because leads can't self-serve — we want to push them toward onboarding, not list features.

Body:

Hey {{1}} 👋 I'm Tara, TTT's WhatsApp tax assistant.

Great to have you with us! The fastest way to get going is your onboarding paperwork – shall we start there?

Buttons (Quick reply):

1. **Yes, let's start**
2. **I have a question**
3. **Not right now**

Variables:

- {{1}} — lead first name (sample: **Luc**)

Follow-on routing:

- **Yes, let's start** → **ttt_loe_request**
 - **I have a question** → free-form Tara response (inside 24h window, no template)
 - **Not right now** → free-form acknowledgement, no follow-up
-

3. ttt_optin_request

Trigger: Bot needs to re-engage a contact outside the 24h window AND `riivo_whatsappoptinout` is null/unset. Must get explicit opt-in before any further marketing-adjacent contact.

Category note: UTILITY is defensible because we're confirming transactional preferences, not marketing. If Meta pushes back, resubmit as MARKETING.

Body:

Hi `{{1}}`, it's Tara from TTT.

Is it OK if I send you updates and reminders on WhatsApp? Things like case progress, invoice notices, and the occasional tax-season heads-up. You can opt out any time by replying STOP.

Buttons (Quick reply):

1. `Yes, opt me in`
2. `No thanks`

Variables:

- `{{1}}` — client first name (sample: `Luc`)

4. `ttt_optin_confirmation`

Trigger: Client tapped `Yes, opt me in` from template 3.

Body:

You're all set  I'll keep you posted on anything important. Reply STOP any time to stop these messages.

Buttons: none. **Variables:** none.

5. `ttt_optout_confirmation`

Trigger: Client invoked `opt_out_whatsapp` tool, tapped `No thanks` on opt-in, or sent the STOP keyword.

Body:

Got it — you've been opted out of TTT WhatsApp messages. Reply START at any time to opt back in, or give our office a call if you need urgent help.

Buttons: none (intentionally — we don't want to nudge them back after an opt-out).

Variables: none.

Note: Must always succeed even when Dynamics opt-out PATCH fails — send the confirmation first, then reconcile CRM state async.

6. ttt_case_feedback_prompt

Trigger: Bot answered an L1 classified question. Sent after the answer, usually as a separate message with interactive buttons.

Body:

Did that answer your question?

Buttons (Quick reply):

1. **Yes, thanks** (matches `CASE_FEEDBACK_BUTTON_YES`)
2. **No, still need help** (matches `CASE_FEEDBACK_BUTTON_NO`)

Variables: none.

Design notes:

- Keep body to one line — buttons do the work.
 - Two buttons not three: a "not sure" middle option dilutes the metric and we can't do anything useful with it.
 - Button wording must match the code constants exactly or the webhook handler won't route correctly.
-

7. ttt_case_feedback_ack_confirmed

Trigger: User tapped **Yes, thanks** from template 6.

Body:

Glad that helped 🙌 Ping me any time you need a hand.

Buttons: none. **Variables:** none.

8. ttt_case_feedback_ack_escalated

Trigger: User tapped **No, still need help** from template 6.

Body:

Thanks for letting me know. I've flagged this for one of our consultants – they'll be in touch shortly.

Buttons: none. **Variables:** none.

Design notes:

- Don't apologise ("sorry I couldn't help") — it foregrounds the failure. A calm handoff reads better.
- No SLA promise here (that's template 9's job if a callback was explicitly logged).

9. ttt_callback_confirmation

Trigger: `request_consultant_callback` tool ran and wrote a Dynamics task.

Body:

Thanks {{1}} – your callback is logged  A TTT consultant will be in touch within {{2}} hours.
If it's urgent, you can also call our office on {{3}}.

Buttons (Call-to-action):

- `Call office` → Phone: {{3}}

Variables:

- {{1}} — client first name (sample: `Luc`)
- {{2}} — SLA window hours (sample: `2`)
- {{3}} — office number E.164 (sample: `+27 21 555 0123`)

10. ttt_invoice_delivery

Trigger: Staff used `send_invoice_pdf` to deliver a PDF to a client outside the 24h window.

Header: Document (PDF attached at send time; sample filename `INV-2026-0042.pdf`)

Body:

{{1}}, {{2}} from TTT has sent you an invoice. Please find it attached.
Any questions, just reply to this chat.

Buttons: none (attachment + reply affordance is enough).

Variables:

- `{{1}}` — time-of-day greeting (sample: **Good morning**)
 - `{{2}}` — staff sender full name (sample: **Sarah Jacobs**)
-

11. `ttt_document_received`

Trigger: Client uploaded a file; bot needs to know the document type before calling `save_document`.

Interactive list is better than quick replies here because there are usually 5+ categories.

Template type: Interactive — List

Body:

Got your file  — what kind of document is it?

Button label: **Choose type**

List sections:

Section: Identification

- **ID Document**
- **Passport**

Section: Financial

- **Payslip**
- **Bank Statement**
- **Tax Certificate (IRP5/IT3)**

Section: Other

- **Medical Aid Certificate**
- **Something else**

Variables: none.

Design notes:

- List over quick-reply because we have > 3 options.
 - **Something else** routes to free-form — don't try to enumerate every edge case.
-

12. `ttt_loe_request`

Trigger: Lead tapped "Yes, let's start" on the welcome template, OR staff manually nudged onboarding.

Body:

Let's get you set up, {{1}}.

Please download your Letter of Engagement, sign it, and send the signed copy back to me here on WhatsApp. I'll take it from there.

Buttons (Call-to-action):

- Download LOE → URL: {{2}}

Variables:

- {{1}} — lead first name (sample: Luc)
- {{2}} — per-lead LOE URL (sample: <https://ttt-tax.co.za/loe/{{leadId}}>)

Design notes:

- URL variable requires pre-approval of the base domain with Meta.
- If URL variability is rejected, host a single static LOE link and personalise via {{1}} in body only.

13. ttt_loe_received

Trigger: Signed LOE PDF was uploaded, OCR extracted successfully, lead record patched.

Body:

Got your signed LOE  Thanks {{1}} – we've captured everything we need.

Your consultant {{2}} will be in touch to kick things off.

Buttons: none.

Variables:

- {{1}} — lead first name (sample: Luc)
- {{2}} — owning consultant full name (sample: Sarah Jacobs)

14. ttt_staff_no_access

Trigger: Staff sender has a Dynamics record but zero permitted tools.

Body:

Hi {{1}} – you don't currently have bot access. Please contact your TTT administrator to request it.

Buttons: none.

Variables:

- `{{1}}` — staff first name (sample: Sarah)

15. `ttt_session_limit_reached`

Trigger: Per-session message cap hit (Phase E guardrails).

Body:

We've covered a lot in this session 🙌 Let's pick it back up later – message me again in a bit and we'll carry on.

For urgent matters, you can call our office.

Buttons (Call-to-action):

- `Call office` → Phone: `{{1}}`

Variables:

- `{{1}}` — office number E.164 (sample: +27 21 555 0123)

16. `ttt_daily_limit_reached`

Trigger: Per-day cap hit.

Body:

You've reached today's message limit with me. We can pick this up tomorrow – I'll be right here.

For anything urgent, give the office a ring.

Buttons (Call-to-action):

- `Call office` → Phone: `{{1}}`

Variables:

- `{{1}}` — office number (sample: +27 21 555 0123)

17. `ttt_rapid_fire_throttle`

Trigger: User sending faster than the bot can keep up — soft throttle.

Body:

One sec – still typing my last reply 🗨️ I'll be with you in a moment.

Buttons: none. **Variables:** none.

Design notes:

- Keep it charming, not scolding.
- Don't reference "rate limit" — that's internal language.

18. `ttt_reengagement_check_in`

Trigger: Contact hasn't messaged for 30+ days AND is within 60 days of tax season opening. Category may need to be MARKETING — confirm with Meta.

Body:

Hi {{1}} – Tara here 🙌

Tax season opens {{2}}. Just a friendly heads-up in case you want to get ahead of the paperwork. Want me to pull your outstanding items?

Buttons (Quick reply):

1. `Yes, show me`
2. `Not yet, thanks`
3. `Stop messages`

Variables:

- {{1}} — contact first name (sample: `Luc`)
- {{2}} — tax season open date, friendly format (sample: `1 July`)

Design notes:

- `Stop messages` doubles as an opt-out fast path — routes through template 5.
- Never send this if `riivo_whatsappoptinout` is false.

19. `ttt_nps_prompt`

Trigger: Monthly survey to a sampled set of clients with ≥ 1 resolved case in the window.

Template type: Interactive — List (ratings scale)

Body:

Quick one, `{{1}}` – how likely are you to recommend TTT to a friend or colleague?

Button label: Rate us

List sections:

Section: Promoters

- 10 – Definitely
- 9 – Very likely

Section: Passives

- 8 – Likely
- 7 – Somewhat

Section: Detractors

- 6 or below

Variables:

- `{{1}}` – contact first name (sample: Luc)

Follow-on routing:

- Promoters → `ttt_nps_ack_promoter` (new template — "Thanks! If you'd like to refer someone...")
- Passives → `ttt_nps_ack_passive` (new template — "Thanks, any feedback?")
- Detractors → escalation: free-form consultant outreach within 24h

Design notes:

- 11-point NPS collapsed to 5 rows because WhatsApp lists support max 10 items per section and this is easier to scan.
- Keep the follow-on ack templates in a later submission batch — the prompt itself is the long-lead item.

20. `ttt_webhook_error`

Trigger: Unhandled exception in the webhook pipeline, always within 24h window. Keep it templated anyway for completeness.

Body:

Sorry, something went wrong on my side. Please try again in a moment — if it keeps happening, our office can help directly.

Buttons (Call-to-action):

- Call office → Phone: `{{1}}`

Variables:

- `{{1}}` — office number (sample: +27 21 555 0123)
-

Cross-cutting design rules

Voice consistency

- Tara never signs off. No "— Tara" closers.
- First message of any template thread re-introduces Tara once; subsequent templates in the same thread do not.
- Time-of-day greetings only in `ttt_invoice_delivery` (where it's the staff sender's voice, not Tara's).

Button wording

- Start with a verb where possible (`Sign up`, `Call office`, `Download LOE`).
- For feedback/confirmation buttons, the exact string is load-bearing — the webhook matches on it. Keep these in sync with the constants in `case.service.ts`.
- Emoji in button labels: avoid unless the template is client-facing and the emoji meaningfully disambiguates (✅, ❌). Emoji eats into the 20-char limit faster than you'd think.

Emoji budget

- ≤ 3 per body.
- Never in header text (Meta sometimes rejects).
- Never in the same message as bad news — matches `bot-personality.md` §1.

Localisation

- Submit all templates in `en` first.
 - `af` (Afrikaans) is the most likely second language — build the submission queue to make re-submission cheap (keep variable structure identical, translate body only).
-

Submission priority

Submit in this order based on user-facing impact and approval lead time:

Batch 1 (submit immediately — core flows):

1. `ttt_signup_required`
2. `ttt_case_feedback_prompt`
3. `ttt_case_feedback_ack_confirmed`
4. `ttt_case_feedback_ack_escalated`
5. `ttt_optout_confirmation`
6. `ttt_webhook_error`

Batch 2 (submit within 1 week): 7. ttt_callback_confirmation 8. ttt_invoice_delivery 9. ttt_lead_welcome 10. ttt_loe_request 11. ttt_loe_received 12. ttt_document_received 13. ttt_staff_no_access

Batch 3 (Phase E guardrails): 14. ttt_optin_request 15. ttt_optin_confirmation 16. ttt_session_limit_reached 17. ttt_daily_limit_reached 18. ttt_rapid_fire_throttle

Batch 4 (growth / lifecycle — after core is stable): 19. ttt_reengagement_check_in 20. ttt_nps_prompt (+ ack variants)