

Hillsborough Pediatrics Dosing Guide


(or what you need to know to correctly dose acetaminophen or ibuprofen but were afraid to ask)

What you need to know: Due to the recent recalls for both acetaminophen and ibuprofen, dosing for both of these medications has become very confusing due to changes in labeling and changes in concentrations of the medications. To make it easy for you please follow these steps:

1. Always dose by the approximate weight (not age) of your child.
2. Look to see what medication you have and its concentration. (i.e. how many mg/mL)
3. Use the below tables to find the correct dose. Call if still need help.


Acetaminophen (brand name – Tylenol)

Infant's concentrated drops 80 mg/0.8 mL



Weight (lbs)	Dose (mL)	
6-11 lbs	0.4 mL	(40 mg)
12-17 lbs	0.8 mL	(80 mg)
18-23 lbs	1.2 mL	(120 mg)
24-35 lbs	1.6 mL	(160 mg)

Infant's oral suspension 160 mg/5 mL



Weight (lbs)	Dose (mL)	
6-11 lbs	1.25 mL	(40 mg)
12-17 lbs	2.5 mL	(80 mg)
18-23 lbs	3.75 mL	(120 mg)
24-35 lbs	5 mL	(160 mg)

Acetaminophen (brand name – Tylenol)**Children's oral suspension 160 mg/5 mL**

Note: This medication generally comes with a dosing cup, but a syringe that measures either teaspoons (tsp) or milliliters (mL) may also be used. If this is the medication that you have and you need to use it for a child <24 lbs use the table on page 1 (infant oral suspension) for dosing and use a mL syringe.

Weight (lbs)	Dose	
24-35 lbs	1 tsp or 5 ml	(160 mg)
36-47 lbs	1-1/2 tsp or 7.5 ml	(240 mg)
48-59 lbs	2 tsp or 10 ml	(320 mg)
60-71 lbs	2-1/2 tsp or 12.5 ml	(400 mg)
72-95 lbs	3 tsp or 15 ml	(480 mg)

Ibuprofen (brand name – Motrin, Advil)**Infant's concentrated drops 50 mg/1.25 ml****Not generally recommended for under 6 months of age**

Weight (lbs)	Dose	
12-17 lbs	1.25 ml	(50 mg)
18-23 lbs	1.875 ml	(75 mg)
24-35 lbs	2.5 ml	(100 mg)

Ibuprofen (brand name-Motrin, Advil)

Children's Oral Suspension 100mg/5mL

Note: This medication generally comes with a dosing cup, but a syringe that measures either teaspoons (tsp) or milliliters (mL) may also be used.

Weight	Dose
12-17 lbs	½ tsp or 2.5 mL
18-23 lbs	¾ tsp or 4 mL
24-35lbs	1 tsp or 5 mL
36-47 lbs	1 ½ tsp or 7.5 mL
48-59 lbs	2 tsp or 10 mL
60-71 lbs	2 ½ tsp or 12.5 mL
72-95 lbs	3 tsp or 15 mL

For chewable, meltaways, or junior tablets or caplets, refer to the mg amounts listed on the right hand side of the tables.

For patients >95 lbs, ok to use adult recommended dosing. For acetaminophen (Tylenol) 650mg every 4-6 hours as needed. For ibuprofen (Motrin, Advil) 400 mg every 6 hours as needed.

Please call our office with any questions.

**Hillsborough Pediatrics
100 Corporate Drive, Suite 401
Hillsborough, NC 27278
919-245-3344**