## Numerical values of surface and line tensions from the three sets of independent simulations

December 16, 2022

Table 1: Numerical values of surface and line tensions from the three sets of independent simulations; lipid numbers  $N_{ol}$  and  $N_{il}$  in the outer and inner leaflets; interfacial tension  $\Sigma$  of liquid-liquid interface between  $\alpha$  droplet and aqueous bulk phase  $\beta$ ; membrane segment tensions  $\Sigma$  and  $\Sigma$  of the two membrane segments and; as well as contact line tension  $\lambda$ . The three surface tensions are given in units of  $k_BT/d^2$ , the line tension in units of  $k_BT/d$ .

Size	$N_{ol}$	$N_{il}$	$\sum_{\alpha} \beta$	$\sum_{\alpha} \gamma$	$\Sigma_{eta}\gamma$	λ
14 nm	5400	4700	$\frac{2\alpha\beta}{2.781}$	0.611	$\frac{2\beta}{1.375}$	14.62
	0400	4100	2.823	0.678	1.243	21.02
			2.851	0.697	1.339	22.7
			$2.82 \pm 0.04$	$0.66 \pm 0.05$	$1.32 \pm 0.07$	$19.44 \pm 4.20$
	5500	4600	2.821	0.753	1.148	7.16
	3300	4000	2.844	0.755	1.128	7.10
			2.852	0.948	1.066	6.84
			$2.84 \pm 0.02$	$0.86 \pm 0.10$	$1.11 \pm 0.04$	$7.04 \pm 0.31$
	5700	4400	2.851	1.082	0.991	-6.511
	3700	4400	2.845	1.102	0.806	-10.72
			2.865	1.267	0.774	-12.87
			$2.85 \pm 0.01$	$1.15 \pm 0.11$	$0.86 \pm 0.12$	$-10.03 \pm 2.09$
	5963	4137	2.813	1.781	$0.505 \pm 0.12$	-25.51
	0303	4101	2.878	1.692	0.599	-17.3
			2.868	1.773	0.618	-26.9
			$2.85 \pm 0.04$	$1.75 \pm 0.05$	$0.57 \pm 0.06$	$-23.25 \pm 5.1$
18.3 nm	5400	4700	2.931	0.931	1.445	$-25.25 \pm 5.1$ $11.4$
	3400	4100	2.951	0.998	1.445	20.75
			2.944	0.983	1.481	20.1
	5400	4700	$2.94 \pm 0.01$	$0.97 \pm 0.04$	$1.47 \pm 0.01$	$17.49 \pm 5.2$
	5500	4600	2.915	1.081	1.227	2.63
	3500	4000	2.981	1.23	1.393	6.805
			2.976	1.195	1.381	9.051
			$2.96 \pm 0.04$	$1.17 \pm 0.08$	$1.33 \pm 0.09$	$6.17 \pm 3.8$
	5700	4400	2.902	1.44	0.971	-6.8777
	0.00	1100	2.949	1.481	1.109	-14.32
			2.941	1.479	1.095	-12.88
			$2.93 \pm 0.03$	$1.47 \pm 0.02$	$1.06 \pm 0.08$	$-11.35 \pm 4.11$
	5963	4137	2.921	1.941	0.698	-23.089
			2.987	1.875	0.771	-29.321
			2.991	1.964	0.81	-26.435
			$2.96 \pm 0.04$	$1.92 \pm 0.05$	$0.76 \pm 0.06$	$-26.28 \pm 5.1$
24.5 nm	5400	4700	2.77	1.186	1.354	10.6
			3.01	1.11	1.481	14.8
			2.99	1.137	1.342	20.1
	5400	4700	$2.9 \pm 0.1$	$1.14 \pm 0.03$	$1.39 \pm 0.08$	$15.2 \pm 4.1$
	5500	4600	2.8909	1.29	1.202	1.02
			2.999	1.361	1.365	5.01
			2.969	1.356	1.381	3.75
			$2.95 \pm 0.06$	$1.33 \pm 0.03$	$1.32 \pm 0.10$	$3.26 \pm 2.4$
	5700	4400	2.977	0.84	1.011	-8.23
			2.913	2.32	1.12	-16.09
			2.979	1.976	1.09	-16.5
			$2.96 \pm 0.04$	$1.72 \pm 0.08$	$1.08 \pm 0.06$	$-13.61 \pm 4.9$
	5963	4137	2.907	2.11	0.843	20.34
			2.943	2.01	0.932	28.8
			2.939	1.958	0.864	29.59
	5963	4137	$2.93 \pm 0.01$	$2.02 \pm 0.08$	$0.88 \pm 0.05$	$-26.25 \pm 5.8$