Graph

java method desc ::: storeValString(Ljava/lang/String;Ljava/lang/String;)V

Connection:(jdbc:oracle:thin:@192.168.0.16:1521:orcl):(JavaUser)

db connection desc ::: jdbc:oracle:thin:@192.168.0.16:1521:orcl

db_connection_user_desc ::: JavaUser
java class desc ::: TestWrapper

java_method_desc ::: storeValString(Ljava/lang/String;Ljava/lang/String;)V

Connection:(jdbc:oracle:thin:@//192.168.0.16:1521/orcl):(User) db connection desc ::: jdbc:oracle:thin:@//192.168.0.16:1521/orcl db connection user desc ::: User java class desc ::: JdbcTemplateBasicTarget iava method desc ::: runHandleExecuteWithConnectionCallback()V FrameworkDataSource:SELECT_TABLE_ID. TABLE_VALUE_FROM_TABLE_NAME db connection desc ::: jdbc:oracle:thin:@//192.168.0.16:1521/orcl db connection user desc ::: User db statement desc ::: SELECT TABLE ID. TABLE VALUE FROM TABLE NAME java class desc ::: JdbcTemplateBasicTarget java_method_desc ::: runHandleExecuteWithConnectionCallback()V FrameworkDataField:value iava class desc ::: JdbcTemplateModel java method desc ::: getValue()Ljava/lang/String; mapping field desc ::: value ParamIndex:INSERT INTO OUTPUT TABLE (i c1, i c2) VALUES (?, ?):1 db connection desc ::: jdbc:oracle:thin:@192.168.0.16:1521:orcl db connection user desc ::: JavaUser db_statement_desc ::: INSERT INTO OUTPUT_TABLE (i_c1, i_c2) VALUES (?, ?) db statement param desc ::: 1 java class desc ::: TestWrapper java_method_desc ::: storeValString(Ljava/lang/String;Ljava/lang/String;)V SQLCommand:INSERT_INTO_OUTPUT_TABLE_(i_c1,_i_c2)_VALUES_(?,_?) db connection desc ::: jdbc:oracle:thin:@192.168.0.16:1521:orcl db connection user desc ::: JavaUser db statement desc ::: INSERT INTO OUTPUT TABLE (i c1, i c2) VALUES (?, ?) java class desc ::: TestWrapper