Pipetting minimum: 0.6 uL		**Total Consumption:**	aSyn WT1	402.75	of	150 uL	(200 uM)	LV4 in PBS	1256.00	of	2 x 1000 uL	(30 mM)	(Four lipid films: FI, FII, FVII, FXIV)
			aSyn WT2		of	150 uL	(200 uM)	LV4 in TBS	225.00	of	500 uL	(30 mM)	(FXII)
			aSyn E61V	185.25	of	200 uL	(200 uM)	LV4 in PBS (30r	150.00	of	500 uL	(30 mM)	(FX)
LV4: 55 mol % DOPC, 20 mol % DOPS, 15 mol % DOPE and 10 mol % cholesterol			aSyn A124T	185.25	of	200 uL	(200 uM)	DOPS in PBS	116.00	of	500 uL	(30 mM)	(FV)
Block 3 & 4:			aSyn E46K	185.25	of	200 uL	(200 uM)	DOPC/DOPS (8	116.00	of	500 uL	(30 mM)	(FXIII)
aSyn WT:	97.75		aSyn G14R	20.00	of	23 uL	(100 uM)	SV in TBS	15.33	of	20 uL	(300 uM)	**-- leave SVs for beamtime in September wih Synapsin**
E61V:	82.75		aSyn A53T	27.50	of	30 uL	(100 uM)	POPG	240.00	of	500 uL	(30 mM)	
A124T:	82.75		aSyn A30P	20.00	of	23 uL	(100 uM)	DOPC/GM1 (80	240.00	of	500 uL	(30 mM)	
E46K:	82.75												

name (sample/dataset)	PosNr	short description	aSyn target (µM)	lipid conc. (mM)	L/P ratio	**aSyn variant**	aSyn stock (µM)	V_aSyn (µL)	**lipid comp.**	lipid stock (mM)	V_lip (µL)	buffer type	V_buffer (µL)	V_tot (µL)	t_exp (s)	#scans	comment
Block 1																	
BI_S1_Air		Empty Capillary	-	-	-	-	-	-	-	-	-	-	-				
BI_S2_MQ		MQ	-	-	-	-	-	-	-	-	-	-	-	50			
Block 2																	
BII_S1_15mM_LV4_TBS		15 mM LV4 in TBS	-	15	-	-	-	-	LV4	30	25.00	TBS	25.00	50			
BII_S2_15mM_LV4_30nm_PBS		15mM LV4 (30nm extrusion) in PBS	-	15	-	-	-	-	LV4	30	25.00	PBS	25.00	50			
BII_S3_1mM_LV4_PBS_FI		1 mM LV4 in PBS	-	1	-	-	-	-	LV4	30	1.67	PBS	48.33	50			
BII_S4_2mM_LV4_PBS_FII		2 mM LV4 in PBS	-	2	-	-	-	-	LV4	30	3.33	PBS	46.67	50			
BII_S5_3mM_LV4_PBS_FVII		3 mM LV4 in PBS	-	3	-	-	-	-	LV4	30	5.00	PBS	45.00	50			
BII_S6_6mM_LV4_PBS_FXIV		6 mM LV4 in PBS	-	6	-	-	-	-	LV4	30	10.00	PBS	40.00	50			
BII_S7_9mM_LV4_PBS_FI		9 mM LV4 in PBS	-	9	-	-	-	-	LV4	30	15.00	PBS	35.00	50			
BII_S8_12mM_LV4_PBS_FII		12 mM LV4 in PBS	-	12	-	-	-	-	LV4	30	20.00	PBS	30.00	50			
BII_S9_15mM_LV4_PBS_FVII		15 mM LV4 in PBS	-	15	-	-	-	-	LV4	30	25.00	PBS	25.00	50			
BII_S10_15mM_DOPS_PBS		15 mM DOPS in PBS	-	15	-	-	-	-	DOPS	30	25.00	PBS	25.00	50			
BII_S11_15mM_DOPC_DOPS_PBS		15 mM DOPC/DOPS (80/20) in PBS	-	15	-	-	-	-	DOPC/DOPS (8	30	25.00	PBS	25.00	50			
Block 3																	
BIII_S1_75uM_aSynWT		75 uM aSynWT in PBS	75	0	-	WT	200	15.00	-	-	-	PBS	25.00	40			
BIII_S2_100uM_aSynWT		100uM aSynWT in PBS	100	0	-	WT	200	20.00	-	-	-	PBS	20.00	40			
BIII_S3_100uM_aSynE61V		100 uM aSynE61V in PBS	100	0	-	E61V	200	20.00	-	-	-	PBS	20.00	40			
BIII_S4_100uM_aSynA124T		100 uM aSynA124T in PBS	100	0	-	A124T	200	20.00	-	-	-	PBS	20.00	40			
BIII_S5_100uM_aSynE46K		100 uM aSynE46K in PBS	100	0	-	E46K	200	20.00	-	-	-	PBS	20.00	40			
Block 4																	
BIV_S1_15mM_LV4_1uM_aSynWT		15 mM LV4 + 1 uM aSyn WT	1	15.00	15,000	WT	200	0.25	LV4	30	25.00	PBS	24.75	50			
BIV_S2_15mM_LV4_2uM_aSynWT		15 mM LV4 + 2 uM aSyn WT	2	15.00	7,500	WT	200	0.50	LV4	30	25.00	PBS	24.50	50			
BIV_S3_15mM_LV4_3uM_aSynWT		15 mM LV4 + 3 uM aSyn WT	3	15.00	5,000	WT	200	0.75	LV4	30	25.00	PBS	24.25	50			
BIV_S4_15mM_LV4_6uM_aSynWT		15 mM LV4 + 6 uM aSyn WT	6	15.00	2,500	WT	200	1.50	LV4	30	25.00	PBS	23.50	50			
BIV_S5_15mM_LV4_9uM_aSynWT		15 mM LV4 + 9 uM aSyn WT	9	15.00	1,667	WT	200	2.25	LV4	30	25.00	PBS	22.75	50			
BIV_S6_15mM_LV4_15uM_aSynWT		15 mM LV4 + 15 uM aSyn WT	15	15.00	1,000	WT	200	3.75	LV4	30	25.00	PBS	21.25	50			
BIV_S7_15mM_LV4_25uM_aSynWT		15 mM LV4 + 25 uM aSyn WT	25	15.00	600	WT	200	6.25	LV4	30	25.00	PBS	18.75	50			
BIV_S8_15mM_LV4_50uM_aSynWT		15 mM LV4 + 50 uM aSyn WT	50	15.00	300	WT	200	12.50	LV4	30	25.00	PBS	12.50	50			
BIV_S9_15mM_LV4_75uM_aSynWT		15 mM LV4 + 75 uM aSyn WT	75	15.00	200	WT	200	15.00	LV4	30	20.00	PBS	5.00	40			
BIV_S10_15mM_LV4_100uM_aSynWT		15 mM LV4 + 100 uM aSyn WT	100	15.00	150	WT	200	20.00	LV4	30	20.00	PBS	0.00	40			
BIV_S11_15mM_LV4_1uM_aSynE61V		15 mM LV4 + 1 uM aSyn E61V	1	15.00	15,000	E61V	200	0.25	LV4	30	25.00	PBS	24.75	50			
BIV_S12_15mM_LV4_2uM_aSynE61V		15 mM LV4 + 2 uM aSyn E61V	2	15.00	7,500	E61V	200	0.50	LV4	30	25.00	PBS	24.50	50			
BIV_S13_15mM_LV4_3uM_aSynE61V		15 mM LV4 + 3 uM aSyn E61V	3	15.00	5,000	E61V	200	0.75	LV4	30	25.00	PBS	24.25	50			
BIV_S14_15mM_LV4_6uM_aSynE61V		15 mM LV4 + 6 uM aSyn E61V	6	15.00	2,500	E61V	200	1.50	LV4	30	25.00	PBS	23.50	50			
BIV_S15_15mM_LV4_9uM_aSynE61V		15 mM LV4 + 9 uM aSyn E61V	9	15.00	1,667	E61V	200	2.25	LV4	30	25.00	PBS	22.75	50			
BIV_S16_15mM_LV4_15uM_aSynE61V		15 mM LV4 + 15 uM aSyn E61V	15	15.00	1,000	E61V	200	3.75	LV4	30	25.00	PBS	21.25	50			
BIV_S17_15mM_LV4_25uM_aSynE61V		15 mM LV4 + 25 uM aSyn E61V	25	15.00	600	E61V	200	6.25	LV4	30	25.00	PBS	18.75	50			
BIV_S18_15mM_LV4_50uM_aSynE61V		15 mM LV4 + 50 uM aSyn E61V	50	15.00	300	E61V	200	12.50	LV4	30	25.00	PBS	12.50	50			
BIV_S19_15mM_LV4_75uM_aSynE61V		15 mM LV4 + 75 uM aSyn E61V	75	15.00	200	E61V	200	15.00	LV4	30	20.00	PBS	5.00	40			
BIV_S20_15mM_LV4_100uM_aSynE61V		15 mM LV4 + 100 uM aSyn E61V	100	15.00	150	E61V	200	20.00	LV4	30	20.00	PBS	0.00	40			
BIV_S21_15mM_LV4_1uM_aSynA124T		15 mM LV4 + 1 uM aSyn A124T	1	15.00	15,000	A124T	200	0.25	LV4	30	25.00	PBS	24.75	50			
BIV_S22_15mM_LV4_2uM_aSynA124T		15 mM LV4 + 2 uM aSyn A124T	2	15.00	7,500	A124T	200	0.50	LV4	30	25.00	PBS	24.50	50			
BIV_S23_15mM_LV4_3uM_aSynA124T		15 mM LV4 + 3 uM aSyn A124T	3	15.00	5,000	A124T	200	0.75	LV4	30	25.00	PBS	24.25	50			
BIV_S24_15mM_LV4_6uM_aSynA124T		15 mM LV4 + 6 uM aSyn A124T	6	15.00	2,500	A124T	200	1.50	LV4	30	25.00	PBS	23.50	50			
BIV_S25_15mM_LV4_9uM_aSynA124T		15 mM LV4 + 9 uM aSyn A124T	9	15.00	1,667	A124T	200	2.25	LV4	30	25.00	PBS	22.75	50			
BIV_S26_15mM_LV4_15uM_aSynA124T		15 mM LV4 + 15 uM aSyn A124T	15	15.00	1,000	A124T	200	3.75	LV4	30	25.00	PBS	21.25	50			
BIV_S27_15mM_LV4_25uM_aSynA124T		15 mM LV4 + 25 uM aSyn A124T	25	15.00	600	A124T	200	6.25	LV4	30	25.00	PBS	18.75	50			
BIV_S28_15mM_LV4_50uM_aSynA124T		15 mM LV4 + 50 uM aSyn A124T	50	15.00	300	A124T	200	12.50	LV4	30	25.00	PBS	12.50	50			
BIV_S29_15mM_LV4_75uM_aSynA124T		15 mM LV4 + 75 uM aSyn A124T	75	15.00	200	A124T	200	15.00	LV4	30	20.00	PBS	5.00	40			
BIV_S30_15mM_LV4_100uM_aSynA124T		15 mM LV4 + 100 uM aSyn A124T	100	15.00	150	A124T	200	20.00	LV4	30	20.00	PBS	0.00	40			
BIV_S31_15mM_LV4_1uM_aSynE46K		15 mM LV4 + 1 uM aSyn E46K	1	15.00	15,000	E46K	200	0.25	LV4	30	25.00	PBS	24.75	50			
BIV_S32_15mM_LV4_2uM_aSynE46K		15 mM LV4 + 2 uM aSyn E46K	2	15.00	7,500	E46K	200	0.50	LV4	30	25.00	PBS	24.50	50			
BIV_S33_15mM_LV4_3uM_aSynE46K		15 mM LV4 + 3 uM aSyn E46K	3	15.00	5,000	E46K	200	0.75	LV4	30	25.00	PBS	24.25	50			
BIV_S34_15mM_LV4_6uM_aSynE46K		15 mM LV4 + 6 uM aSyn E46K	6	15.00	2,500	E46K	200	1.50	LV4	30	25.00	PBS	23.50	50			
BIV_S35_15mM_LV4_9uM_aSynE46K		15 mM LV4 + 9 uM aSyn E46K	9	15.00	1,667	E46K	200	2.25	LV4	30	25.00	PBS	22.75	50			
BIV_S36_15mM_LV4_15uM_aSynE46K		15 mM LV4 + 15 uM aSyn E46K	15	15.00	1,000	E46K	200	3.75	LV4	30	25.00	PBS	21.25	50			
BIV_S37_15mM_LV4_25uM_aSynE46K		15 mM LV4 + 25 uM aSyn E46K	25	15.00	600	E46K	200	6.25	LV4	30	25.00	PBS	18.75	50			
BIV_S38_15mM_LV4_50uM_aSynE46K		15 mM LV4 + 50 uM aSyn E46K	50	15.00	300	E46K	200	12.50	LV4	30	25.00	PBS	12.50	50			
BIV_S39_15mM_LV4_75uM_aSynE46K		15 mM LV4 + 75 uM aSyn E46K	75	15.00	200	E46K	200	15.00	LV4	30	20.00	PBS	5.00	40			
BIV_S40_15mM_LV4_100uM_aSynE46K		15 mM LV4 + 100 uM aSyn E46K	100	15.00	150	E46K	200	20.00	LV4	30	20.00	PBS	0.00	40			
Block 5																	

Pipetting minimum: 0.6 uL

Total Consumption:

LV4: 55 mol % DOPC, 20 mol % DOPS, 15 mol % DOPE and 10 mol % cholesterol

Block 3 & 4:

aSyn WT:	97.75
E61V:	82.75
A124T:	82.75
E46K:	82.75

aSyn WT1	402.75	of	150 uL	(200 uM)
aSyn WT2		of	150 uL	(200 uM)
aSyn E61V	185.25	of	200 uL	(200 uM)
aSyn A124T	185.25	of	200 uL	(200 uM)
aSyn E46K	185.25	of	200 uL	(200 uM)
aSyn G14R	20.00	of	23 uL	(100 uM)
aSyn A53T	27.50	of	30 uL	(100 uM)
aSyn A30P	20.00	of	23 uL	(100 uM)

LV4 in PBS	1256.00	of	2 x 1000 uL	(30 mM)	(Four lipid films: FI, FII, FVII, FXIV)
LV4 in TBS	225.00	of	500 uL	(30 mM)	(FXII)
LV4 in PBS (30	150.00	of	500 uL	(30 mM)	(FX)
DOPS in PBS	116.00	of	500 uL	(30 mM)	(FV)
DOPC/DOPS (8	116.00	of	500 uL	(30 mM)	(FXIII)
SV in TBS	15.33	of	20 uL	(300 uM)	**-- leave SVs for beamtime in September wih Synapsin**
POPG	240.00	of	500 uL	(30 mM)	
DOPC/GM1 (80	240.00	of	500 uL	(30 mM)	

name (sample/dataset)	PosNr	short description	aSyn target (µM)	lipid conc. (mM)	L/P ratio	**aSyn variant**	aSyn stock (µM)	V_aSyn (µL)	**lipid comp.**	lipid stock (mM)	V_lip (µL)	buffer type	V_buffer (µL)	V_tot (µL)	t_exp (s)	#scans	comment
BV_S1_15mM_LV4_15uM_aSynG14R		15 mM LV4 + 15 uM aSyn G14R	15	15.00	1,000	G14R	100	7.50	LV4	30	25.00	TBS	17.50	50			**Wrong buffer!**
BV_S2_15mM_LV4_25uM_aSynG14R		15 mM LV4 + 25 uM aSyn G14R	25	15.00	600	G14R	100	12.50	LV4	30	25.00	TBS	12.50	50			PBS was used,
																	not TBS!
BV_S3_15mM_LV4_6uM_aSynA53T		15 mM LV4 + 6 uM aSyn A53T	6	15.00	2,500	A53T	100	3.00	LV4	30	25.00	TBS	22.00	50			
BV_S4_15mM_LV4_9uM_aSynA53T		15 mM LV4 + 9 uM aSyn A53T	9	15.00	1,667	A53T	100	4.50	LV4	30	25.00	TBS	20.50	50			
BV_S5_15mM_LV4_15uM_aSynA53T		15 mM LV4 + 15 uM aSyn A53T	15	15.00	1,000	A53T	100	7.50	LV4	30	25.00	TBS	17.50	50			
BV_S6_15mM_LV4_25uM_aSynA53T		15 mM LV4 + 25 uM aSyn A53T	25	15.00	600	A53T	100	12.50	LV4	30	25.00	TBS	12.50	50			
BV_S7_15mM_LV4_15uM_aSynA30P		15 mM LV4 + 15 uM aSyn A30P	15	15.00	1,000	A30P	100	7.50	LV4	30	25.00	TBS	17.50	50			
BV_S8_15mM_LV4_25uM_aSynA30P		15 mM LV4 + 25 uM aSyn A30P	25	15.00	600	A30P	100	12.50	LV4	30	25.00	TBS	12.50	50			
Block 7																	
BVII_S1_15mM_DOPS_75uM_aSynWT		15 mM DOPS + 75 uM aSyn WT	75	15.00	200	WT	200	15.00	DOPS	30	20.00	PBS	5.00	40			
BVII_S2_15mM_DOPS_100uM_aSynWT		15 mM DOPS + 100 uM aSyn WT	100	15.00	150	WT	200	20.00	DOPS	30	20.00	PBS	0.00	40			
BVII_S3_3mM_DOPS_100uM_aSynWT		3 mM DOPS + 100 uM aSyn WT	100	3.00	30	WT	200	20.00	DOPS	30	4.00	PBS	16.00	40			
BVII_S4_15mM_DOPC_DOPS_75uM_aSynWT		15 mM DOPC/DOPS (80/20)+ 75 uM aSyn V	75	15.00	200	WT	200	15.00	DOPC/DOPS (8	30	20.00	PBS	5.00	40			
BVII_S5_15mM_DOPC_DOPS_100uM_aSynWT		15 mM DOPC/DOPS (80/20)+ 100 uM aSyn	100	15.00	150	WT	200	20.00	DOPC/DOPS (8	30	20.00	PBS	0.00	40			
BVII_S6_3mM_DOPC_DOPS_100uM_aSynWT		3 mM DOPC/DOPS (80/20) + 100 uM aSyn \	100	3.00	30	WT	200	20.00	DOPC/DOPS (8	30	4.00	PBS	16.00	40			
BVII_S7_3mM_LV4_100uM_aSynWT		3 mM LV4 + 100 uM aSyn WT	100	3.00	30	WT	200	20.00	LV4	30	4.00	PBS	16.00	40			
BVII_S8_15mM_DOPS_75uM_aSynE61V		15 mM DOPS + 75 uM aSyn E61V	75	15.00	200	E61V	200	15.00	DOPS	30	20.00	PBS	5.00	40			
BVII_S9_3mM_DOPS_100uM_aSynE61V		3 mM DOPS + 100 uM aSyn E61V	100	3.00	30	E61V	200	20.00	DOPS	30	4.00	PBS	16.00	40			
BVII_S10_15mM_DOPC_DOPS_75uM_aSynE61V		15 mM DOPC/DOPS (80/20)+ 75 uM aSyn E	75	15.00	200	E61V	200	15.00	DOPC/DOPS (8	30	20.00	PBS	5.00	40			
BVII_S11_3mM_DOPC_DOPS_100uM_aSynE61V		3 mM DOPC/DOPS (80/20) + 100 uM aSyn I	100	3.00	30	E61V	200	20.00	DOPC/DOPS (8	30	4.00	PBS	16.00	40			
BVII_S12_3mM_LV4_100uM_aSynE61V		3 mM LV4 + 100 uM aSyn E61V	100	3.00	30	E61V	200	20.00	LV4	30	4.00	PBS	16.00	40			
BVII_S13_15mM_DOPS_75uM_aSynA124T		15 mM DOPS + 75 uM aSyn A124T	75	15.00	200	A124T	200	15.00	DOPS	30	20.00	PBS	5.00	40			
BVII_S14_3mM_DOPS_100uM_aSynA124T		3 mM DOPS + 100 uM aSyn A124T	100	3.00	30	A124T	200	20.00	DOPS	30	4.00	PBS	16.00	40			
BVII_S15_15mM_DOPC_DOPS_75uM_aSynA124T		15 mM DOPC/DOPS (80/20) + 75 uM aSyn /	75	15.00	200	A124T	200	15.00	DOPC/DOPS (8	30	20.00	PBS	5.00	40			
BVII_S16_3mM_DOPC_DOPS_100uM_aSynA124T		3 mM DOPC/DOPS (80/20) + 100 uM aSyn /	100	3.00	30	A124T	200	20.00	DOPC/DOPS (8	30	4.00	PBS	16.00	40			
BVII_S17_3mM_LV4_100uM_aSynA124T		3 mM LV4 + 100 uM aSyn A124T	100	3.00	30	A124T	200	20.00	LV4	30	4.00	PBS	16.00	40			
BVII_S18_15mM_DOPS_75uM_aSynE46K		15 mM LV4 + 75 uM aSyn E46K	75	15.00	200	E46K	200	15.00	DOPS	30	20.00	PBS	5.00	40			
BVII_S19_3mM_DOPS_100uM_aSynE46K		3 mM LV4 + 100 uM aSyn E46K	100	3.00	30	E46K	200	20.00	DOPS	30	4.00	PBS	16.00	40			
BVII_S20_15mM_DOPC_DOPS_75uM_aSynE46K		15 mM DOPC/DOPS (80/20) + 75 uM aSyn I	75	15.00	200	E46K	200	15.00	DOPC/DOPS (8	30	20.00	PBS	5.00	40			
BVII_S21_3mM_DOPC_DOPS_100uM_aSynE46K		3 mM DOPC/DOPS (80/20) + 100 uM aSyn I	100	3.00	30	E46K	200	20.00	DOPC/DOPS (8	30	4.00	PBS	16.00	40			
BVII_S22_3mM_LV4_100uM_aSynE46K		3 mM LV4 + 100 uM aSyn E46K	100	3.00	30	E46K	200	20.00	LV4	30	4.00	PBS	16.00	40			
Block 7				*here nM (SVs)*						*here nM (SVs)*							
BVII_S1_23nM_SV		23 nM SVs	0	23.00	-	-	-	-	SV	300	3.07	TBS	36.93	40			
BVII_S2_23nM_SV_25uM_aSynWT		23 nM SVs + 25 uM aSyn WT	25	23.00	920	WT	200	5.00	SV	300	3.07	TBS	31.93	40			
BVII_S3_23nM_SV_25uM_aSynE61V		23 nM SVs + 25 uM aSyn E61V	25	23.00	920	E61V	200	5.00	SV	300	3.07	TBS	31.93	40			
BVII_S4_23nM_SV_25uM_aSynA124T		23 nM SVs + 25 uM aSyn A124T	25	23.00	920	A124T	200	5.00	SV	300	3.07	TBS	31.93	40			
BVII_S5_23nM_SV_25uM_aSynE46K		23 nM SVs + 25 uM aSyn E46K	25	23.00	920	E46K	200	5.00	SV	300	3.07	TBS	31.93	40			
Block 8																	
BVIII_S1_15mM_LV4_1uM_aSynWT_HPLC		15 mM LV4 + 1 uM aSyn WT	1	15.00	15,000	WT	200	0.15	LV4	30	15.00	PBS	14.85	30			
BVIII_S2_15mM_LV4_2uM_aSynWT_HPLC		15 mM LV4 + 2 uM aSyn WT	2	15.00	7,500	WT	200	0.30	LV4	30	15.00	PBS	14.70	30			
BVIII_S3_15mM_LV4_3uM_aSynWT_HPLC		15 mM LV4 + 3 uM aSyn WT	3	15.00	5,000	WT	200	0.45	LV4	30	15.00	PBS	14.55	30			
BVIII_S4_15mM_LV4_6uM_aSynWT_HPLC		15 mM LV4 + 6 uM aSyn WT	6	15.00	2,500	WT	200	0.90	LV4	30	15.00	PBS	14.10	30			
BVIII_S5_15mM_LV4_9uM_aSynWT_HPLC		15 mM LV4 + 9 uM aSyn WT	9	15.00	1,667	WT	200	1.35	LV4	30	15.00	PBS	13.65	30			
BVIII_S6_15mM_LV4_15uM_aSynWT_HPLC		15 mM LV4 + 15 uM aSyn WT	15	15.00	1,000	WT	200	2.25	LV4	30	15.00	PBS	12.75	30			
BVIII_S7_15mM_LV4_25uM_aSynWT_HPLC		15 mM LV4 + 25 uM aSyn WT	25	15.00	600	WT	200	3.75	LV4	30	15.00	PBS	11.25	30			
BVIII_S8_15mM_LV4_50uM_aSynWT_HPLC		15 mM LV4 + 50 uM aSyn WT	50	15.00	300	WT	200	7.50	LV4	30	15.00	PBS	7.50	30			
BVIII_S9_15mM_LV4_75uM_aSynWT_HPLC		15 mM LV4 + 75 uM aSyn WT	75	15.00	200	WT	200	11.25	LV4	30	15.00	PBS	3.75	30			
BVIII_S10_15mM_LV4_100uM_aSynWT_HPLC		15 mM LV4 + 100 uM aSyn WT	100	15.00	150	WT	200	15.00	LV4	30	15.00	PBS	0.00	30			
Block 6																	
BVI_S1		15 mM DOPC/GM1+ 6 uM aSyn WT	6	15.00	2,500	WT	200	1.50	DOPC/GM1	30	25.00	PBS	23.50	50			
BVI_S2		15 mM DOPC/GM1 + 9 uM aSyn WT	9	15.00	1,667	WT	200	2.25	DOPC/GM1	30	25.00	PBS	22.75	50			
BVI_S3		15 mM DOPC/GM1 + 15 uM aSyn WT	15	15.00	1,000	WT	200	3.75	DOPC/GM1	30	25.00	PBS	21.25	50			
BVI_S4		15 mM DOPC/GM1 + 25 uM aSyn WT	25	15.00	600	WT	200	6.25	DOPC/GM1	30	25.00	PBS	18.75	50			
BVI_S5		15 mM DOPC/GM1 + 50 uM aSyn WT	50	15.00	300	WT	200	12.50	DOPC/GM1	30	25.00	PBS	12.50	50			
BVI_S6		15 mM DOPC/GM1 + 75 uM aSyn WT	75	15.00	200	WT	200	15.00	DOPC/GM1	30	20.00	PBS	5.00	40			
BVI_S7		15 mM DOPC/GM1 + 100 uM aSyn WT	100	15.00	150	WT	200	20.00	DOPC/GM1	30	20.00	PBS	0.00	40			
BVI_S8		15 mM DOPC/GM1 + 25 uM aSyn E61V	25	15.00	600	E61V	200	6.25	DOPC/GM1	30	25.00	PBS	18.75	50			
BVI_S9		15 mM DOPC/GM1 + 25 uM aSyn A124T	25	15.00	600	A124T	200	6.25	DOPC/GM1	30	25.00	PBS	18.75	50			
BVI_S10		15 mM DOPC/GM1 + 25 uM aSyn E46K	25	15.00	600	E46K	200	6.25	DOPC/GM1	30	25.00	PBS	18.75	50			

Pipetting minimum: 0.6 uL

Total Consumption:

LV4: 55 mol % DOPC, 20 mol % DOPS, 15 mol % DOPE and 10 mol % cholesterol

Block 3 & 4:	
aSyn WT:	97.75
E61V:	82.75
A124T:	82.75
E46K:	82.75

aSyn WT1	402.75	of	150 uL	(200 uM)
aSyn WT2		of	150 uL	(200 uM)
aSyn E61V	185.25	of	200 uL	(200 uM)
aSyn A124T	185.25	of	200 uL	(200 uM)
aSyn E46K	185.25	of	200 uL	(200 uM)
aSyn G14R	20.00	of	23 uL	(100 uM)
aSyn A53T	27.50	of	30 uL	(100 uM)
aSyn A30P	20.00	of	23 uL	(100 uM)

LV4 in PBS	1256.00	of	2 x 1000 uL	(30 mM)	(Four lipid films: FI, FII, FVII, FXIV)
LV4 in TBS	225.00	of	500 uL	(30 mM)	(FXII)
LV4 in PBS (30r	150.00	of	500 uL	(30 mM)	(FX)
DOPS in PBS	116.00	of	500 uL	(30 mM)	(FV)
DOPC/DOPS (8	116.00	of	500 uL	(30 mM)	(FXIII)
SV in TBS	15.33	of	20 uL	(300 uM)	**-- leave SVs for beamtime in September wih Synapsin**
POPG	240.00	of	500 uL	(30 mM)	
DOPC/GM1 (80	240.00	of	500 uL	(30 mM)	

name (sample/dataset)	PosNr	short description	aSyn target (μM)	lipid conc. (mM)	L/P ratio	**aSyn variant**	aSyn stock (μM)	V_aSyn (μL)	**lipid comp.**	lipid stock (mM)	V_lip (μL)	buffer type	V_buffer (μL)	V_tot (μL)	t_exp (s)	#scans	comment
BVI_S11		15 mM POPG + 6 uM aSyn WT	6	15.00	2,500	WT	200	1.50	POPG	30	25.00	PBS	23.50	50			
BVI_S12		15 mM POPG + 9 uM aSyn WT	9	15.00	1,667	WT	200	2.25	POPG	30	25.00	PBS	22.75	50			
BVI_S13		15 mM POPG + 15 uM aSyn WT	15	15.00	1,000	WT	200	3.75	POPG	30	25.00	PBS	21.25	50			
BVI_S14		15 mM POPG + 25 uM aSyn WT	25	15.00	600	WT	200	6.25	POPG	30	25.00	PBS	18.75	50			
BVI_S15		15 mM POPG + 50 uM aSyn WT	50	15.00	300	WT	200	12.50	POPG	30	25.00	PBS	12.50	50			
BVI_S16		15 mM POPG + 75 uM aSyn WT	75	15.00	200	WT	200	15.00	POPG	30	20.00	PBS	5.00	40			
BVI_S17		15 mM POPG + 100 uM aSyn WT	100	15.00	150	WT	200	20.00	POPG	30	20.00	PBS	0.00	40			
BVI_S18		15 mM POPG + 25 uM aSyn E61V	25	15.00	600	E61V	200	6.25	POPG	30	25.00	PBS	18.75	50			
BVI_S19		15 mM POPG + 25 uM aSyn A124T	25	15.00	600	A124T	200	6.25	POPG	30	25.00	PBS	18.75	50			
BVI_S20		15 mM POPG + 25 uM aSyn E46K	25	15.00	600	E46K	200	6.25	POPG	30	25.00	PBS	18.75	50			
Block 8																	
BVIII_S1		15 mM LV4 + 6 uM aSyn WT (1-25)	6	15.00	2,500	WT (1-25)	200	1.50	LV4	30	25.00	PBS	23.50	50			P&E Peptides
BVIII_S2		15 mM LV4 + 9 uM aSyn WT (1-25)	9	15.00	1,667	WT (1-25)	200	2.25	LV4	30	25.00	PBS	22.75	50			
BVIII_S3		15 mM LV4 + 15 uM aSyn WT (1-25)	15	15.00	1,000	WT (1-25)	200	3.75	LV4	30	25.00	PBS	21.25	50			
BVIII_S4		15 mM LV4 + 25 uM aSyn WT (1-25)	25	15.00	600	WT (1-25)	200	6.25	LV4	30	25.00	PBS	18.75	50			
BVIII_S5		15 mM LV4 + 50 uM aSyn WT (1-25)	50	15.00	300	WT (1-25)	200	12.50	LV4	30	25.00	PBS	12.50	50			
BVIII_S6		15 mM LV4 + 75 uM aSyn WT (1-25)	75	15.00	200	WT (1-25)	200	18.75	LV4	30	25.00	PBS	6.25	50			
BVIII_S7		15 mM LV4 + 100 uM aSyn WT (1-25)	100	15.00	150	WT (1-25)	200	25.00	LV4	30	25.00	PBS	0.00	50			
BVIII_S8		3 mM LV4 + 100 uM aSyn WT (1-25)	100	3.00	30	WT (1-25)	200	25.00	LV4	30	5.00	PBS	20.00	50			
BVIII_S9		5 mM LV4 + 150 uM aSyn WT (1-25)	150	5.00	33	WT (1-25)	200	37.50	LV4	30	8.33	PBS	4.17	50			
BVIII_S11		15 mM LV4 + 6 uM aSyn G14R (1-25)	6	15.00	2,500	G14R (1-25)	200	1.50	LV4	30	25.00	PBS	23.50	50			
BVIII_S12		15 mM LV4 + 9 uM aSyn G14R (1-25)	9	15.00	1,667	G14R (1-25)	200	2.25	LV4	30	25.00	PBS	22.75	50			
BVIII_S13		15 mM LV4 + 15 uM aSyn G14R (1-25)	15	15.00	1,000	G14R (1-25)	200	3.75	LV4	30	25.00	PBS	21.25	50			
BVIII_S14		15 mM LV4 + 25 uM aSyn G14R (1-25)	25	15.00	600	G14R (1-25)	200	6.25	LV4	30	25.00	PBS	18.75	50			
BVIII_S15		15 mM LV4 + 50 uM aSyn G14R (1-25)	50	15.00	300	G14R (1-25)	200	12.50	LV4	30	25.00	PBS	12.50	50			
BVIII_S16		15 mM LV4 + 75 uM aSyn G14R (1-25)	75	15.00	200	G14R (1-25)	200	18.75	LV4	30	25.00	PBS	6.25	50			
BVIII_S17		15 mM LV4 + 100 uM aSyn G14R (1-25)	100	15.00	150	G14R (1-25)	200	25.00	LV4	30	25.00	PBS	0.00	50			
BVIII_S18		3 mM LV4 + 100 uM aSyn G14R (1-25)	100	3.00	30	G14R (1-25)	200	25.00	LV4	30	5.00	PBS	20.00	50			
BVIII_S19		5 mM LV4 + 150 uM aSyn G14R (1-25)	150	5.00	33	G14R (1-25)	200	37.50	LV4	30	8.33	PBS	4.17	50			
BVIII_S20		15 mM LV4 + 6 uM aSyn WT (1-25)	6	15.00	2,500	HBpep	300	1.00	LV4 (TBS)	30	25.00	TBS	24.00	50			
BVIII_S21		15 mM LV4 + 9 uM aSyn WT (1-25)	9	15.00	1,667	HBpep	300	1.50	LV4	30	25.00	TBS	23.50	50			
BVIII_S22		15 mM LV4 + 15 uM aSyn WT (1-25)	15	15.00	1,000	HBpep	300	2.50	LV4	30	25.00	TBS	22.50	50			
BVIII_S23		15 mM LV4 + 25 uM aSyn WT (1-25)	25	15.00	600	HBpep	300	4.17	LV4	30	25.00	TBS	20.83	50			
BVIII_S24		15 mM LV4 + 50 uM aSyn WT (1-25)	50	15.00	300	HBpep	300	8.33	LV4	30	25.00	TBS	16.67	50			
BVIII_S25		15 mM LV4 + 75 uM aSyn WT (1-25)	75	15.00	200	HBpep	300	12.50	LV4	30	25.00	TBS	12.50	50			
BVIII_S26		15 mM LV4 + 100 uM aSyn WT (1-25)	100	15.00	150	HBpep	300	16.67	LV4	30	25.00	TBS	8.33	50			
BVIII_S27		3 mM LV4 + 100 uM aSyn WT (1-25)	100	3.00	30	HBpep	300	16.67	LV4	30	5.00	TBS	28.33	50			
BVIII_S28		5 mM LV4 + 150 uM aSyn WT (1-25)	150	5.00	33	HBpep	300	25.00	LV4	30	8.33	TBS	16.67	50			
BVIII_S29		5 mM LV4 + 250 uM aSyn WT (1-25)	250	5.00	20	HBpep	300	41.67	LV4	30	8.33	TBS	0.00	50			
Block 9																	
BIX_S1		15 mM POPG	-	15.00	-	-	-	-	POPG	30	25.00	PBS	25.00	50			
BIX_S2		15 mM DOPC/GM1 (80/20)	-	15.00	-	-	-	-	DOPC/GM1 (80/	30	25.00	PBS	25.00	50			
BIX_S3		15 mM LV4 + 1 uM aSyn G14R (1-25)	1	15.00	15,000	G14R (1-25)	30	1.67	LV4	30	25.00	PBS	23.33	50			
BIX_S4		15 mM LV4 + 2 uM aSyn G14R (1-25)	2	15.00	7,500	G14R (1-25)	30	3.33	LV4	30	25.00	PBS	21.67	50			
BIX_S5		15 mM LV4 + 3 uM aSyn G14R (1-25)	3	15.00	5,000	G14R (1-25)	30	5.00	LV4	30	25.00	PBS	20.00	50			
BIX_S6		15 mM LV4 + 6uM aSyn G14R (1-25)	6	15.00	2,500	G14R (1-25)	300	1.00	LV4	30	25.00	PBS	24.00	50			
BIX_S7		15 mM LV4 + 9 uM aSyn G14R (1-25)	9	15.00	1,667	G14R (1-25)	300	1.50	LV4	30	25.00	PBS	23.50	50			
BIX_S8		15 mM LV4 + 15 uM aSyn G14R (1-25)	15	15.00	1,000	G14R (1-25)	300	2.50	LV4	30	25.00	PBS	22.50	50			
BIX_S9		15 mM LV4 + 25 uM aSyn G14R (1-25)	25	15.00	600	G14R (1-25)	300	4.17	LV4	30	25.00	PBS	20.83	50			
BIX_S10		15 mM DOPS + 6 uM aSyn WT	6	15.00	2,500	WT	200	1.50	DOPS	30	25.00	PBS	23.50	50			
BIX_S11		15 mM DOPS + 9 uM aSyn WT	9	15.00	1,667	WT	200	2.25	DOPS	30	25.00	PBS	22.75	50			
BIX_S12		15 mM DOPS + 15 uM aSyn WT	15	15.00	1,000	WT	200	3.75	DOPS	30	25.00	PBS	21.25	50			
BIX_S13		15 mM DOPS + 25 uM aSyn WT	25	15.00	600	WT	200	6.25	DOPS	30	25.00	PBS	18.75	50			
BIX_S14		15 mM DOPS + 50 uM aSyn WT	50	15.00	300	WT	200	12.50	DOPS	30	25.00	PBS	12.50	50			
BIX_S15		15 mM DOPC/DOPS (80/20) + 6 uM aSyn W	6	15.00	2,500	WT	200	1.50	DOPC/DOPS	30	25.00	PBS	23.50	50			
BIX_S16		15 mM DOPC/DOPS (80/20) + 9 uM aSyn W	9	15.00	1,667	WT	200	2.25	DOPC/DOPS	30	25.00	PBS	22.75	50			
BIX_S17		15 mM DOPC/DOPS (80/20) + 15 uM aSyn	15	15.00	1,000	WT	200	3.75	DOPC/DOPS	30	25.00	PBS	21.25	50			
BIX_S18		15 mM DOPC/DOPS (80/20) + 25 uM aSyn	25	15.00	600	WT	200	6.25	DOPC/DOPS	30	25.00	PBS	18.75	50			
BIX_S19		15 mM DOPC/DOPS (80/20) + 50 uM aSyn	50	15.00	300	WT	200	12.50	DOPC/DOPS	30	25.00	PBS	12.50	50			