**H-T-M-L :-** HTML is an abbreviation of "Hypertext Mark-up Language"

- **Hyper** is the opposite of linear. In HTML you can go wherever you want, whenever you want.
- **Text** is self-explanatory.
- **Mark-up** is what you do with the text. You are marking up the text the same way you do in a text editing program with headings, bullets and bold text and so on.
- **Language** is what HTML is. It uses many English words.

The **HTML5** standard finally got finalized on **28th October 2014.**

## Tags: -

Tags are labels you use to mark up the beginning and end of an element.

All tags have the same format: they begin with a less-than sign "<" and end with a greater-than sign ">".

Generally speaking, there are two kinds of tags — opening tags: <html> and closing tags: </html>. The only difference between an opening tag and a closing tag is the forward slash "/".

## Elements: -

An HTML element usually consists of a start tag and end tag, with the content inserted in between:

<tagname>Content goes here...</tagname>

**The HTML element is everything from the start tag to the end tag:**

```
<p>My first paragraph.</p>
```

**Doctype in HTML4**

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN" "http://www.w3.org/TR/html4/frameset.dtd">

**Doctype in HTML5**

**<!DOCTYPE html>**

# *Unclosed HTML Tags*

Some HTML tags are not closed, for example br and hr.

**<br> Tag**: br stands for break line, it breaks the line of the code.

**<hr> Tag**: hr stands for Horizontal Rule. This tag is used to put a line across the webpage.

---

# *HTML Meta Tags*

DOCTYPE, title, link, meta and style

---

# *HTML Text Tags*

<p>, <h1>, <h2>, <h3>, <h4>, <h5>, <h6>, , , <abbr>, <acronym>, <address>, <bdo>, <blockquote>, <cite>, <q>, <code>, <ins>, <del>, <dfn>, <kbd>, <pre>, <samp>, <var> and <br>

---

# *HTML Link Tags*

<a> and <base>

---

# *HTML Image and Object Tags*

<img>, <area>, <map>, <param> and <object>

---

# *HTML List Tags*

<ul>, <ol>, <li>, <dl>, <dt> and <dd>

---

# *HTML Table Tags*

table, tr, td, th, tbody, thead, tfoot, col, colgroup and caption

---

# *HTML Form Tags*

form, input, textarea, select, option, optgroup, button, label, fieldset and legend

---

# *HTML Scripting Tags*

script and noscript

**********

```
<!DOCTYPE html>
<html lang="en"">
<head>
  <meta charset="UTF-8">
  <script src="jquery.js"></script>
  <link rel="stylesheet" href="html-my.css">
  <title>HTML5 is rocks!</title>
</head>
<body>
  <h1>HTML5 Rocks!</h1>
</body>
</html>
```

**********

## Meta Tags

```
<head>
    <meta name=”description” content=”Free Web tutorials”>
    <meta name=”keywords” content =”HTML, CSS, XML, Java Script”> //20 max
    <meta name =”author” Content=”Chandan Mukherjee”>
    <meta charset=UTF-8">
  </head>
```

**Example 1 - Define keywords for search engines:**

```
<meta name="keywords" content="HTML, CSS, XML, XHTML, JavaScript">
```

**Example 2 - Define a description of your web page:**

```
<meta name="description" content="Free Web tutorials on HTML and CSS">
```

**Example 3 - Define the author of a page:**

```
<meta name="author" content="Hege Refsnes">
```

**Example 4 - Refresh document every 30 seconds:**

```
<meta http-equiv="refresh" content="30">
```

**Example 5 - Setting the viewport to make your website look good on all devices:**

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```