CYBERRANK

Cyber Risk Report

Assessment date

02 Oct 2026

Generated date

03 Oct 2026

REPORT FOR

Claude

claude.com

ISSUED BY

Not available

Not provided in the assessment data.

Contents

Claude / claude.com / Assessment 02 Oct 2026

Overview and priorities

01 Executive overview 3
Scope and coverage / rating overview / sector comparison

02 Priority actions 6

Assessment details

03 Privacy 7
Policy / assessed areas (A–P) / active issues

04 Vulnerabilities 8

05 Credential exposure 15

06 Data breach and leak history 17

07 Data sovereignty 18

08 Data residency 19

09 Legal terms & conditions 21

10 AI risk and governance 22

11 Quantum security 24

12 Security resourcing 27

13 Certifications 28

14 Fourth-party vendors 29

15 Cloud infrastructure 30

Appendices and references

A About this report 31

B IISRI rating scale 32

C Methodology and supply-chain aggregation 33

D Detailed evidence registers 35

CYBERRANK

01 · OVERVIEW AND PRIORITIES

Executive overview

Partial coverage

Claude (claude.com) holds an IISRI external rating of BB with a Low risk band on the 2 October 2026 assessment. Findings are concentrated in vulnerabilities, credential exposure, data residency and quantum key exchange; data sovereignty is unresolved.

Grade, risk band, aspect scores and benchmark are printed; net score, pool, score context and assessment id are not.

IISRI® External Rating

BB

Sufficient
Low risk band

Score context

Not provided in the assessment data: net score, point pool, score context, methodology version.



Main information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy risks are being managed and objectives are met. Some specific control weaknesses have been noted. Moderate additional work on information security and/or privacy is recommended.

Wording as printed in the source; it differs from the BB definition in Appendix B and is held for review.

Meaning of every grade: Appendix B IISRI rating scale, page 32

Scope and coverage

Organisation	Claude
Primary domain	claude.com
Sector	Technology / IT
Assessment date	02 Oct 2026

Coverage	Not available (cannot be calculated: the number of eligible targets is not available)

Not provided in the assessment data: organisation ID, assessment ID, eligible targets.

Observed targets

29 hosts
Hosts observed for residency

28 asset labels
Distinct asset labels in vulnerability findings

2 IP addresses
IP addresses checked for reputation

Pending review

28 scopes
Scopes in quantum scope breakdown

No additional subdomains or externally exposed assets were identified during this assessment.

This report is generated by IISRI® CyberRank.ai using automated, non-intrusive analysis of publicly accessible information. The assessment does not require access to internal systems and should be interpreted as an external risk signal.

Organisation profile

Claude Code is an AI-powered coding assistant developed by Anthropic, designed to enhance software development directly from the command line. It operates within a developer's local environment, understanding the structure and context of entire codebases. This allows it to perform multi-step engineering tasks such as writing code, fixing bugs, and automating workflows. The core features of Claude Code include assistance with feature development, bug fixing, and code generation. It can autonomously execute complex coding tasks based on high-level goals and is capable of inspecting multiple files and project structures. The tool is built to integrate seamlessly with existing developer workflows and is utilized by both Anthropic's internal teams and external engineering groups. Claude Code is positioned as a practical partner for developers, emphasizing correctness and collaboration within established processes.

Rating overview

One tile per assessed aspect, numbered as its section in this report: the main result and its status. Select a tile to open the section.

03 Privacy p. 7

0%

Privacy score

Policy state not determined; held for review.

Source: "Privacy policy exists with no active risks identified"

Pending review

04 Vulnerabilities p. 8

43%

Vulnerability score

Source: "Security improvements needed urgently"

Findings

05 Credential exposure p. 15

18 rows

rows on claude.com listing a password category

Source headline: 40 found (unit not defined by the source); 30 register rows listed.

Source: "40 credential leaks detected from 2008-2013-2015-2016-2017-2019-2020-2022-2023-2024-2026"

Findings

06 Data breach and leak history p. 17

100%

Data leak score (100% = leak-free)

Source: "0 leakes" "No data breaches detected in public records. Excellent security posture."

No findings

07 Data sovereignty p. 18

Cannot be compared

Governing law against the preference

Findings

08 Data residency p. 19

29 hosts

Hosts observed

Does not match the preference.

Findings

09 Legal terms & conditions p. 21

Not detected

Login / payment portal

No customer login or payment portal was detected on the public site.

Not applicable

10 AI risk and governance p. 22

Not assessed

AI issues

This module was not assessed for this report.

Not assessed

11 Quantum security p. 24

56 findings

High Risk

Findings

12 Security resourcing p. 27

0 of 2

Privacy and security roles with public evidence

Held for review: narrative claims exceed the evidence.

Pending review

13 Certifications p. 28

72%

Compliance score (100% = fully certified)

Counts do not reconcile; held for review.

Source: "2 certifications" "2 valid certifications verified"

Pending review

14 Fourth-party vendors p. 29

0 organisations

Connected organisations reported

None identified

15 Cloud infrastructure p. 30

1 provider
Cloud providers detected

Findings

Aspect values use different units and denominators; never average them or compare with the 360-point grade.

Sector comparison

See how your security posture compares to sector peers.

Your score		**53 / 100**
Sector average		47 / 100
Sector top 10%		82 / 100

Sector	Technology / IT

Not provided in the assessment data: performance gap, peer cohort.

Your score (out of 100) is not the 360-point IISRI score; no forecast or percentile may be derived.

Next 02 Priority actions, page 6 · 2 actions (1 high, 1 medium)

CYBERRANK

02 · OVERVIEW AND PRIORITIES

Priority actions

Recommended actions to improve your IISRI rating, ordered by severity and priority

Findings

2 actions	1 action	1 action	0 actions
Total	High priority	Medium priority	Low priority

#	Priority	Action	Effort	Team
1		**Reset Compromised Credentials** Source: “Force password reset for 40 affected accounts. Enable multi-factor authentication (MFA) for all users.” Note: Verify and reset the accounts behind 18 rows on claude.com that list a password category. The source counts accounts; the register lists rows, not unique accounts. Why it matters: Leaked credentials could allow unauthorized access to your systems. Verify first: 40 is the source headline (unit not defined); 30 register rows listed; unique accounts: Not available (cannot be derived from the available data). See 05 Credential exposure, page 15	1 week	IT Security team
2		**Enhance DMARC Policy to "Quarantine"** Upgrade DMARC policy from monitoring (p=none) to quarantine (p=quarantine) to actively protect against email spoofing. Why it matters: Prevents attackers from impersonating your domain in phishing attacks. Verify first: DMARC policy is not available (left blank in the assessment data). See 04 Vulnerabilities, page 8	1 week	Email admin

For every action: owner not assigned, due not assigned, status not tracked by the assessment. Rank is source order, not a stable id. Estimated time is not a due date; required role is not an assigned owner.

CYBERRANK

03 · ASSESSMENT DETAILS

Privacy

Evaluates privacy posture through publicly available data, privacy policies, technical implementations, and compliance with global standards including GDPR and PPDL.

Pending review	One privacy policy was found but its 0% score cannot be interpreted without the policy state.

Result held for review

The assessment shows a 0% privacy score with 1 policy found and 0 active issues, but it does not record the policy state that decides how that score should be read.

What happens next

- If the policy is valid and was assessed, the reported score stands (1 to 100%).
- If a policy is claimed but cannot be found or read, 0% stands and counts against the rating.
- If the organisation states it has no privacy policy, privacy is excluded from the rating and no score is shown.

0%	0 issues	1 policy
Privacy Score	Active Issues	Policies Found
Pending review	Pending review	

Privacy policy

Pending review	Published privacy policy: state, source, assessed areas and issues
Policy state	Not available[1]
Policy source	Not available[1]
Per-area results (A–P)	Not available[1]

[1] Not provided in the assessment data.

04 · ASSESSMENT DETAILS

Vulnerabilities

Covers external security posture including network vulnerabilities, open ports, SSL/TLS configuration, and DNS security controls protecting digital assets.

Findings

17 finding types were reported: 8 medium and 9 low, none critical or high. DKIM is not enabled, DNSSEC is missing or invalid, and the DMARC mode was not printed.

43%
Vulnerability score

17 finding types
Finding types

89 memberships
Finding-asset memberships

28 asset labels
Distinct affected asset labels

Review flag RF-08: Vulnerability asset lists print hyphenated hostnames cut at the hyphen ('assets', 'eap', 'econ'); section 11 prints assets-staging.claude.com, eap-academy.claude.com, econ-index.mcp.claude.com. Kept verbatim, not reconciled.

Finding types by severity

Critical 0 High 0 Medium 8 Low 9

Critical Exploitable weakness with direct impact; act immediately.
High Serious weakness; fix as a priority.
Medium Moderate risk issues that should be addressed.
Low Minor security concerns with limited impact.

ID	Severity	Finding	Affected domains	Breach likelihood
vuln-01		ipv4_in_header	22	5%
vuln-02		BREACH	8	5%
vuln-03		HSTS_time	1	5%
vuln-04		cipherlist_3DES_IDEA	2	5%
vuln-05		cert_expirationStatus	2	5%
vuln-06		cert_notAfter	2	5%
vuln-07		BEAST_CBC_TLS1	2	5%
vuln-08		security_headers	1	5%
vuln-09		DNS_CAArecord	27	1%
vuln-10		cipherlist_AVERAGE	5	1%
vuln-11		TLS1	2	1%
vuln-12		TLS1_1	2	1%
vuln-13		SWEET32	2	1%
vuln-14		BEAST	2	1%

Finding types · continued

Rows 15–17 of 17

ID	Severity	Finding	Affected domains	Breach likelihood
vuln-15		LUCKY13	4	1%
vuln-16		TLS_session_ticket	2	1%
vuln-17		HSTS	3	1%

Breach likelihood. Indicates the estimated probability that this vulnerability could lead to a security breach. >=30% represents high risk, 15-29% represents moderate risk, <15% represents lower risk.

Finding details

Critical 0 · High 0 · Medium 8 · Low 9

#	Severity	Finding	Rationale and affected domains
1		ipv4_in_header Breach likelihood 5% ID vuln-01	The vulnerability 'ipv4_in_header' suggests a potential issue with IP address handling or spoofing in headers. While a MEDIUM severity indicates a notable flaw that could be leveraged in a chain of attacks, it is not a direct, high-impact exploit path on its own. Without evidence of active exploitation or a specific attack scenario, the likelihood of this single finding directly causing a breach is low. It may contribute to a broader attack surface but is unlikely to be the primary vector. **Affected domains (22)** claude.com / 160.79.104.10 · support.claude.com · admin.claude.com · assets.claude.com · console.claude.com · academy.claude.com · platform.claude.com · assets · eap · url6377.updates.claude.com · a.claude.com · privacy.claude.com · code.claude.com · plaid.mcp.claude.com · econ · websitemain.claude.com · links.email.claude.com · preview.claude.com · website.claude.com · releases.claude.com · hcls.mcp.claude.com · pubmed.mcp.claude.com
2		BREACH Breach likelihood 5% ID vuln-02	BREACH is a side-channel attack requiring specific conditions (HTTP compression, attacker-in-the-middle, repeated requests) to extract secrets from encrypted traffic. While a real vulnerability, successful exploitation is non-trivial and depends on attacker positioning and target application behavior, making a direct breach unlikely in a generic scenario. **Affected domains (8)** claude.com / 160.79.104.10 · academy.claude.com · status.claude.com · platform.claude.com · assets · url6377.updates.claude.com · websitemain.claude.com · pubmed.mcp.claude.com
3		HSTS_time Breach likelihood 5% ID vuln-03	A missing or insufficient HSTS max-age directive is a configuration flaw that enables protocol downgrade and man-in-the-middle attacks, but it requires an attacker to be positioned to intercept traffic and for a user to visit the site over HTTP first. It does not directly compromise data or systems. **Affected domains (1)** status.claude.com
4		cipherlist_3DES_IDEA Breach likelihood 5% ID vuln-04	The use of deprecated ciphers like 3DES and IDEA is a known weakness that degrades overall cryptographic security. While not an immediate, direct path to a breach, it lowers the

CYBERRANK

Finding details · continued

Rows 4–9 of 17

#	Severity	Finding	Rationale and affected domains
		cipherlist_3DES_IDEA (cont.)	security posture and could be leveraged as part of a broader attack chain, especially if combined with other vulnerabilities. The risk is present but not imminent without active exploitation or additional context. **Affected domains (2)** `microsoft365.mcp.claude.com` · `partnerhub.claude.com`
5		`cert_expirationStatus` Breach likelihood 5% ID vuln-05	A medium-severity certificate expiration is a reliability and availability issue, not a direct confidentiality or integrity flaw. It can lead to service disruption, degraded trust, and potential man-in-the-middle opportunities if combined with other weaknesses, but does not directly cause a data breach on its own. **Affected domains (2)** `microsoft365.mcp.claude.com` · `partnerhub.claude.com`
6		`cert_notAfter` Breach likelihood 5% ID vuln-06	An expired certificate (cert_notAfter) is a medium-severity misconfiguration that disrupts service availability and trust, creating an opportunity for man-in-the-middle attacks or service impersonation. However, without evidence of active exploitation or a specific attack chain leveraging this flaw, the direct likelihood of a full breach remains low. The risk is contingent on an attacker being in a position to intercept traffic and the absence of other protective controls. **Affected domains (2)** `microsoft365.mcp.claude.com` · `partnerhub.claude.com`
7		`BEAST_CBC_TLS1` Breach likelihood 5% ID vuln-07	BEAST is a known cryptographic attack against CBC mode in TLS 1.0 and earlier. While a MEDIUM severity finding, modern clients and servers have implemented mitigations, and TLS 1.0 is largely deprecated. Direct exploitation requires a man-in-the-middle position and specific conditions, making a full breach unlikely in a generic context without confirmed vulnerable configurations or active adversarial presence. **Affected domains (2)** `microsoft365.mcp.claude.com` · `partnerhub.claude.com`
8		`security_headers` Breach likelihood 5% ID vuln-08	Missing or misconfigured security headers (e.g., CSP, HSTS) do not directly cause a breach but increase the risk of client-side attacks like clickjacking or XSS. Exploitation requires user interaction and a separate vulnerability to be present. The likelihood of a direct breach from this alone is low, but it meaningfully elevates overall attack surface. **Affected domains (1)** `partnerhub.claude.com`
9		`DNS_CAArecord` Breach likelihood 1% ID vuln-09	A missing or misconfigured CAA record is a low-severity misconfiguration that restricts which certificate authorities can issue certificates for a domain. It does not directly enable system access, data theft, or service disruption. Exploitation would require an attacker to first compromise a

CYBERRANK

Finding details · continued

Rows 9–13 of 17

#	Severity	Finding	Rationale and affected domains
		DNS_CAArecord (cont.)	non-authorized CA or trick it into issuing a certificate, a complex and high-barrier attack not typically associated with direct breaches. The finding primarily represents a compliance or procedural gap with minimal direct security impact. **Affected domains (27)** `claude.com / 160.79.104.10` · `support.claude.com` · `admin.claude.com` · `assets.claude.com` · `console.claude.com` · `docs.claude.com` · `academy.claude.com` · `platform.claude.com` · `assets` · `microsoft365.mcp.claude.com` · `downloads.claude.com` · `eap` · `downloads.preview.claude.com` · `url6377.updates.claude.com` · `partnerhub.claude.com` · `a.claude.com` · `privacy.claude.com` · `code.claude.com` · `plaid.mcp.claude.com` · `econ` · `websitemain.claude.com` · `links.email.claude.com` · `preview.claude.com` · `website.claude.com` · `releases.claude.com` · `hcls.mcp.claude.com` · `pubmed.mcp.claude.com`
10		`cipherlist_AVERAGE` Breach likelihood 1% ID vuln-10	A LOW severity cipher list misconfiguration, while a technical weakness, does not directly enable a breach. It typically requires an attacker to already be in a privileged position to exploit (e.g., man-in-the-middle). Without active exploitation or additional critical flaws, the direct likelihood of a breach is minimal. **Affected domains (5)** `status.claude.com` · `microsoft365.mcp.claude.com` · `downloads.claude.com` · `downloads.preview.claude.com` · `partnerhub.claude.com`
11		`TLS1` Breach likelihood 1% ID vuln-11	TLS 1.0 is a deprecated protocol with known cryptographic weaknesses (e.g., BEAST). While it increases the risk of information disclosure if an attacker is in a position to perform a man-in-the-middle attack, exploitation requires a specific, active adversary on the network path. It is not a direct, remotely exploitable vulnerability leading to system compromise. The likelihood of this single finding directly causing a breach is very low. **Affected domains (2)** `microsoft365.mcp.claude.com` · `partnerhub.claude.com`
12		`TLS1_1` Breach likelihood 1% ID vuln-12	TLS 1.1 is a deprecated protocol with known cryptographic weaknesses, but exploitation requires a man-in-the-middle position and is not directly actionable for initial access. Modern clients and servers typically negotiate stronger protocols, making successful exploitation of this specific finding for a full breach highly unlikely in a generic context. **Affected domains (2)** `microsoft365.mcp.claude.com` · `partnerhub.claude.com`
13		`SWEET32` Breach likelihood 1% ID vuln-13	SWEET32 is a cryptographic vulnerability in legacy 64-bit block ciphers like 3DES and Blowfish. While a theoretical attack exists, it requires capturing massive amounts of encrypted data (hundreds of gigabytes) from a single session, which is an unrealistic scenario for most modern, generic applications. Modern systems and protocols have largely deprecated or

CYBERRANK

Finding details · continued

Rows 13–17 of 17

#	Severity	Finding	Rationale and affected domains
		SWEET32 (cont.)	mitigated these weak ciphers. The LOW severity reflects the impractical attack requirements and widespread mitigations, making direct breach from this flaw highly unlikely. **Affected domains (2)** `microsoft365.mcp.claude.com` · `partnerhub.claude.com`
14		`BEAST` Breach likelihood 1% ID vuln-14	BEAST is a legacy client-side attack against TLS 1.0 and early implementations of TLS 1.1. Modern browsers and servers have implemented effective mitigations for over a decade. The vulnerability requires a man-in-the-middle position and significant effort to exploit, and TLS 1.0/1.1 are widely deprecated and disabled. Therefore, the realistic likelihood of this directly leading to a breach is negligible. **Affected domains (2)** `microsoft365.mcp.claude.com` · `partnerhub.claude.com`
15		`LUCKY13` Breach likelihood 1% ID vuln-15	LUCKY13 is a low-severity cryptographic timing side-channel attack against TLS/SSL implementations. It requires a specific, controlled environment to exploit, is difficult to execute reliably over a network, and modern systems have mitigations. The direct breach likelihood from this finding alone is negligible. **Affected domains (4)** `microsoft365.mcp.claude.com` · `downloads.claude.com` · `downloads.preview.claude.com` · `partnerhub.claude.com`
16		`TLS_session_ticket` Breach likelihood 1% ID vuln-16	TLS session ticket vulnerabilities (LOW severity) typically involve theoretical weaknesses like ticket predictability or lack of perfect forward secrecy. They require a man-in-the-middle position and specific conditions to exploit, are not commonly targeted, and do not directly lead to a breach without other significant flaws or attacker access. **Affected domains (2)** `downloads.claude.com` · `downloads.preview.claude.com`
17		`HSTS` Breach likelihood 1% ID vuln-17	HSTS is a security enhancement, not a vulnerability. Its absence or misconfiguration (LOW severity) does not directly enable a breach. It only protects against specific, targeted SSL/TLS downgrade attacks, which are not common initial intrusion vectors. The likelihood of a breach stemming solely from this finding is negligible. **Affected domains (3)** `downloads.claude.com` · `downloads.preview.claude.com` · `partnerhub.claude.com`

No additional subdomains or externally exposed assets were identified during this assessment.

Asset labels without a domain (assets, eap, econ) are shown as recorded in the source.

Full register Affected assets by finding · 28 rows · Appendix D, pages 35–36

CYBERRANK

Email and DNS security controls

Control	Result	What it does and what was recorded
DKIM	✕ Not enabled	Signs outgoing mail so receivers can verify its origin and integrity. Key strength: Not available (not provided in the assessment data) Source: "DKIM: Not Enabled – supports email integrity and sender authenticity."
DMARC	✓ Enabled	Sets how receivers treat mail failing SPF or DKIM; reports spoofing. Policy mode (p=): Not available (left blank in the assessment data) Verify the published DMARC policy (p=) before acting on priority action 2. Source: "DMARC: Enabled (mode) – visibility into spoofing attempts is present."
DNSSEC	✕ Missing or invalid	Authenticates DNS responses and protects against DNS cache poisoning. Source: "DNSSEC: Missing / Invalid – authenticates DNS responses and protects against DNS cache poisoning."
SPF	⊖ Not reported	Lists the servers allowed to send mail for the domain. No result for this control in the assessment data; not a pass.

It is recommended to progressively enforce DMARC policies to reduce phishing and impersonation risks. DKIM RSA keys must be at least 2048 bits; 1024-bit keys are flagged as a LOW finding. DNSSEC should be enabled (DS record + RRSIG + valid chain of trust) to prevent DNS spoofing.

CYBERRANK

IP reputation

Result held for review

The source printed "-1" for the abuse score and labelled this check "IP Reputation — Clean". What -1 means is not confirmed, so the result is held for review, not read as clean.

What was checked

Checked 2 IP(s) against threat intelligence feeds.

IP address	ISP	Country	Abuse score	Reports
160.79.104.10	Not available *	Not available *	Not available †	0 ‡
2607:6bc0:0:0:0:0:0:10	Not available *	Not available *	Not available †	0 ‡

* Left blank in the assessment data.
† Value meaning not confirmed; withheld pending review. The source printed "-1".
‡ Recorded value; its meaning is not confirmed, so it is held for review.

Other checks

Check	Result	Note
HTTPS redirect	✓ No findings	HTTP correctly redirects to HTTPS. No insecure patterns detected. Source: "HTTPS Redirect — Secure". What was checked: Not available (not provided in the assessment data).

Related priority actions

#	Priority	Action	Required role	Time (reported)
2		Enhance DMARC Policy to "Quarantine"	Email admin	1 week

Owners, due dates and status are listed with each action in section 02.

05 · ASSESSMENT DETAILS

Credential exposure

Identifies credential leaks associated with the organization's domains found in known data breaches. Exposed credentials represent a direct risk of unauthorized account access.

Findings

The source reports 40 (unit not defined by the source) and lists 30 register rows spanning 2008 to 2026, 19 of which include a password field category. The number of unique or active accounts is not known.

18 rows
rows on claude.com listing a password category (1 dated 2025–2026; 14 with latest year 2008–2024; 3 with period "Unknown" only)

19 rows
rows where the source lists a password field (category only; no password values appear in this report or its data files)

2 rows
rows recording a service/URL (origin); value not provided by source

40
reported by source (unit not defined by source); 30 register rows listed

2026
latest exposure year in source

Not available
unique accounts
Cannot be derived from the available data.

Source headline: 40 (unit not defined by the source); listed: 30 register rows; difference -10 — not explained by the source data.

Computed over 30 rows; source total not provided — counts are lower bounds.

Credential score printed by the source: 40%. It is a source value, identical across the reports reviewed, and is not used as a result here.

Email domain of exposed accounts

Listed rows: 30 of 40 reported. Each row counts once, by the domain of its email address and by the field categories the source lists.

Account email domain	Password category listed	No password category	Fields not reported	Total
claude.com (assessed domain)	**18**	11	0	29
Other email domains (counted, not named)	0	0	0	0
Unknown Email (source label)	1	0	0	1
All listed rows	**19**	**11**	**0**	**30**

The email domain shows the account's mailbox provider, not the service or subdomain where the credential was obtained.

Rows by latest exposure year

Exclusive: the buckets sum to the 30 listed rows.

Latest exposure year	Rows
2026	2
2025	0
2024	4
2023	0
2022	2
2021	0
2020	4
2019	6
2018	0
2017	1
2016	6
2015	1
2008	1
Period “Unknown” in source (10%)	3

Each row counts once, under the latest year the source gives for it. Rows whose period the source prints only as “Unknown” are a separate bucket, not counted as earlier.

1 row lists both a year and “Unknown”; counted under the latest year.

Exposure years as listed by the source: “2008-2013-2015-2016-2017-2019-2020-2022-2023-2024-2026”.

Row-level detail: Appendix D.2.4 lists all 30 register rows (account as delivered, masked; approximate exposure period; exposed fields).

Full register D.2 Credential exposure — supporting tables · 30 rows · Appendix D, pages 36–38

Recommended mitigation measures

Attention: Historical credential exposures were identified. Password resets and MFA enforcement are recommended.

- Force password resets for all affected accounts
- Enable multi-factor authentication across all user access points
- Review password hygiene and access policies
- Monitor authentication logs for anomalous activity
- 2 rows record a service/URL (origin) with the credential, a pattern typical of infostealer logs: revoke active sessions and tokens for the affected accounts and notify the affected users.

CYBERRANK

06 · ASSESSMENT DETAILS

Data breach and leak history

Documents publicly known data leak incidents. Historical data leaks are factored into the IISRI® score, with recency and severity both affecting the overall rating.

No findings	No data leak events were found in the sources and period checked.

No findings within the scope and time of this check

No confirmed data leak events were associated with this organization during the assessed period.

What was checked

This assessment is based on automated analysis of data leak databases, public disclosures, and monitored online sources.

100%
Data leak score
No findings

0 events
Leak events
No findings

Not applicable
Last valid event
No events to show.

CYBERRANK

07 · ASSESSMENT DETAILS

Data sovereignty

Where this supplier says disputes and legal obligations are handled

Findings	Governing law could not be identified against the accepted jurisdiction.

Governing law / courts found	Not identified in published policies
Accepted jurisdictions	Australia
Against the preference	Cannot be compared
Source verdict	“does not match the jurisdictions your organisation accepts (Australia)”

No governing-law or court clause could be matched in the published policies, so legal location cannot be compared with the preference set by the report owner/requestor (Australia). Treat it as unresolved until confirmed.

Source text: “We could not identify a governing-law or court clause in the supplier's published policies, and that does not match the jurisdictions your organisation accepts (Australia). Until that is clear, treat legal location as unresolved.” Review note: the source prints a verdict, but no governing-law clause was identified, so this report reads the comparison as “Cannot be compared” until the clause is confirmed.

CYBERRANK

08 · ASSESSMENT DETAILS

Data residency

Where this organisation's public systems are hosted, compared with the countries preferred by the report owner/requestor

Findings	Observed hosting is outside the preferred country.

29 hosts
Hosts observed

1 country
Countries identified


Preferred countries	New Zealand
Against the preference	✕ Does not match the preference

Public systems were observed outside the preferred countries (New Zealand), compared with the preference set by the report owner/requestor, so customer data may be held outside those countries.

World map; badges show the country code, listed in the table below; lettered frames are magnified under the map.



● Hosting in a preferred country ■ Hosting outside the preferred countries ○ Preferred country
◌ Not placed on the map: 1 host with unknown location.



	Country	Hosts	Against the preference
■	United States of America (US)	28	✕ Does not match the preference
○	New Zealand (NZ)	None observed	Preferred country; no hosts observed
◌	Location unknown (not on the map)	1	⊖ Cannot be compared

Location method: Not available (not provided in the assessment data). IP geolocation shows where public systems are hosted, not where all customer data is stored.

CYBERRANK

09 · ASSESSMENT DETAILS

Legal terms & conditions

Login / payment portal customer-protection clauses

Not applicable — No customer login or payment portal was found on the public site.

Not applicable for this assessment

No customer login or payment portal was detected on the public site.

Login / Payment Portal	Not detected

No customer login or payment portal was found on the public site, so published terms are not required to cover that kind of access.

CYBERRANK

10 · ASSESSMENT DETAILS

AI risk and governance

What we observed about this organisation's use of artificial intelligence, and what that means for customers and the people they serve.

⊖ Not assessed — AI risk was not assessed for this report. The observations below are recorded for context only and are not an assessment result.

Not assessed in this report

This module was not assessed for this report.

How it becomes assessed

Run the AI risk and governance module for this organisation. It rates the areas listed below; the observations shown here are then replaced by assessed results.

Observations recorded for context

Recorded during data collection. These observations are not an assessment result: they are not rated, not scored and not counted in the IISRI rating.

What we observed about this organisation's use of artificial intelligence

It is unlikely this organisation uses AI in a material way. We reached that view because we detected ai infrastructure through csp/header analysis (for example, CSP destination: api.anthropic.com), public careers or hiring pages advertise AI-related roles and their public pages mention ai assistant, observed on claude.com. They do not appear to fall into an EU Annex III high-risk sector. We could not find a public AI policy explaining how they use or govern AI. Their privacy policy does not clearly explain AI use to the people whose data may be involved.

Signals observed

Signal	Method	Example as recorded
AI infrastructure	CSP / header analysis	`CSP destination: api.anthropic.com`
AI-related hiring	Careers pages	public careers or hiring pages advertise AI-related roles
AI assistant mentioned	Public pages	public pages mention ai assistant, observed on claude.com

The recorded conclusion ("It is unlikely this organisation uses AI in a material way.") sits beside 3 AI signals observed above. The assessment data does not explain how the signals were weighed, so the two are shown as recorded and not reconciled here.

Areas an AI assessment rates

Area	Recorded reading	Status
AI use in the service	It is unlikely this organisation uses AI in a material way.	Not assessed
EU AI Act Annex III high-risk sector	They do not appear to fall into an EU Annex III high-risk sector.	Not assessed
Public AI policy	We could not find a public AI policy explaining how they use or govern AI.	Not assessed
AI use explained in the privacy policy	Their privacy policy does not clearly explain AI use to the people whose data may be involved.	Not assessed

CYBERRANK

11 · ASSESSMENT DETAILS

Quantum security

Assesses exposure to quantum computing threats by analyzing cryptographic primitives found in TLS/SSL configurations and SSH endpoints. Includes detection of post-quantum cryptography (PQC) algorithms that may already provide protection.

Findings

Across 28 scopes the scan reported 56 high-risk and 192 low-risk findings. High risk comes from ECDHE and RSA key exchange; ML-KEM was detected on 25 of the 28 scopes. Supporting PQC does not prove every connection uses it.

56 findings
High Risk

0 findings
Moderate Risk
No findings

192 findings
Low Risk

25
PQC detected (unit not confirmed by source)

High, Moderate and Low are the source headline. They equal the number of scope × algorithm rows in the scope breakdown at each level (248 rows, each counted once at its highest level; every row is listed in Appendix D.4). The apex aggregate row for claude.com gives the same High, Moderate and Low findings. The subdomain rows sum to High 54 · Moderate 0 · Low 185; they are not added to the headline.

Source notice: Quantum Vulnerability is currently in beta. You may encounter incomplete data or ongoing changes as we refine the experience.

Findings by algorithm

High 56 Moderate 0 Low 192

Each algorithm counts findings across all scanned scopes. High risk marks key exchange that a quantum computer could break; a PQC alternative is the replacement the source names.

#	Risk	Category	Algorithm	Findings	Protocols	PQC alternative
1	High	Public-key cryptography 80 findings in category · 1 domain	ECDHE	28	ALL, TLS_1_2	ML-KEM
2	High		RSA	28	ALL, TLS_1_2	ML-KEM
3	Low		ECDSA	24	ALL, TLS_1_2	Not available
4	Low	Symmetric cryptography 84 findings in category · 1 domain	AES_128	28	ALL, TLS_1_2	Not available
5	Low		AES_256	28	ALL	Not available
6	Low		CHACHA20	28	ALL	Not available

Findings by algorithm · continued

Rows 7–9 of 9

#	Risk	Category	Algorithm	Findings	Protocols	PQC alternative
7		# Hash functions 56 findings in category · 1 domain	SHA256	28	ALL, TLS_1_2, TLS_1_3	Not available
8			SHA384	28	ALL	Not available
9		Certificate 28 findings in category · 1 domain	CERT_RSA_SIGNATURE	28	ALL	Not available

Post-quantum cryptography detected

ML-KEM (CRYSTALS-Kyber)

Key exchange / encryption · NIST standardized (FIPS 203)

Detected on 25 of 28 scopes. Support for PQC does not prove that every connection uses it.

claude.com	support.claude.com	admin.claude.com	assets.claude.com
docs.claude.com	console.claude.com	academy.claude.com	platform.claude.com
assets-staging.claude.com	microsoft365.mcp.claude.com	eap-academy.claude.com	url6377.updates.claude.com
partnerhub.claude.com	a.claude.com	privacy.claude.com	code.claude.com
plaid.mcp.claude.com	econ-index.mcp.claude.com	websitemain.claude.com	links.email.claude.com
preview.claude.com	website.claude.com	releases.claude.com	hcls.mcp.claude.com
pubmed.mcp.claude.com			

No ML-KEM observed on 3 of 28 scopes

downloads.claude.com, downloads.preview.claude.com, status.claude.com

Scope breakdown

27 subdomains in 3 groups with identical counts, PQC status and algorithms, ordered by High, then Moderate, then Low findings. Appendix D.4 lists one row per subdomain and every scope × algorithm row (248).

Subdomains				PQC	Algorithms vs apex
23 subdomains	2	0	7	ML-KEM detected	Same as apex
3 subdomains	2	0	6	No PQC detected	No ECDSA
microsoft365.mcp.claude.com	2	0	6	ML-KEM detected	No ECDSA

Apex aggregate (the headline scope, not added to subdomain rows): High 56 · Moderate 0 · Low 192. Source: all rows “standard scan”.

Full register D.4 Quantum scope breakdown · 28 rows · Appendix D, pages 38–47

Scope and limitations

We cannot guarantee that a domain or organization is fully quantum-safe based on the results of this assessment because:

- Post-quantum cryptography is an evolving field. Cryptographic standards, implementations, and the understanding of quantum computing capabilities continue to develop. Future advances may affect the security of algorithms considered secure today.
- This is a non-invasive, external assessment. Unless an internal CyberRank agent is deployed, the scan evaluates only externally observable services and configurations. Internal systems, private networks, and services that are not externally accessible are outside the scope of this assessment.

Post-quantum readiness

A domain can only be considered fully post-quantum ready if it:

- Supports post-quantum cryptographic (PQC) algorithms for secure connections; and
- Disables legacy TLS versions (TLS 1.0, TLS 1.1, and TLS 1.2).

Allowing legacy TLS versions enables clients to establish connections using classical cryptographic algorithms. If an attacker can force or negotiate the use of an older protocol version (a protocol downgrade), the connection may lose the protections provided by post-quantum cryptography.

CYBERRANK

12 · ASSESSMENT DETAILS

Security resourcing

Whether this organisation publicly staffs security or privacy

Pending review	No public privacy or security role evidence was detected in the sources checked.

Result held for review

Held for review: narrative claims exceed the evidence.

Privacy role evidence	✕ Not detected in the sources checked
Security role evidence	✕ Not detected in the sources checked

No public privacy or security role evidence was detected in the sources checked. This does not show whether such staff exist.

CYBERRANK

13 · ASSESSMENT DETAILS

Certifications

Outlines industry certifications and compliance frameworks held by the organization, providing independent validation of security and privacy controls.

Pending review

Three certifications were detected on the organisation's public support site: ISO/IEC 27001, SOC 2 and ISO/IEC 42001. Approval status and validity were not reported.

Result held for review

Headline prints 2 certifications ('2 valid certifications verified') while 3 detected cards are listed; approval status and validity are not printed.

72%
Compliance score
Pending review

2 certifications
Certifications (headline)
Pending review

3 certificates
Detected certificate cards

Not available
Approved certificates
Not provided in the assessment data.
Unavailable

Certificates on record

Standard	Scope	Origin
ISO/IEC 27001	Information Security Management	System detected
SOC 2	Service Organization Controls	System detected
ISO/IEC 42001	AI management systems	System detected

Status and validity: not available for any certificate (not provided in the assessment data). A listed certificate is a record of what was found, not a confirmation that it is valid or approved.

Source `https://support.claude.com/hc/en-us/articles/10015870-what-certifications-has-anthropic-obtained`

Commonly referenced standards

Standard	Scope
ISO/IEC 27001	Information Security Management
ISO/IEC 27701	Privacy Information Management
SOC 2	Security, Availability, Confidentiality
GDPR	Data protection and privacy regulation

Reference list only: standards commonly referenced for organisations of this kind. It is not evidence that Claude holds them. ISO/IEC 27001 and SOC 2 also appear among the certificates on record.

14 · ASSESSMENT DETAILS

Fourth-party vendors

Identifies fourth-party vendors — the suppliers and service providers used by this vendor — representing extended supply chain risk. Each vendor is assessed for security posture and compliance.

○ None identified	No connected organisations reported for Claude.

No connected organisations identified

None were found with the methods used. This does not show that Claude has no suppliers.

What was checked

This assessment is based on automated technology discovery and vendor relationship analysis.

Supply-chain aggregation How fourth-party ratings feed combined supply-chain risk · Appendix C, page 33

CYBERRANK

15 · ASSESSMENT DETAILS

Cloud infrastructure

Identifies cloud service providers used by the organization through analysis of DNS records, IP ranges, MX records, and NS records. Cloud infrastructure detection reveals the hosting and service provider footprint of the assessed organization.

Findings	One cloud provider, Cloudflare, was detected. Detection shows provider use, not where all customer data is stored.

1 provider
Cloud providers detected

02 Oct 2026
Last scanned, cloud module
Report assessed 02 Oct 2026

Detected providers

Provider
Cloudflare

Detection methods: DNS records, IP ranges, MX records, NS records. Detected by and observed per provider: not available (not provided in the assessment data).

CYBERRANK

A · APPENDICES AND REFERENCES

About this report

This report is generated by IISRI® CyberRank.ai using automated, non-intrusive analysis of publicly accessible information. The assessment does not require access to internal systems and should be interpreted as an external risk signal.

Data sources

- Automated analysis of data leak databases, public disclosures, and monitored online sources.
- Automated technology discovery and vendor relationship analysis.
- Analysis of DNS records, IP ranges, MX records, and NS records.

Report details

Organisation	Claude
Domain	claude.com
Assessment date	02 Oct 2026
Report generated	03 Oct 2026
Issued by	Not available[1]
Assessment ID	Not available[1]
Methodology version	Not available[1]
Time zone	Not available[1]

[1] Not provided in the assessment data.

Reading the result states


Every section carries one of these states next to its verdict.

State	Meaning
Findings	Assessed; issues or items were reported. In inventory sections (certifications, fourth-party vendors, cloud) this means items were observed, not that they are a risk.
No findings	Assessed; nothing was found within the sources and period checked. It does not mean the organisation is safe.
Not assessed	The module was not run for this report. No result is implied.
Not applicable	The check does not apply to this organisation.
Unavailable	The value could not be obtained or used. The reason is printed with it.
Partial coverage	Only part of the scope was covered; the results cover the part shown.
Pending review	A value exists but its meaning is unclear or contradicted; held for review.

B · APPENDICES AND REFERENCES

IISRI rating scale

Reference guide to the standardized rating scale used throughout this report, with descriptions of each grade level and associated risk profile.



Grade	Meaning
AAA Excellent	All information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met.
AA Very good	Almost all information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met.
A Good	Almost all information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. A few specific control weaknesses have been noted. Minor additional work on information security and/or privacy is recommended.
BBB Satisfactory	Main information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. A few specific control weaknesses have been noted. Minor additional work on information security and/or privacy is recommended.
BB Sufficient **Your rating**	Main information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. Some specific control weaknesses have been noted. Major additional work on information security and/or privacy is recommended.
B Moderate	Some information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. Many specific control weaknesses have been noted. Major additional work on information security and/or privacy is highly recommended.
CCC Insufficient	Main information security and/or privacy controls are unlikely to provide reasonable assurance that security and/or privacy issues are being managed and objectives are met. Major work on information security and/or privacy is highly recommended.
CC Very insufficient	Almost all information security and/or privacy controls are unlikely to provide reasonable assurance that security and/or privacy issues are being managed and objectives are met. Major work on information security and/or privacy is highly recommended.
C Poor	Almost all information security and/or privacy controls are unlikely to provide reasonable assurance that security and/or privacy issues are being managed and objectives are met. Major work or completely new program on information security and/or privacy is required.
D Very poor	All information security and/or privacy controls are not providing any assurance that security and/or privacy issues are being managed and objectives are met. Complete new program on information security and/or privacy is required.

CYBERRANK

C · APPENDICES AND REFERENCES

Methodology and supply-chain aggregation

One rating for every vendor. One risk number for your whole supply chain.

CYBERRANK turns externally observable evidence about an organisation into a single severity rating, a normalised risk score, and a combined risk that includes the vendors — and the vendors' vendors — behind it.

The problem

Attackers reach organisations through their suppliers. Existing tools don't add up: CVSS scores single technical flaws, questionnaires rely on self-reporting, and privacy, AI and quantum exposures have no common scale at all.

The approach

An ISO 31000-aligned model with four explicit steps, from observed weaknesses to supply-chain risk. Every step is reproducible and every number is comparable across organisations and portfolios.

The regulatory fit

Built for the obligations in DORA, NIS2, the GDPR and the AI Act, and aligned with ISO/IEC 27001, 27701 and 42001, NIST SP 800-53 and 800-161, PCI DSS and the NIST CSF.

How a rating becomes a risk four steps, one pipeline

1

Observe

Continuous external signals are collected without touching the organisation's systems.

Vulnerabilities · Privacy compliance · Credential & data leaks · Data sovereignty · Data residency · Terms of use · AI · Quantum

2

Rate

Every organisation starts with a full point budget, split evenly between a security bucket and a privacy bucket. Weaknesses deduct capped demerits; certifications add capped credits.

3

Score the risk

Likelihood = threat probability × weakness. Threat probability comes from sector, size and internet exposure; weakness comes from the rating. Impact is one of four tiers you assign: Critical, High, Medium or Low.

4

Combine

Vendors and sub-vendors are discovered automatically and rated with the same pipeline. Their risks are folded into yours, attenuated by distance in the chain.

Certified controls earn credits: ISO 27001, ISO 27701, SOC 2, ISAE 3402, PCI DSS. Optional questionnaires add a second, bounded evidence channel.

The net score maps to the IISRI rating, AAA to D. The rating reflects the organisation's own posture only — a vendor's weakness never changes it.

Risk = normalised likelihood × impact, reported as a score and a band: Low, Medium, High or Critical.

The combined risk shows the cascading exposure that your own rating cannot see.

The IISRI rating scale Ten grades. Higher grades mean lower weakness values and therefore lower likelihood.

D	C	CC	CCC	B	BB	BBB	A	AA	AAA
Very poor	Poor	Very insufficient	Insufficient	Moderate	Sufficient	Satisfactory	Good	Very good	Excellent

Controls provide no assurance — All controls adequate, appropriate and effective

General methodology, the same in every report; figures on the supply-chain page are illustrative and are not results for Claude.
Copyright © 2026 IISRI. All rights reserved. Full methodology paper: "An Integrated Quantitative Methodology for Third-Party Security, Privacy and AI Risk Rating", July 2026. Available upon request.



Your rating describes you. Your combined risk describes your supply chain.

Every vendor and sub-vendor is rated with the same pipeline as you are. A weak vendor never lowers your own rating — that stays attributable to your posture. But an exploited vendor can open an attack path into your systems, so the same weakness does enter your combined risk, attenuated by how far away it sits in the chain.

The result is two complementary numbers. Read together, they show that an excellent rating does not certify a healthy supply chain.

Individual risk

Low

Your own posture, as if you had no suppliers. Suitable for external presentation.

Combined risk

Medium

You plus every vendor and sub-vendor. The number to manage against.

Combined risk — the "at least one adverse event" composition, applied recursively through the chain

$$R(N) = 1 - (1 - o_N) \cdot \Pi_{s \in \text{suppliers}(N)} \left(1 - R(s) \,/\, (f + d(s))^2 \right)$$

Every supplier's effective risk R(s) already contains its own suppliers, so the chain unrolls from the outermost leaves inward. Each factor is one party's chance of *not* causing an incident; one minus the product is the chance that something, somewhere in the chain, goes wrong.

o_N — A node's own individual risk score — from its rating, threat probability and impact tier.

$d(s)$ — Hops from the centre: d(s) = d(N) + 1. Each supplier sits one step further out and is damped more.

$R(A)$ — Your combined risk: the formula evaluated at your own organisation A, the centre of the graph (d = 0).

$R(s)$ — A supplier's effective risk, computed the same way from its own suppliers. A leaf with no suppliers has R = o_N.

f — The transmission fraction you configure. A larger f trusts distance more and shrinks every supplier's contribution.

Impact tiers you assign to each vendor

Critical	Failure immediately stops a critical service or causes a serious regulatory breach. DORA: critical.
High	Essential, but a temporary loss can be bridged with workarounds. DORA: important.
Medium	Supports normal operations; disruption means inconvenience. The default tier at onboarding.
Low	Minimal or no operational impact.

Why you can rely on it

- **Standards-grounded** — ISO 31000, ISO/IEC 27001, 27701 and 42001, NIST SP 800-30 and 800-53, DORA and NIS2.
- **Certified operator** — an independently audited ISO/IEC 27001 management system; ISO/IEC 42001 certification in progress.
- **Human in the loop** — users report inaccuracies and appeal findings; feedback tunes detection confidence over time.
- **Honest about limits** — vendor compromises are treated as independent, some detections are heuristic, and the continuous score is primary over the qualitative heat map.

An organisation's own excellent rating does not certify its supply chain. Only the combined risk does.

The dashboard shows, for you and every (sub-)vendor, six domains — Security, Privacy, Data leaks, Controls, AI, Quantum — plus the IISRI rating, the individual risk and the combined risk.

Copyright © 2026 IISRI. All rights reserved. Full methodology paper: "An Integrated Quantitative Methodology for Third-Party Security, Privacy and AI Risk Rating", July 2026. Available upon request.

D · APPENDICES AND REFERENCES

Detailed evidence registers

Findings

Evidence registers support findings; layout and row caps do not change any score.

Register index

D.n	Register	State	Content	Location
D.1	Affected assets by finding	Findings	28 of 28 affected assets	pp. 35–36
D.1.2	IP reputation	Pending review	Not required — all 2 IP addresses shown in Section 04.	Section 04, p. 14
D.2	Credential exposure — supporting tables	Findings	Aggregates and all 30 of 30 register rows (masked account as delivered)	pp. 36–38
D.3	Data leak event details	No findings	Not required — no events identified.	Section 06, p. 17
D.4	Quantum scope breakdown	Findings	28 scopes (one row each) and all 248 scope × algorithm rows	pp. 38–47
D.5	Uploaded certificate documents	Pending review	Not required — no uploaded certificate documents in the assessment data.	Section 13, p. 28
D.6	Fourth-party vendors and technologies	None identified	Not required — no connected organisations identified.	Section 14, p. 29

Registers that are not required appear here only. Page references link to the register.

D.1 Affected assets by finding

Critical 0 High 0 Medium 25 Low 3

One row per affected asset, sorted by highest severity, then number of findings, then name. Showing 28 of 28 assets.

Unit: affected assets; Findings counts finding types per asset. State: Findings. Snapshot 02 Oct 2026.

Back to Section 04 Vulnerabilities, p. 8

#	Highest severity	Affected asset	Finding IDs	Findings
1		partnerhub.claude.com	vuln-04, vuln-05, vuln-06, vuln-07, vuln-08, vuln-09, vuln-10, vuln-11, vuln-12, vuln-13, vuln-14, vuln-15, vuln-17	13
2		microsoft365.mcp.claude.com	vuln-04, vuln-05, vuln-06, vuln-07, vuln-09, vuln-10, vuln-11, vuln-12, vuln-13, vuln-14, vuln-15	11
3		academy.claude.com	vuln-01, vuln-02, vuln-09	3
4		assets †	vuln-01, vuln-02, vuln-09	3
5		claude.com / 160.79.104.10	vuln-01, vuln-02, vuln-09	3
6		platform.claude.com	vuln-01, vuln-02, vuln-09	3
7		pubmed.mcp.claude.com	vuln-01, vuln-02, vuln-09	3
8		status.claude.com	vuln-02, vuln-03, vuln-10	3
9		url6377.updates.claude.com	vuln-01, vuln-02, vuln-09	3
10		websitemain.claude.com	vuln-01, vuln-02, vuln-09	3
11		a.claude.com	vuln-01, vuln-09	2

D.1 Affected assets by finding · continued

Rows 12–28 of 28

#	Highest severity	Affected asset	Finding IDs	Findings
12		admin.claude.com	vuln-01, vuln-09	2
13		assets.claude.com	vuln-01, vuln-09	2
14		code.claude.com	vuln-01, vuln-09	2
15		console.claude.com	vuln-01, vuln-09	2
16		eap †	vuln-01, vuln-09	2
17		econ †	vuln-01, vuln-09	2
18		hcls.mcp.claude.com	vuln-01, vuln-09	2
19		links.email.claude.com	vuln-01, vuln-09	2
20		plaid.mcp.claude.com	vuln-01, vuln-09	2
21		preview.claude.com	vuln-01, vuln-09	2
22		privacy.claude.com	vuln-01, vuln-09	2
23		releases.claude.com	vuln-01, vuln-09	2
24		support.claude.com	vuln-01, vuln-09	2
25		website.claude.com	vuln-01, vuln-09	2
26		downloads.claude.com	vuln-09, vuln-10, vuln-15, vuln-16, vuln-17	5
27		downloads.preview.claude.com	vuln-09, vuln-10, vuln-15, vuln-16, vuln-17	5
28		docs.claude.com	vuln-09	1

† value as provided by source (3 labels are not complete host names).

End of register · 28 rows. 28 of 28 affected assets shown; 0 not shown. Totals: 89 finding memberships; source register memberships 89 (matches); Section 04 affected-asset counts 89 (matches).

D.2 Credential exposure — supporting tables

D.2.1–D.2.3 give the aggregates that support Section 05 (not repeated there); D.2.4 lists every register row with the account label as delivered by the Cyberrank system (masked upstream), the approximate exposure period and the exposed field categories. Showing 30 of 30 register rows; source total not provided.

Unit: register rows, not accounts. State: Findings. Snapshot 02 Oct 2026.

Back to Section 05 Credential exposure, p. 15

D.2.1 Rows by exposed field category

#	Field category	Data class	Rows	Share of rows
1	email	Other identity fields only	29	97%
2	password	Password category listed	19	63%
3	username	Other identity fields only	18	60%
4	country	Other identity fields only	10	33%
5	Date of birth (dob)	Sensitive personal data, no password	8	27%
6	ip	Sensitive personal data, no password	6	20%
7	name	Other identity fields only	4	13%
8	first_name	Other identity fields only	3	10%

D.2.1 Rows by exposed field category · continued

Rows 9–15 of 15

#	Field category	Data class	Rows	Share of rows
9	last_name	Other identity fields only	3	10%
10	phone	Sensitive personal data, no password	3	10%
11	address	Sensitive personal data, no password	2	7%
12	city	Other identity fields only	2	7%
13	Service/URL recorded (origin)	Origin flag (counted apart from classes)	2	7%
14	profile_name	Other identity fields only	1	3%
15	zip	Other identity fields only	1	3%

A row can count in several categories; column total exceeds row total.

D.2.2 Rows by data class

Exclusive: each row counts once, in its highest class (password, then sensitive personal data, then other identity fields). The origin flag is counted apart, below.

Data class	Rows
Password category listed	19
Sensitive personal data, no password	9
Other identity fields only	2
Fields not reported by source	0

Service/URL recorded (origin), counted apart from the classes: 2 rows; the value itself is not provided by the source.

D.2.3 Exposure episodes and sources

Data unavailable: episode grouping and breach source names are not provided in the assessment data. This is not a zero result.

D.2.4 Credential register

One row per register row as delivered by the Cyberrank system. The account label is printed exactly as received (masking is applied upstream, not by this report). Sorted by the newest period a row lists; rows whose period is only “Unknown” come last. Exposed fields are category names only; no password or other value is printed.

#	Account (masked, as delivered)	Approximate exposure period	Exposed fields
1	wsaef_7****@claude.com	2026	email, origin, password
2	cal***@claude.com	2026, 2022	address, city, dob, email, first_name, last_name, name, phone, zip
3	jun***@claude.com	2024	country, dob, email, ip, name, phone
4	stas****@claude.com	2024	email, ip, name, password, phone
5	je**@claude.com	2024, 2023, 2022, 2020, 2019	city, country, dob, email, name, password, profile_name, username
6	Unknown Email	2024	origin, password, username
7	ja**@claude.com	2022, Unknown	email, ip, password
8	claude****@claude.com	2022	address, email, first_name, last_name, username
9	hispanicpan****@claude.com	2020	country, email, ip, username

D.2.4 Credential register · continued

Rows 10–30 of 30

#	Account (masked, as delivered)	Approximate exposure period	Exposed fields
10	merque****@claude.com	2020	country, email, username
11	sumayya****@claude.com	2020	country, email, username
12	vi**@claude.com	2020	country, email, ip, username
13	que**@claude.com	2019	email, password
14	lea.bongiov****@claude.com	2019	country, dob, email, username
15	xcla***@claude.com	2019	country, dob, email, username
16	zenonkam****@claude.com	2019	country, dob, email, username
17	la**@claude.com	2019	email, password
18	ab**@claude.com	2019	country, dob, email, username
19	cai***@claude.com	2017	email, password
20	claudinho_ezel****@claude.com	2016	email, password, username
21	clau****@claude.com	2016	email, password, username
22	ja**@claude.com	2016	email, password, username
23	gin***@claude.com	2016	email, password, username
24	jem**@claude.com	2016, 2013	dob, email, first_name, last_name, password, username
25	law***@claude.com	2016	email, password, username
26	kal***@claude.com	2015	email, ip, password, username
27	vandol****@claude.com	2008	email, password
28	caro****@claude.com	Unknown	email, password
29	0*@claude.com	Unknown	email, password
30	cla***@claude.com	Unknown	email, password

End of register · 30 rows. 30 of 30 register rows shown; 0 not shown (none withheld). Totals: claude.com 29 + other email domains 0 + Unknown Email 1 = 30 rows = Section 05 overview total; source headline 40 (unit not defined by the source; difference -10, not explained by the source data).

D.4 Quantum scope breakdown

High 56 Moderate 0 Low 192

D.4.1 lists one row per scope with its post-quantum (PQC) status, ordered by High, then Moderate, then Low findings. The apex aggregate (the source headline scope) comes first; subdomain rows are not added to it. Showing 28 of 28 scopes. D.4.2 lists every scope × algorithm row (248 of 248).

Unit: scopes (D.4.1) and scope × algorithm rows (D.4.2); counts are findings. Source: all rows “standard scan”. State: Findings. Snapshot 02 Oct 2026.

Back to Section 11 Quantum security, p. 24

D.4.1 Scopes

#	Subdomain	PQC				Algorithms vs apex
A	claude.com apex aggregate (headline scope)	ML-KEM detected	56	0	192	Reference
1	a.claude.com	ML-KEM detected	2	0	7	Same as apex

D.4.1 Quantum scope breakdown · continued

Rows 2–27 of 27

#	Subdomain	PQC				Algorithms vs apex
2	academy.claude.com	ML-KEM detected	2	0	7	Same as apex
3	admin.claude.com	ML-KEM detected	2	0	7	Same as apex
4	assets-staging.claude.com	ML-KEM detected	2	0	7	Same as apex
5	assets.claude.com	ML-KEM detected	2	0	7	Same as apex
6	code.claude.com	ML-KEM detected	2	0	7	Same as apex
7	console.claude.com	ML-KEM detected	2	0	7	Same as apex
8	docs.claude.com	ML-KEM detected	2	0	7	Same as apex
9	eap-academy.claude.com	ML-KEM detected	2	0	7	Same as apex
10	econ-index.mcp.claude.com	ML-KEM detected	2	0	7	Same as apex
11	hcls.mcp.claude.com	ML-KEM detected	2	0	7	Same as apex
12	links.email.claude.com	ML-KEM detected	2	0	7	Same as apex
13	partnerhub.claude.com	ML-KEM detected	2	0	7	Same as apex
14	plaid.mcp.claude.com	ML-KEM detected	2	0	7	Same as apex
15	platform.claude.com	ML-KEM detected	2	0	7	Same as apex
16	preview.claude.com	ML-KEM detected	2	0	7	Same as apex
17	privacy.claude.com	ML-KEM detected	2	0	7	Same as apex
18	pubmed.mcp.claude.com	ML-KEM detected	2	0	7	Same as apex
19	releases.claude.com	ML-KEM detected	2	0	7	Same as apex
20	support.claude.com	ML-KEM detected	2	0	7	Same as apex
21	url6377.updates.claude.com	ML-KEM detected	2	0	7	Same as apex
22	website.claude.com	ML-KEM detected	2	0	7	Same as apex
23	websitemain.claude.com	ML-KEM detected	2	0	7	Same as apex
24	downloads.claude.com	No PQC detected	2	0	6	No ECDSA
25	downloads.preview.claude.com	No PQC detected	2	0	6	No ECDSA
26	microsoft365.mcp.claude.com	ML-KEM detected	2	0	6	No ECDSA
27	status.claude.com	No PQC detected	2	0	6	No ECDSA

D.4.2 Scope × algorithm rows

#	Category	Algorithm (pre-QC)	Post-QC			
claude.com · apex aggregate (headline scope)						ML-KEM detected
1	Public-key cryptography	ECDHE	ML-KEM	28	0	0
2	Public-key cryptography	RSA	ML-KEM	28	0	0
3	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	28
4	# Hash functions	SHA256	Not listed	0	0	28
5	# Hash functions	SHA384	Not listed	0	0	28
6	Public-key cryptography	ECDSA	Not listed	0	0	24

D.4.2 Scope × algorithm rows · continued

Rows 7–38 of 248 · claude.com (cont.)

#	Category	Algorithm (pre-QC)	Post-QC			
7	Symmetric cryptography	AES_128	Not listed	0	0	28
8	Symmetric cryptography	AES_256	Not listed	0	0	28
9	Symmetric cryptography	CHACHA20	Not listed	0	0	28
a.claude.com				ML-KEM detected		
10	Public-key cryptography	ECDHE	ML-KEM	1	0	0
11	Public-key cryptography	RSA	ML-KEM	1	0	0
12	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
13	# Hash functions	SHA256	Not listed	0	0	1
14	# Hash functions	SHA384	Not listed	0	0	1
15	Public-key cryptography	ECDSA	Not listed	0	0	1
16	Symmetric cryptography	AES_128	Not listed	0	0	1
17	Symmetric cryptography	AES_256	Not listed	0	0	1
18	Symmetric cryptography	CHACHA20	Not listed	0	0	1
academy.claude.com				ML-KEM detected		
19	Public-key cryptography	ECDHE	ML-KEM	1	0	0
20	Public-key cryptography	RSA	ML-KEM	1	0	0
21	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
22	# Hash functions	SHA256	Not listed	0	0	1
23	# Hash functions	SHA384	Not listed	0	0	1
24	Public-key cryptography	ECDSA	Not listed	0	0	1
25	Symmetric cryptography	AES_128	Not listed	0	0	1
26	Symmetric cryptography	AES_256	Not listed	0	0	1
27	Symmetric cryptography	CHACHA20	Not listed	0	0	1
admin.claude.com				ML-KEM detected		
28	Public-key cryptography	ECDHE	ML-KEM	1	0	0
29	Public-key cryptography	RSA	ML-KEM	1	0	0
30	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
31	# Hash functions	SHA256	Not listed	0	0	1
32	# Hash functions	SHA384	Not listed	0	0	1
33	Public-key cryptography	ECDSA	Not listed	0	0	1
34	Symmetric cryptography	AES_128	Not listed	0	0	1
35	Symmetric cryptography	AES_256	Not listed	0	0	1
36	Symmetric cryptography	CHACHA20	Not listed	0	0	1
assets-staging.claude.com				ML-KEM detected		
37	Public-key cryptography	ECDHE	ML-KEM	1	0	0
38	Public-key cryptography	RSA	ML-KEM	1	0	0

CYBERRANK

D.4.2 Scope × algorithm rows · continued

Rows 39–70 of 248 · assets-staging.claude.com (cont.)

#	Category	Algorithm (pre-QC)	Post-QC			
39	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
40	# Hash functions	SHA256	Not listed	0	0	1
41	# Hash functions	SHA384	Not listed	0	0	1
42	Public-key cryptography	ECDSA	Not listed	0	0	1
43	Symmetric cryptography	AES_128	Not listed	0	0	1
44	Symmetric cryptography	AES_256	Not listed	0	0	1
45	Symmetric cryptography	CHACHA20	Not listed	0	0	1
assets.claude.com					ML-KEM detected	
46	Public-key cryptography	ECDHE	ML-KEM	1	0	0
47	Public-key cryptography	RSA	ML-KEM	1	0	0
48	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
49	# Hash functions	SHA256	Not listed	0	0	1
50	# Hash functions	SHA384	Not listed	0	0	1
51	Public-key cryptography	ECDSA	Not listed	0	0	1
52	Symmetric cryptography	AES_128	Not listed	0	0	1
53	Symmetric cryptography	AES_256	Not listed	0	0	1
54	Symmetric cryptography	CHACHA20	Not listed	0	0	1
code.claude.com					ML-KEM detected	
55	Public-key cryptography	ECDHE	ML-KEM	1	0	0
56	Public-key cryptography	RSA	ML-KEM	1	0	0
57	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
58	# Hash functions	SHA256	Not listed	0	0	1
59	# Hash functions	SHA384	Not listed	0	0	1
60	Public-key cryptography	ECDSA	Not listed	0	0	1
61	Symmetric cryptography	AES_128	Not listed	0	0	1
62	Symmetric cryptography	AES_256	Not listed	0	0	1
63	Symmetric cryptography	CHACHA20	Not listed	0	0	1
console.claude.com					ML-KEM detected	
64	Public-key cryptography	ECDHE	ML-KEM	1	0	0
65	Public-key cryptography	RSA	ML-KEM	1	0	0
66	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
67	# Hash functions	SHA256	Not listed	0	0	1
68	# Hash functions	SHA384	Not listed	0	0	1
69	Public-key cryptography	ECDSA	Not listed	0	0	1
70	Symmetric cryptography	AES_128	Not listed	0	0	1

CYBERRANK

D.4.2 Scope × algorithm rows · continued

Rows 71–102 of 248 · console.claude.com (cont.)

#	Category	Algorithm (pre-QC)	Post-QC			
71	Symmetric cryptography	AES_256	Not listed	0	0	1
72	Symmetric cryptography	CHACHA20	Not listed	0	0	1
docs.claude.com					ML-KEM detected	
73	Public-key cryptography	ECDHE	ML-KEM	1	0	0
74	Public-key cryptography	RSA	ML-KEM	1	0	0
75	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
76	# Hash functions	SHA256	Not listed	0	0	1
77	# Hash functions	SHA384	Not listed	0	0	1
78	Public-key cryptography	ECDSA	Not listed	0	0	1
79	Symmetric cryptography	AES_128	Not listed	0	0	1
80	Symmetric cryptography	AES_256	Not listed	0	0	1
81	Symmetric cryptography	CHACHA20	Not listed	0	0	1
eap-academy.claude.com					ML-KEM detected	
82	Public-key cryptography	ECDHE	ML-KEM	1	0	0
83	Public-key cryptography	RSA	ML-KEM	1	0	0
84	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
85	# Hash functions	SHA256	Not listed	0	0	1
86	# Hash functions	SHA384	Not listed	0	0	1
87	Public-key cryptography	ECDSA	Not listed	0	0	1
88	Symmetric cryptography	AES_128	Not listed	0	0	1
89	Symmetric cryptography	AES_256	Not listed	0	0	1
90	Symmetric cryptography	CHACHA20	Not listed	0	0	1
econ-index.mcp.claude.com					ML-KEM detected	
91	Public-key cryptography	ECDHE	ML-KEM	1	0	0
92	Public-key cryptography	RSA	ML-KEM	1	0	0
93	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
94	# Hash functions	SHA256	Not listed	0	0	1
95	# Hash functions	SHA384	Not listed	0	0	1
96	Public-key cryptography	ECDSA	Not listed	0	0	1
97	Symmetric cryptography	AES_128	Not listed	0	0	1
98	Symmetric cryptography	AES_256	Not listed	0	0	1
99	Symmetric cryptography	CHACHA20	Not listed	0	0	1
hcls.mcp.claude.com					ML-KEM detected	
100	Public-key cryptography	ECDHE	ML-KEM	1	0	0
101	Public-key cryptography	RSA	ML-KEM	1	0	0
102	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1

CYBERRANK

D.4.2 Scope × algorithm rows · continued

Rows 103–135 of 248 · hcls.mcp.claude.com (cont.)

#	Category	Algorithm (pre-QC)	Post-QC			
103	# Hash functions	SHA256	Not listed	0	0	1
104	# Hash functions	SHA384	Not listed	0	0	1
105	Public-key cryptography	ECDSA	Not listed	0	0	1
106	Symmetric cryptography	AES_128	Not listed	0	0	1
107	Symmetric cryptography	AES_256	Not listed	0	0	1
108	Symmetric cryptography	CHACHA20	Not listed	0	0	1
links.email.claude.com					ML-KEM detected	
109	Public-key cryptography	ECDHE	ML-KEM	1	0	0
110	Public-key cryptography	RSA	ML-KEM	1	0	0
111	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
112	# Hash functions	SHA256	Not listed	0	0	1
113	# Hash functions	SHA384	Not listed	0	0	1
114	Public-key cryptography	ECDSA	Not listed	0	0	1
115	Symmetric cryptography	AES_128	Not listed	0	0	1
116	Symmetric cryptography	AES_256	Not listed	0	0	1
117	Symmetric cryptography	CHACHA20	Not listed	0	0	1
partnerhub.claude.com					ML-KEM detected	
118	Public-key cryptography	ECDHE	ML-KEM	1	0	0
119	Public-key cryptography	RSA	ML-KEM	1	0	0
120	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
121	# Hash functions	SHA256	Not listed	0	0	1
122	# Hash functions	SHA384	Not listed	0	0	1
123	Public-key cryptography	ECDSA	Not listed	0	0	1
124	Symmetric cryptography	AES_128	Not listed	0	0	1
125	Symmetric cryptography	AES_256	Not listed	0	0	1
126	Symmetric cryptography	CHACHA20	Not listed	0	0	1
plaid.mcp.claude.com					ML-KEM detected	
127	Public-key cryptography	ECDHE	ML-KEM	1	0	0
128	Public-key cryptography	RSA	ML-KEM	1	0	0
129	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
130	# Hash functions	SHA256	Not listed	0	0	1
131	# Hash functions	SHA384	Not listed	0	0	1
132	Public-key cryptography	ECDSA	Not listed	0	0	1
133	Symmetric cryptography	AES_128	Not listed	0	0	1
134	Symmetric cryptography	AES_256	Not listed	0	0	1
135	Symmetric cryptography	CHACHA20	Not listed	0	0	1

CYBERRANK

D.4.2 Scope × algorithm rows · continued

Rows 136–167 of 248

#	Category	Algorithm (pre-QC)	Post-QC			
platform.claude.com						ML-KEM detected
136	Public-key cryptography	ECDHE	ML-KEM	1	0	0
137	Public-key cryptography	RSA	ML-KEM	1	0	0
138	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
139	# Hash functions	SHA256	Not listed	0	0	1
140	# Hash functions	SHA384	Not listed	0	0	1
141	Public-key cryptography	ECDSA	Not listed	0	0	1
142	Symmetric cryptography	AES_128	Not listed	0	0	1
143	Symmetric cryptography	AES_256	Not listed	0	0	1
144	Symmetric cryptography	CHACHA20	Not listed	0	0	1
preview.claude.com						ML-KEM detected
145	Public-key cryptography	ECDHE	ML-KEM	1	0	0
146	Public-key cryptography	RSA	ML-KEM	1	0	0
147	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
148	# Hash functions	SHA256	Not listed	0	0	1
149	# Hash functions	SHA384	Not listed	0	0	1
150	Public-key cryptography	ECDSA	Not listed	0	0	1
151	Symmetric cryptography	AES_128	Not listed	0	0	1
152	Symmetric cryptography	AES_256	Not listed	0	0	1
153	Symmetric cryptography	CHACHA20	Not listed	0	0	1
privacy.claude.com						ML-KEM detected
154	Public-key cryptography	ECDHE	ML-KEM	1	0	0
155	Public-key cryptography	RSA	ML-KEM	1	0	0
156	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
157	# Hash functions	SHA256	Not listed	0	0	1
158	# Hash functions	SHA384	Not listed	0	0	1
159	Public-key cryptography	ECDSA	Not listed	0	0	1
160	Symmetric cryptography	AES_128	Not listed	0	0	1
161	Symmetric cryptography	AES_256	Not listed	0	0	1
162	Symmetric cryptography	CHACHA20	Not listed	0	0	1
pubmed.mcp.claude.com						ML-KEM detected
163	Public-key cryptography	ECDHE	ML-KEM	1	0	0
164	Public-key cryptography	RSA	ML-KEM	1	0	0
165	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
166	# Hash functions	SHA256	Not listed	0	0	1
167	# Hash functions	SHA384	Not listed	0	0	1

CYBERRANK

D.4.2 Scope × algorithm rows · continued

Rows 168–198 of 248 · pubmed.mcp.claude.com (cont.)

#	Category	Algorithm (pre-QC)	Post-QC			
168	Public-key cryptography	ECDSA	Not listed	0	0	1
169	Symmetric cryptography	AES_128	Not listed	0	0	1
170	Symmetric cryptography	AES_256	Not listed	0	0	1
171	Symmetric cryptography	CHACHA20	Not listed	0	0	1
releases.claude.com						ML-KEM detected
172	Public-key cryptography	ECDHE	ML-KEM	1	0	0
173	Public-key cryptography	RSA	ML-KEM	1	0	0
174	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
175	# Hash functions	SHA256	Not listed	0	0	1
176	# Hash functions	SHA384	Not listed	0	0	1
177	Public-key cryptography	ECDSA	Not listed	0	0	1
178	Symmetric cryptography	AES_128	Not listed	0	0	1
179	Symmetric cryptography	AES_256	Not listed	0	0	1
180	Symmetric cryptography	CHACHA20	Not listed	0	0	1
support.claude.com						ML-KEM detected
181	Public-key cryptography	ECDHE	ML-KEM	1	0	0
182	Public-key cryptography	RSA	ML-KEM	1	0	0
183	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
184	# Hash functions	SHA256	Not listed	0	0	1
185	# Hash functions	SHA384	Not listed	0	0	1
186	Public-key cryptography	ECDSA	Not listed	0	0	1
187	Symmetric cryptography	AES_128	Not listed	0	0	1
188	Symmetric cryptography	AES_256	Not listed	0	0	1
189	Symmetric cryptography	CHACHA20	Not listed	0	0	1
url6377.updates.claude.com						ML-KEM detected
190	Public-key cryptography	ECDHE	ML-KEM	1	0	0
191	Public-key cryptography	RSA	ML-KEM	1	0	0
192	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
193	# Hash functions	SHA256	Not listed	0	0	1
194	# Hash functions	SHA384	Not listed	0	0	1
195	Public-key cryptography	ECDSA	Not listed	0	0	1
196	Symmetric cryptography	AES_128	Not listed	0	0	1
197	Symmetric cryptography	AES_256	Not listed	0	0	1
198	Symmetric cryptography	CHACHA20	Not listed	0	0	1

CYBERRANK

D.4.2 Scope × algorithm rows · continued

Rows 199–230 of 248

#	Category	Algorithm (pre-QC)	Post-QC			
website.claude.com						ML-KEM detected
199	Public-key cryptography	ECDHE	ML-KEM	1	0	0
200	Public-key cryptography	RSA	ML-KEM	1	0	0
201	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
202	# Hash functions	SHA256	Not listed	0	0	1
203	# Hash functions	SHA384	Not listed	0	0	1
204	Public-key cryptography	ECDSA	Not listed	0	0	1
205	Symmetric cryptography	AES_128	Not listed	0	0	1
206	Symmetric cryptography	AES_256	Not listed	0	0	1
207	Symmetric cryptography	CHACHA20	Not listed	0	0	1
websitemain.claude.com						ML-KEM detected
208	Public-key cryptography	ECDHE	ML-KEM	1	0	0
209	Public-key cryptography	RSA	ML-KEM	1	0	0
210	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
211	# Hash functions	SHA256	Not listed	0	0	1
212	# Hash functions	SHA384	Not listed	0	0	1
213	Public-key cryptography	ECDSA	Not listed	0	0	1
214	Symmetric cryptography	AES_128	Not listed	0	0	1
215	Symmetric cryptography	AES_256	Not listed	0	0	1
216	Symmetric cryptography	CHACHA20	Not listed	0	0	1
downloads.claude.com · ECDSA not observed						No PQC detected
217	Public-key cryptography	ECDHE	Not listed	1	0	0
218	Public-key cryptography	RSA	Not listed	1	0	0
219	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
220	# Hash functions	SHA256	Not listed	0	0	1
221	# Hash functions	SHA384	Not listed	0	0	1
222	Symmetric cryptography	AES_128	Not listed	0	0	1
223	Symmetric cryptography	AES_256	Not listed	0	0	1
224	Symmetric cryptography	CHACHA20	Not listed	0	0	1
downloads.preview.claude.com · ECDSA not observed						No PQC detected
225	Public-key cryptography	ECDHE	Not listed	1	0	0
226	Public-key cryptography	RSA	Not listed	1	0	0
227	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
228	# Hash functions	SHA256	Not listed	0	0	1
229	# Hash functions	SHA384	Not listed	0	0	1
230	Symmetric cryptography	AES_128	Not listed	0	0	1

CYBERRANK

D.4.2 Scope × algorithm rows · continued

Rows 231–248 of 248 · downloads.preview.claude.com (cont.)

#	Category	Algorithm (pre-QC)	Post-QC			
231	Symmetric cryptography	AES_256	Not listed	0	0	1
232	Symmetric cryptography	CHACHA20	Not listed	0	0	1
microsoft365.mcp.claude.com · ECDSA not observed						ML-KEM detected
233	Public-key cryptography	ECDHE	ML-KEM	1	0	0
234	Public-key cryptography	RSA	ML-KEM	1	0	0
235	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
236	# Hash functions	SHA256	Not listed	0	0	1
237	# Hash functions	SHA384	Not listed	0	0	1
238	Symmetric cryptography	AES_128	Not listed	0	0	1
239	Symmetric cryptography	AES_256	Not listed	0	0	1
240	Symmetric cryptography	CHACHA20	Not listed	0	0	1
status.claude.com · ECDSA not observed						No PQC detected
241	Public-key cryptography	ECDHE	Not listed	1	0	0
242	Public-key cryptography	RSA	Not listed	1	0	0
243	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
244	# Hash functions	SHA256	Not listed	0	0	1
245	# Hash functions	SHA384	Not listed	0	0	1
246	Symmetric cryptography	AES_128	Not listed	0	0	1
247	Symmetric cryptography	AES_256	Not listed	0	0	1
248	Symmetric cryptography	CHACHA20	Not listed	0	0	1

Post-QC "Not listed": the source prints a dash, so no post-quantum replacement is listed for that algorithm; the source does not say whether one was checked.

End of register · 248 scope × algorithm rows. 28 of 28 scopes shown; 0 not shown (none withheld; all 248 scope × algorithm rows in D.4.2). Totals: over 27 subdomain rows, 239 findings (High 54 · Moderate 0 · Low 185) from 239 subdomain × algorithm rows; apex aggregate, not added, High 56 · Moderate 0 · Low 192 — matches the Section 11 headline; 248 scope × algorithm rows by level (highest level per row): High 56 · Moderate 0 · Low 192.