CYBERRANK

Cyber Risk Report

Assessment date

13 Oct 2026

Generated date

15 Oct 2026

REPORT FOR

Mock Cyberrank

cyberrank.site

ISSUED BY

Not available

Not provided in the assessment data.

Contents

Mock Cyberrank / cyberrank.site / Assessment 13 Oct 2026

Overview and priorities

01 Executive overview 3
Scope and coverage / rating overview / sector comparison

02 Priority actions 6

Assessment details

03 Privacy 8
Policy / assessed areas (A–P) / active issues

04 Vulnerabilities 10

05 Credential exposure 15

06 Data breach and leak history 16

07 Data sovereignty 17

08 Data residency 18

09 Legal terms & conditions 19

10 AI risk and governance 20

11 Quantum security 21

12 Security resourcing 25

13 Certifications 26

14 Fourth-party vendors 27

15 Cloud infrastructure 28

Appendices and references

A About this report 29

B IISRI rating scale 30

C Methodology and supply-chain aggregation 31

D Detailed evidence registers 33

CYBERRANK

01 · OVERVIEW AND PRIORITIES

Executive overview

Partial coverage

Mock Cyberrank (cyberrank.site) holds an IISRI external rating of BB (Low risk band), with a net score of 201 of 360 on the 13 Oct 2026 assessment.

Grade, risk band, net score (201 / 360), aspect scores and sector benchmark are printed; score context and assessment id are not.

IISRI® External Rating

BB

Sufficient
Low risk band

Score context

Net score	201 points
Point pool	360 points

Not provided in the assessment data: score context, methodology version.

D | C | CC | CCC | B | **BB** | BBB | A | AA | AAA

Main information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy risks are being managed and objectives are met. Some specific control weaknesses have been noted. Moderate additional work on information security and/or privacy is recommended.

Wording as printed in the source; it differs from the BB definition in Appendix B and is held for review.

Meaning of every grade: Appendix B IISRI rating scale, page 30

Scope and coverage

Organisation	Mock Cyberrank
Primary domain	cyberrank.site
Sector	Manufacturing
Assessment date	13 Oct 2026

Coverage	Not available (cannot be calculated: the number of eligible targets is not available)

Not provided in the assessment data: organisation ID, assessment ID, eligible targets.

Observed targets

4 subdomains
Scanned subdomains

5 hosts
Hosts observed for residency

No additional subdomains or externally exposed assets were identified during this assessment.

This report is generated by IISRI® CyberRank.ai using automated, non-intrusive analysis of publicly accessible information.

Organisation profile

Create vendor assessments, score security posture from AAA to D, detect leaks, and turn questionnaires into a board-ready risk picture.

Rating overview

One tile per assessed aspect, numbered as its section in this report: the main result and its status. Select a tile to open the section.

03 Privacy p. 8

59%

Privacy score

Source: "Privacy policy exists but has 7 active risks requiring attention"

Findings

04 Vulnerabilities p. 10

20%

Vulnerability score

Source: "Security improvements needed urgently"

Findings

05 Credential exposure p. 15

100%

Credential score

Source: "0 Found" "No credential leaks detected"

No findings

06 Data breach and leak history p. 16

100%

Data leak score (100% = leak-free)

Source: "0 leakes" "No data breaches detected in public records. Excellent security posture."

No findings

07 Data sovereignty p. 17

Cannot be compared

Governing law against the preference

Findings

08 Data residency p. 18

5 hosts

Hosts observed

Does not match the preference.

Findings

09 Legal terms & conditions p. 19

Not detected

Login / payment portal

No customer login or payment portal was detected on the public site.

Not applicable

10 AI risk and governance p. 20

Not included in the source report.

Unavailable

11 Quantum security p. 21

8 findings

High Risk

Findings

12 Security resourcing p. 25

1 of 2

Privacy and security roles with public evidence

Findings

13 Certifications p. 26

0%

Compliance score (100% = fully certified)

Source: "0 certifications" "Compliance improvements recommended"

No findings

14 Fourth-party vendors p. 27

3 organisations

Connected organisations reported

Connections and assessment dates not reported.

Partial coverage

15 Cloud infrastructure p. 28

1 provider

Cloud providers detected

Findings

Aspect values use different units and denominators; never average them or compare with the grade directly.

Sector comparison

See how your security posture compares to sector peers.

Your score		**73 / 100**
Sector average		67 / 100
Sector top 10%		90 / 100

Sector	Manufacturing

Not provided in the assessment data: performance gap, peer cohort.

Your score (out of 100) is not the 360-point IISRI score; no forecast or percentile may be derived from it.

Next 02 Priority actions, page 6 · 8 actions (7 high, 1 medium)

CYBERRANK

02 · OVERVIEW AND PRIORITIES

Priority actions

Recommended actions to improve your IISRI rating, ordered by severity and priority

Findings

8 actions	7 actions	1 action	0 actions
Total	High priority	Medium priority	Low priority

#	Priority	Action	Effort	Team
1		**Privacy** Described in 03 Privacy, page 8 (Issue 1).	2 weeks	Legal + DPO team
2		**Security** Described in 03 Privacy, page 8 (Issue 2).	2 weeks	Legal + DPO team
3		**Privacy** Described in 03 Privacy, page 8 (Issue 3).	2 weeks	Legal + DPO team
4		**Privacy** Described in 03 Privacy, page 8 (Issue 4).	2 weeks	Legal + DPO team
5		**Privacy** Described in 03 Privacy, page 8 (Issue 5).	2 weeks	Legal + DPO team
6		**Privacy** Described in 03 Privacy, page 8 (Issue 6).	2 weeks	Legal + DPO team
7		**Security** Described in 03 Privacy, page 8 (Issue 7).	2 weeks	Legal + DPO team
8		**Enhance DMARC Policy to "Quarantine"** Upgrade DMARC policy from monitoring (p=none) to quarantine (p=quarantine) to actively protect against email spoofing. Prevents attackers from impersonating your domain in phishing attacks. Verify first: DMARC policy is not available (left blank in the assessment data). See 04 Vulnerabilities, page 10	1 week	Email admin

For every action: owner not assigned, due not assigned, status not tracked by the assessment. Rank is source order, not a stable id. Estimated time is not a due date; required role is not an owner.

Projected rating after remediation

Current rating	BB · score 201 / 360
Projected rating	AAA · score 330 / 360
Recoverable	129 points
Active issues	43 (7 privacy + 36 vulnerability)

43 active issues were identified (7 privacy issues, 36 vulnerability findings). Completing the recommended actions is expected to recover up to 129 points, moving the score from 201 to 330 out of 360. This assumes every vulnerability finding is fixed and confirmed by a fresh scan and the reported privacy issues are remediated in the privacy policy. Vulnerability fixes only affect the rating after the next scan, so the projected score is conditional on that rescan.

Projection as reported by the source, not a commitment. Vulnerability fixes count only after a fresh scan confirms them.

CYBERRANK

03 · ASSESSMENT DETAILS

Privacy

Evaluates privacy posture through publicly available data, privacy policies, technical implementations, and compliance with global standards including GDPR and PPDL.

Findings	One privacy policy was assessed at 59% with 7 active issues.

59%
Privacy Score

7 issues
Active Issues

1 policy
Policies Found

Privacy policy

Findings	Published privacy policy: state, source, assessed areas and issues
Policy state	Valid policy, assessed (source p. 2: "Privacy policy exists but has 7 active risks requiring attention")
Policy source	Not available[1]
Per-area results (A–P)	Not available[1]

[1] Not provided in the assessment data.

Active issues

Issue	Type	What was found
Issue 1	Privacy	Cookie collection is vague – The policy says it uses cookies but only points to a separate Cookie Policy without summarizing what data those cookies track or how long they last, making it unclear what's being collected about your browsing behavior.
Issue 2	Security	Workspace admin visibility – Administrators in your workspace can see your activity and content, which means your employer or team lead could access your uploaded assessments or interactions without your direct consent.
Issue 3	Privacy	Data sharing with third parties loosely defined – The policy lists "vetted sub-processors" but only offers a list "on request," so you can't easily check who's handling your data right now without asking.
Issue 4	Privacy	International transfers rely on broad safeguards – It mentions Standard Contractual Clauses or your consent for cross-border data, but doesn't specify which countries data goes to, leaving you uncertain about protection differences.

Active issues · continued

Rows 5–7 of 7

Issue	Type	What was found
Issue 5	Privacy	Retention period is fuzzy – The policy says data is kept as long as needed for service or legal reasons, with no clear timeline for deletion after account cancellation, which could mean your data lingers indefinitely.
Issue 6	Privacy	Privacy rights depend on contacting your employer first – If you use CyberRank through work, you're told to reach out to them before exercising your rights, which could delay or complicate your ability to access or delete your data.
Issue 7	Security	Security promises but no absolute guarantee – While it lists strong controls like encryption and testing, it admits no system is perfectly secure, so you still bear the risk of a breach without specific compensation or liability details.

CYBERRANK

04 · ASSESSMENT DETAILS

Vulnerabilities

Covers external security posture including network vulnerabilities, open ports, SSL/TLS configuration, and DNS security controls protecting digital assets.

Findings	12 finding types were reported: 1 high, 4 medium and 7 low, across the apex domain and 4 scanned subdomains.

20% Vulnerability score

12 finding types — Finding types

36 memberships — Finding-asset memberships

5 asset labels — Distinct affected asset labels

Scanned assets

1 domain and 4 subdomains were scanned; the apex domain is listed first.

`cyberrank.site` `mail.cyberrank.site` `test.cyberrank.site` `ai.cyberrank.site` `report.cyberrank.site`

Finding types by severity

Critical 0 · High 1 · Medium 4 · Low 7

Critical Exploitable weakness with direct impact; act immediately.
High Serious weakness; fix as a priority.
Medium Moderate risk issues that should be addressed.
Low Minor security concerns with limited impact.

ID	Severity	Finding	Affected domains	Breach likelihood
vuln-01		`cipher_order`	1	5%
vuln-02		`cipherlist_3DES_IDEA`	2	5%
vuln-03		`BEAST_CBC_TLS1`	4	5%
vuln-04		`BREACH`	3	5%
vuln-05		`security_headers`	1	5%
vuln-06		`TLS1`	4	1%
vuln-07		`TLS1_1`	4	1%
vuln-08		`cipherlist_AVERAGE`	4	1%
vuln-09		`SWEET32`	2	1%
vuln-10		`BEAST`	4	1%
vuln-11		`LUCKY13`	4	1%
vuln-12		`HSTS`	3	1%

Breach likelihood. Indicates the estimated probability that this vulnerability could lead to a security breach. >=30% represents high risk, 15-29% represents moderate risk, <15% represents lower risk.

Finding details

Critical 0 · High 1 · Medium 4 · Low 7

#	Severity	Finding	Rationale and affected domains
1	High	`cipher_order` Breach likelihood 5% ID vuln-01	A HIGH severity cipher order misconfiguration weakens TLS/SSL negotiation, potentially allowing downgrade attacks. However, exploitation requires an active man-in-the-middle position and a client supporting weak ciphers. Without evidence of active exploitation or a specific vulnerable service chain, the direct breach likelihood is low but non-zero. **Affected domains (1)** `test.cyberrank.site`
2	Medium	`cipherlist_3DES_IDEA` Breach likelihood 5% ID vuln-02	The use of deprecated ciphers like 3DES and IDEA is a known weakness that degrades overall cryptographic security. While not an immediate, direct path to a breach, it lowers the security posture and could be leveraged as part of a broader attack chain, especially if combined with other vulnerabilities. The risk is present but not imminent without active exploitation or additional context. **Affected domains (2)** `cyberrank.site / 172.67.209.197` · `mail.cyberrank.site`
3	Medium	`BEAST_CBC_TLS1` Breach likelihood 5% ID vuln-03	BEAST is a known cryptographic attack against CBC mode in TLS 1.0 and earlier. While a MEDIUM severity finding, modern clients and servers have implemented mitigations, and TLS 1.0 is largely deprecated. Direct exploitation requires a man-in-the-middle position and specific conditions, making a full breach unlikely in a generic context without confirmed vulnerable configurations or active adversarial presence. **Affected domains (4)** `cyberrank.site / 172.67.209.197` · `mail.cyberrank.site` · `ai.cyberrank.site` · `report.cyberrank.site`
4	Medium	`BREACH` Breach likelihood 5% ID vuln-04	BREACH is a side-channel attack requiring specific conditions (HTTP compression, attacker-in-the-middle, repeated requests) to extract secrets from encrypted traffic. While a real vulnerability, successful exploitation is non-trivial and depends on attacker positioning and target application behavior, making a direct breach unlikely in a generic scenario. **Affected domains (3)** `mail.cyberrank.site` · `ai.cyberrank.site` · `report.cyberrank.site`
5	Medium	`security_headers` Breach likelihood 5% ID vuln-05	Missing or misconfigured security headers (e.g., CSP, HSTS) do not directly cause a breach but increase the risk of client-side attacks like clickjacking or XSS. Exploitation requires user interaction and a separate vulnerability to be present. The likelihood of a direct breach from this alone is low, but it meaningfully elevates overall attack surface. **Affected domains (1)** `test.cyberrank.site`

Finding details · continued

Rows 6–10 of 12

#	Severity	Finding	Rationale and affected domains
6		`TLS1` Breach likelihood 1% ID vuln-06	TLS 1.0 is a deprecated protocol with known cryptographic weaknesses (e.g., BEAST). While it increases the risk of information disclosure if an attacker is in a position to perform a man-in-the-middle attack, exploitation requires a specific, active adversary on the network path. It is not a direct, remotely exploitable vulnerability leading to system compromise. The likelihood of this single finding directly causing a breach is very low. **Affected domains (4)** `cyberrank.site / 172.67.209.197` · `mail.cyberrank.site` · `ai.cyberrank.site` · `report.cyberrank.site`
7		`TLS1_1` Breach likelihood 1% ID vuln-07	TLS 1.1 is a deprecated protocol with known cryptographic weaknesses, but exploitation requires a man-in-the-middle position and is not directly actionable for initial access. Modern clients and servers typically negotiate stronger protocols, making successful exploitation of this specific finding for a full breach highly unlikely in a generic context. **Affected domains (4)** `cyberrank.site / 172.67.209.197` · `mail.cyberrank.site` · `ai.cyberrank.site` · `report.cyberrank.site`
8		`cipherlist_AVERAGE` Breach likelihood 1% ID vuln-08	A LOW severity cipher list misconfiguration, while a technical weakness, does not directly enable a breach. It typically requires an attacker to already be in a privileged position to exploit (e.g., man-in-the-middle). Without active exploitation or additional critical flaws, the direct likelihood of a breach is minimal. **Affected domains (4)** `cyberrank.site / 172.67.209.197` · `mail.cyberrank.site` · `ai.cyberrank.site` · `report.cyberrank.site`
9		`SWEET32` Breach likelihood 1% ID vuln-09	SWEET32 is a cryptographic vulnerability in legacy 64-bit block ciphers like 3DES and Blowfish. While a theoretical attack exists, it requires capturing massive amounts of encrypted data (hundreds of gigabytes) from a single session, which is an unrealistic scenario for most modern, generic applications. Modern systems and protocols have largely deprecated or mitigated these weak ciphers. The LOW severity reflects the impractical attack requirements and widespread mitigations, making direct breach from this flaw highly unlikely. **Affected domains (2)** `cyberrank.site / 172.67.209.197` · `mail.cyberrank.site`
10		`BEAST` Breach likelihood 1% ID vuln-10	BEAST is a legacy client-side attack against TLS 1.0 and early implementations of TLS 1.1. Modern browsers and servers have implemented effective mitigations for over a decade. The vulnerability requires a man-in-the-middle position and significant effort to exploit, and TLS 1.0/1.1 are widely deprecated and disabled. Therefore, the realistic likelihood of this directly leading to a breach is negligible.

CYBERRANK

Finding details · continued

Rows 10–12 of 12

#	Severity	Finding	Rationale and affected domains
		BEAST (cont.)	**Affected domains (4)** `cyberrank.site / 172.67.209.197` · `mail.cyberrank.site` · `ai.cyberrank.site` · `report.cyberrank.site`
11		`LUCKY13` Breach likelihood 1% ID vuln-11	LUCKY13 is a low-severity cryptographic timing side-channel attack against TLS/SSL implementations. It requires a specific, controlled environment to exploit, is difficult to execute reliably over a network, and modern systems have mitigations. The direct breach likelihood from this finding alone is negligible. **Affected domains (4)** `cyberrank.site / 172.67.209.197` · `mail.cyberrank.site` · `ai.cyberrank.site` · `report.cyberrank.site`
12		`HSTS` Breach likelihood 1% ID vuln-12	HSTS is a security enhancement, not a vulnerability. Its absence or misconfiguration (LOW severity) does not directly enable a breach. It only protects against specific, targeted SSL/TLS downgrade attacks, which are not common initial intrusion vectors. The likelihood of a breach stemming solely from this finding is negligible. **Affected domains (3)** `mail.cyberrank.site` · `test.cyberrank.site` · `report.cyberrank.site`

No additional subdomains or externally exposed assets were identified during this assessment.

Full register Affected assets by finding · 5 rows · Appendix D, page 33

Email and DNS security controls

Control	Result	What it does and what was recorded
DKIM	✕ Not enabled	Signs outgoing mail so receivers can verify its origin and integrity. Key strength: Not available (not provided in the assessment data) Source: "DKIM: Not Enabled – supports email integrity and sender authenticity."
DMARC	✓ Enabled	Sets how receivers treat mail failing SPF or DKIM; reports spoofing. Policy mode (p=): Not available (left blank in the assessment data) Verify the published DMARC policy (p=) before acting on priority action 8. Source: "DMARC: Enabled (mode) – visibility into spoofing attempts is present."
DNSSEC	✕ Missing or invalid	Authenticates DNS responses and protects against DNS cache poisoning. Source: "DNSSEC: Missing / Invalid – authenticates DNS responses and protects against DNS cache poisoning."
SPF	⊖ Not reported	Lists the servers allowed to send mail for the domain. No result for this control in the assessment data; not a pass.

It is recommended to progressively enforce DMARC policies to reduce phishing and impersonation risks. DKIM RSA keys must be at least 2048 bits; 1024-bit keys are flagged as a LOW finding. DNSSEC should be enabled (DS record + RRSIG + valid chain of trust) to prevent DNS spoofing.

IP reputation

Result held for review

The source printed "-1" for the abuse score and labelled this check "IP Reputation — Clean". What -1 means is not confirmed, so the result is held for review, not read as clean.

What was checked

Checked 4 IP(s) against threat intelligence feeds.

IP address	ISP	Country	Abuse score	Reports
104.21.16.16	Not available *	Not available *	Not available †	0 ‡
172.67.209.197	Not available *	Not available *	Not available †	0 ‡
2606:4700:3033:0:0:0:6815:1010	Not available *	Not available *	Not available †	0 ‡
2606:4700:3033:0:0:0:ac43:d1c5	Not available *	Not available *	Not available †	0 ‡

* Left blank in the assessment data.
† Value meaning not confirmed; withheld pending review. The source printed "-1".
‡ Recorded value; its meaning is not confirmed, so it is held for review.

Other checks

Check	Result	Note
HTTPS redirect	✓ No findings	HTTP correctly redirects to HTTPS. No insecure patterns detected. Source: "HTTPS Redirect — Secure". What was checked: Not available (not provided in the assessment data).

Related priority actions

#	Priority	Action	Required role	Time (reported)
8		Enhance DMARC Policy to "Quarantine"	Email admin	1 week

Owners, due dates and status are listed with each action in section 02.

05 · ASSESSMENT DETAILS

Credential exposure

Identifies credential leaks associated with the organization's domains found in known data breaches. Exposed credentials represent a direct risk of unauthorized account access.

No findings	No credential exposure was found for this organisation in the sources checked.

No findings within the scope and time of this check

No known credential leaks found for Mock Cyberrank.

CYBERRANK

06 · ASSESSMENT DETAILS

Data breach and leak history

Documents publicly known data leak incidents. Historical data leaks are factored into the IISRI® score, with recency and severity both affecting the overall rating.

No findings	No data leak events were found in the sources and period checked.

No findings within the scope and time of this check

No confirmed data leak events were associated with this organization during the assessed period.

What was checked

This assessment is based on automated analysis of data leak databases, public disclosures, and monitored online sources.

100%
Data leak score
No findings

0 events
Leak events
No findings

Not applicable
Last valid event
No events to show.

CYBERRANK

07 · ASSESSMENT DETAILS

Data sovereignty

Where this supplier says disputes and legal obligations are handled

Findings	Governing law could not be identified.

Governing law / courts found	Not identified in published policies
Accepted jurisdictions	European Union (EU)
Against the preference	Cannot be compared
Source verdict	“does not match the jurisdictions your organisation accepts (European Union (EU))”

No governing-law or court clause could be matched in the published policies, so legal location cannot be compared with the preference set by the report owner/requestor (European Union (EU)). Treat it as unresolved until confirmed.

Policy text: “These Terms are governed by the laws of the jurisdiction in which the contracting CyberRank entity is established, without regard to conflict-of-laws principles. Any dispute arising out of or related to these Terms will be brought exclusively in the courts of that jurisdiction, unless a mandatory consumer-protection law provides otherwise.”

Source text: “We could not identify a governing-law or court clause in the supplier's published policies, and that does not match the jurisdictions your organisation accepts (European Union (EU)). Until that is clear, treat legal location as unresolved.” Review note: the source prints a verdict, but no governing-law clause was identified, so this report reads the comparison as “Cannot be compared” until the clause is confirmed.

CYBERRANK

08 · ASSESSMENT DETAILS

Data residency

Where this organisation's public systems are hosted, compared with the countries preferred by the report owner/requestor

Findings	Hosting is outside the preferred country.


5 hosts
Hosts observed

1 country
Countries identified

Preferred countries	Argentina
Against the preference	✕ Does not match the preference

Public systems were observed outside the preferred countries (Argentina), compared with the preference set by the report owner/requestor, so customer data may be held outside those countries.

World map; badges show the country code, listed in the table below.



● Hosting in a preferred country ■ Hosting outside the preferred countries ○ Preferred country
◌ Not placed on the map: 1 host with the placeholder code "XX".

	Country	Hosts	Against the preference
■	United States of America (US)	4	✕ Does not match the preference
○	Argentina (AR)	None observed	Preferred country; no hosts observed
◌	Location not identified (the source printed the placeholder code "XX") (not on the map)	1	⊖ Cannot be compared

Location method: Not available (not provided in the assessment data). IP geolocation shows where public systems are hosted, not where all customer data is stored.

09 · ASSESSMENT DETAILS

Legal terms & conditions

Login / payment portal customer-protection clauses

Not applicable	No login or payment portal was found.

Not applicable for this assessment

No customer login or payment portal was detected on the public site.

Login / Payment Portal	Not detected

No customer login or payment portal was found on the public site, so published terms are not required to cover that kind of access.

CYBERRANK

10 · ASSESSMENT DETAILS

AI risk and governance

Unavailable — AI risk is not covered by this source report.

Data unavailable

The source report has no AI usage page (its sections run 1 to 8 without one), so no AI observation or result is available for this assessment.

CYBERRANK

11 · ASSESSMENT DETAILS

Quantum security

Assesses exposure to quantum computing threats by analyzing cryptographic primitives found in TLS/SSL configurations and SSH endpoints. Includes detection of post-quantum cryptography (PQC) algorithms that may already provide protection.

Findings — The scan reported 8 high-risk, 1 moderate-risk and 37 low-risk findings across 5 scopes; ML-KEM was detected on 4 scopes and NTRU Prime on 1.

8 findings
High Risk

1 finding
Moderate Risk

37 findings
Low Risk

Not available
Partly Quantum Safe
The source printed a placeholder ("#"), not a value.
Unavailable

5
PQC detected (unit not confirmed by source)

High, Moderate and Low are the source headline. They equal the number of scope × algorithm rows in the scope breakdown at each level (46 rows, each counted once at its highest level; every row is listed in Appendix D.4). The headline is not the apex aggregate row for cyberrank.site, which sums to High 7 · Moderate 0 · Low 32 findings. The subdomain rows sum to High 6 · Moderate 1 · Low 32; they are not added to the headline.

Subdomain rows exceed the apex aggregate that covers them (Moderate 1 vs 0); not explained by the source data.

Source notice: Quantum Vulnerability is currently in beta. You may encounter incomplete data or ongoing changes as we refine the experience.

Findings by algorithm

Each algorithm counts findings across all scanned scopes; the source prints no risk level per algorithm. A PQC alternative is the replacement the source names.

#	Category	Algorithm	Findings	Protocols	PQC alternative
1	Symmetric cryptography 15 findings in category · 1 domain	AES_128	5	ALL, TLS_1_2	Not available
2		AES_256	5	ALL, TLS_1_0	Not available
3		CHACHA20	5	ALL	Not available
4	# Hash functions 10 findings in category · 1 domain	SHA256	5	ALL, TLS_1_2	Not available
5		SHA384	5	ALL, TLS_1_0	Not available

Findings by algorithm · continued

Rows 6–14 of 14

#	Category	Algorithm	Findings	Protocols	PQC alternative
6	Public-key cryptography 13 findings in category · 2 domains	ECDSA	5	ALL, TLS_1_2, TLS_1_0	Not available
7		RSA	2	ALL	ML-KEM
8		ECDHE	5	ALL, TLS_1_2, TLS_1_0, SSH	NTRU Prime
9		DHE	1	SSH	NTRU Prime
10	Certificate 5 findings in category · 2 domains	CERT_RSA_SIGNATURE	2	ALL	Not available
11		CERT_ECDSA_SIGNATURE	3	ALL	Not available
12	Key exchange 3 findings in category · 1 domain	SSH_HOST_KEY_RSA	1	SSH	Not available
13		SSH_HOST_KEY_ECDSA	1	SSH	Not available
14		SSH_HOST_KEY_ED25519	1	SSH	Not available

Post-quantum cryptography detected

ML-KEM (CRYSTALS-Kyber)

Key exchange / encryption · NIST standardized (FIPS 203)

Detected on 4 of 5 scopes. Support for PQC does not prove that every connection uses it.

`cyberrank.site` `ai.cyberrank.site` `report.cyberrank.site` `mail.cyberrank.site`

NTRU Prime (Streamlined NTRU Prime)

Key exchange / encryption · Deployed in OpenSSH (not NIST-selected)

Detected on 1 of 5 scopes. Support for PQC does not prove that every connection uses it.

`test.cyberrank.site`

Affected protocols

#	Risk	Protocol	Algorithms	PQC
1		TLS_1_2	AES_128, SHA256, ECDSA, ECDHE	NTRU Prime, ML-KEM available
2		TLS_1_0	AES_256, SHA384, ECDSA, ECDHE	NTRU Prime available
3		SSH	ECDHE, SSH_HOST_KEY_RSA, SSH_HOST_KEY_ECDSA, SSH_HOST_KEY_ED25519, DHE	NTRU Prime available

Risk after PQC coverage

8 scope rows carry a risk explanation in the source. The High, Moderate and Low counts stay as reported; the Risk column is the source's assessment after PQC coverage.

#	Risk	Scope	Algorithm	Counts	Source explanation
1		cyberrank.site	RSA Post-QC: ML-KEM	High 2 Moderate 0 Low 0	This finding is covered by ML-KEM, therefore the risk is Low.
2		cyberrank.site	ECDHE Post-QC: NTRU Prime	High 5 Moderate 0 Low 0	This finding is covered by ML-KEM, therefore the risk is Low.
3		ai.cyberrank.site	ECDHE Post-QC: ML-KEM	High 1 Moderate 0 Low 0	This finding is covered by ML-KEM, therefore the risk is Low.
4		report.cyberrank.site	ECDHE Post-QC: ML-KEM	High 1 Moderate 0 Low 0	This finding is covered by ML-KEM, therefore the risk is Low.
5		mail.cyberrank.site	RSA Post-QC: ML-KEM	High 1 Moderate 0 Low 0	This finding is covered by ML-KEM, therefore the risk is Low.
6		mail.cyberrank.site	ECDHE Post-QC: ML-KEM	High 1 Moderate 0 Low 0	This finding is covered by ML-KEM, therefore the risk is Low.
7		test.cyberrank.site	ECDHE Post-QC: NTRU Prime	High 1 Moderate 0 Low 0	Partial coverage: NTRU Prime detected, but not on the TLS scope — risk unchanged.
8		test.cyberrank.site	DHE Post-QC: NTRU Prime	High 1 Moderate 0 Low 0	This finding is covered by NTRU Prime, therefore the risk is Low.

7 rows print a Risk level that differs from the column holding the count; both are shown as printed.

Scope breakdown

High 8 Moderate 1 Low 37

4 subdomains in 4 groups with identical counts, PQC status and algorithms, ordered by High, then Moderate, then Low findings. Appendix D.4 lists one row per subdomain and every scope × algorithm row (46).

Subdomains				PQC	Algorithms vs apex
test.cyberrank.site	2	1	9	NTRU Prime detected	No CERT_RSA_SIGNATURE, No RSA, +CERT_ECDSA_SIGNATURE, +DHE, +SSH_HOST_KEY_ECDSA, +SSH_HOST_KEY_ED25519, +SSH_HOST_KEY_RSA
mail.cyberrank.site	2	0	7	ML-KEM detected	Same as apex

Scope breakdown · continued

Rows 3–4 of 4

Subdomains				PQC	Algorithms vs apex
ai.cyberrank.site	1	0	9	ML-KEM detected	No CERT_RSA_SIGNATURE, No RSA, +CERT_ECDSA_SIGNATURE
report.cyberrank.site	1	0	7	ML-KEM detected	No CERT_RSA_SIGNATURE, No RSA, +CERT_ECDSA_SIGNATURE

Apex aggregate (parent, not added to totals): High 7 · Moderate 0 · Low 32. Source: all rows “standard scan”.

Full register D.4 Quantum scope breakdown · 5 rows · Appendix D, pages 34–36

Scope and limitations

We cannot guarantee that a domain or organization is fully quantum-safe based on the results of this assessment because:

- Post-quantum cryptography is an evolving field. Cryptographic standards, implementations, and the understanding of quantum computing capabilities continue to develop. Future advances may affect the security of algorithms considered secure today.
- This is a non-invasive, external assessment. Unless an internal CyberRank agent is deployed, the scan evaluates only externally observable services and configurations. Internal systems, private networks, and services that are not externally accessible are outside the scope of this assessment.

Post-quantum readiness

A domain can only be considered fully post-quantum ready if it:

- Supports post-quantum cryptographic (PQC) algorithms for secure connections; and
- Disables legacy TLS versions (TLS 1.0, TLS 1.1, and TLS 1.2).

Allowing legacy TLS versions enables clients to establish connections using classical cryptographic algorithms. If an attacker can force or negotiate the use of an older protocol version (a protocol downgrade), the connection may lose the protections provided by post-quantum cryptography.

CYBERRANK

12 · ASSESSMENT DETAILS

Security resourcing

Whether this organisation publicly staffs security or privacy

Findings	Public materials show this organisation has a security function.

Privacy role evidence	Not available (reason not recorded)
Security role evidence	✓ Detected

CYBERRANK

13 · ASSESSMENT DETAILS

Certifications

Outlines industry certifications and compliance frameworks held by the organization, providing independent validation of security and privacy controls.

No findings	No certificate was detected or uploaded for this organisation; the compliance score is 0%.

No findings within the scope and time of this check

No certificate records were found in the sources checked.

0%
Compliance score
No findings

0 certifications
Certifications
No findings

Commonly referenced standards

Standard	Scope
ISO/IEC 27001	Information Security Management
ISO/IEC 27701	Privacy Information Management
SOC 2	Security, Availability, Confidentiality
GDPR	Data protection and privacy regulation

Reference list only: standards commonly referenced for organisations of this kind. It is not evidence that Mock Cyberrank holds them.

14 · ASSESSMENT DETAILS

Fourth-party vendors

Identifies fourth-party vendors — the suppliers and service providers used by this vendor — representing extended supply chain risk. Each vendor is assessed for security posture and compliance.

◑ Partial coverage — 3 connected organisations reported for Mock Cyberrank: 3 rated, 0 not rated. The lowest grade is CC (1 organisation).

> Ratings are as shown on the report date. How each organisation is connected to Mock Cyberrank and the date of each organisation's own assessment are not reported.

3 organisations
Connected organisations reported

3 rated
0 not rated

CC 1 organisation
Lowest grade reported

BB
Grade of Mock Cyberrank (for reference)

Rated organisations by grade (3)



CC 1 · AAA 2

Needs a look (1 of 3)

Lowest grades (cut where the risk band changes; never the Low band) and organisations without a rating; worst grade first.

Organisation	Sector (as reported)	Grade	Why listed
Namecheap `namecheap.com`	Information technology & services	CC Very insufficient	Lowest grades

All connected organisations (3)

Organisation	Sector (as reported)	Grade	Risk band (as sent)
Namecheap `namecheap.com` 1,500 employees · revenue 398M (as printed) · Phoenix, United States · founded 2001 · 135 technologies listed	Information technology & services	CC Very insufficient	High
Cloudflare `cloudflare.com` 5,200 employees · revenue 2.2B (as printed) · San Francisco, United States · founded 2009 · 573 technologies listed	Computer & network security	AAA Excellent	Low
Oracle `oracle.com` 141,000 employees · revenue 67.4B (as printed) · Austin, United States · founded 1977 · 1,240 technologies listed	Information technology & services	AAA Excellent	Low

A detected relationship is not evidence of a contract.

Supply-chain aggregation How fourth-party ratings feed combined supply-chain risk · Appendix C, page 31

15 · ASSESSMENT DETAILS

Cloud infrastructure

Identifies cloud service providers used by the organization through analysis of DNS records, IP ranges, MX records, and NS records. Cloud infrastructure detection reveals the hosting and service provider footprint of the assessed organization.

Findings	One cloud provider, Cloudflare, was detected. Detection shows provider use, not risk.

1 provider
Cloud providers detected

13 Oct 2026
Last scanned, cloud module
Report assessed 13 Oct 2026

Detected providers

Provider
Cloudflare

Detection methods: DNS records, IP ranges, MX records, NS records. Detected by and observed per provider: not available (not provided in the assessment data).

CYBERRANK

A · APPENDICES AND REFERENCES

About this report

This report is generated by IISRI® CyberRank.ai using automated, non-intrusive analysis of publicly accessible information. The assessment does not require access to internal systems and should be interpreted as an external risk signal.

Data sources

- Automated analysis of data leak databases, public disclosures, and monitored online sources.
- Automated technology discovery and vendor relationship analysis.
- Analysis of DNS records, IP ranges, MX records, and NS records.

Report details

Organisation	Mock Cyberrank
Domain	cyberrank.site
Assessment date	13 Oct 2026
Report generated	15 Oct 2026
Issued by	Not available[1]
Assessment ID	Not available[1]
Methodology version	Not available[1]
Time zone	Not available[1]

[1] Not provided in the assessment data.

Reading the result states


Every section carries one of these states next to its verdict.

State	Meaning
Findings	Assessed; issues or items were reported. In inventory sections (certifications, fourth-party vendors, cloud) this means items were observed, not that they are a risk.
No findings	Assessed; nothing was found within the sources and period checked. It does not mean the organisation is safe.
Not assessed	The module was not run for this report. No result is implied.
Not applicable	The check does not apply to this organisation.
Unavailable	The value could not be obtained or used. The reason is printed with it.
Partial coverage	Only part of the scope was covered; the results cover the part shown.
Pending review	A value exists but its meaning is unclear or contradicted; held for review.

B · APPENDICES AND REFERENCES

IISRI rating scale

Reference guide to the standardized rating scale used throughout this report, with descriptions of each grade level and associated risk profile.



Grade	Meaning
AAA Excellent	All information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met.
AA Very good	Almost all information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met.
A Good	Almost all information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. A few specific control weaknesses have been noted. Minor additional work on information security and/or privacy is recommended.
BBB Satisfactory	Main information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. A few specific control weaknesses have been noted. Minor additional work on information security and/or privacy is recommended.
BB Sufficient **Your rating**	Main information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. Some specific control weaknesses have been noted. Major additional work on information security and/or privacy is recommended.
B Moderate	Some information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. Many specific control weaknesses have been noted. Major additional work on information security and/or privacy is highly recommended.
CCC Insufficient	Main information security and/or privacy controls are unlikely to provide reasonable assurance that security and/or privacy issues are being managed and objectives are met. Major work on information security and/or privacy is highly recommended.
CC Very insufficient	Almost all information security and/or privacy controls are unlikely to provide reasonable assurance that security and/or privacy issues are being managed and objectives are met. Major work on information security and/or privacy is highly recommended.
C Poor	Almost all information security and/or privacy controls are unlikely to provide reasonable assurance that security and/or privacy issues are being managed and objectives are met. Major work or completely new program on information security and/or privacy is required.
D Very poor	All information security and/or privacy controls are not providing any assurance that security and/or privacy issues are being managed and objectives are met. Complete new program on information security and/or privacy is required.

CYBERRANK

C · APPENDICES AND REFERENCES

Methodology and supply-chain aggregation

One rating for every vendor. One risk number for your whole supply chain.

CYBERRANK turns externally observable evidence about an organisation into a single severity rating, a normalised risk score, and a combined risk that includes the vendors — and the vendors' vendors — behind it.

The problem

Attackers reach organisations through their suppliers. Existing tools don't add up: CVSS scores single technical flaws, questionnaires rely on self-reporting, and privacy, AI and quantum exposures have no common scale at all.

The approach

An ISO 31000-aligned model with four explicit steps, from observed weaknesses to supply-chain risk. Every step is reproducible and every number is comparable across organisations and portfolios.

The regulatory fit

Built for the obligations in DORA, NIS2, the GDPR and the AI Act, and aligned with ISO/IEC 27001, 27701 and 42001, NIST SP 800-53 and 800-161, PCI DSS and the NIST CSF.

How a rating becomes a risk four steps, one pipeline

1

Observe

Continuous external signals are collected without touching the organisation's systems.

Vulnerabilities · Privacy compliance · Credential & data leaks · Data sovereignty · Data residency · Terms of use · AI · Quantum

Certified controls earn credits: ISO 27001, ISO 27701, SOC 2, ISAE 3402, PCI DSS. Optional questionnaires add a second, bounded evidence channel.

2

Rate

Every organisation starts with a full point budget, split evenly between a security bucket and a privacy bucket. Weaknesses deduct capped demerits; certifications add capped credits.

The net score maps to the IISRI rating, AAA to D. The rating reflects the organisation's own posture only — a vendor's weakness never changes it.

3

Score the risk

Likelihood = threat probability × weakness. Threat probability comes from sector, size and internet exposure; weakness comes from the rating. Impact is one of four tiers you assign: Critical, High, Medium or Low.

Risk = normalised likelihood × impact, reported as a score and a band: Low, Medium, High or Critical.

4

Combine

Vendors and sub-vendors are discovered automatically and rated with the same pipeline. Their risks are folded into yours, attenuated by distance in the chain.

The combined risk shows the cascading exposure that your own rating cannot see.

The IISRI rating scale Ten grades. Higher grades mean lower weakness values and therefore lower likelihood.

D	C	CC	CCC	B	BB	BBB	A	AA	AAA
Very poor	Poor	Very insufficient	Insufficient	Moderate	Sufficient	Satisfactory	Good	Very good	Excellent

Controls provide no assurance — All controls adequate, appropriate and effective

General methodology, the same in every report; figures on the supply-chain page are illustrative and are not results for Mock Cyberrank. Copyright © 2026 IISRI. All rights reserved. Full methodology paper: "An Integrated Quantitative Methodology for Third-Party Security, Privacy and AI Risk Rating", July 2026. Available upon request.



Your rating describes you. Your combined risk describes your supply chain.

Every vendor and sub-vendor is rated with the same pipeline as you are. A weak vendor never lowers your own rating — that stays attributable to your posture. But an exploited vendor can open an attack path into your systems, so the same weakness does enter your combined risk, attenuated by how far away it sits in the chain.

The result is two complementary numbers. Read together, they show that an excellent rating does not certify a healthy supply chain.

Individual risk

Low

Your own posture, as if you had no suppliers. Suitable for external presentation.

Combined risk

Medium

You plus every vendor and sub-vendor. The number to manage against.

Combined risk — the "at least one adverse event" composition, applied recursively through the chain

$$R(N) = 1 - (1 - o_N) \cdot \Pi_{s \in \text{suppliers}(N)} \left(1 - R(s) \,/\, (f + d(s))^2 \right)$$

Every supplier's effective risk R(s) already contains its own suppliers, so the chain unrolls from the outermost leaves inward. Each factor is one party's chance of *not* causing an incident; one minus the product is the chance that something, somewhere in the chain, goes wrong.

o_N — A node's own individual risk score — from its rating, threat probability and impact tier.

$d(s)$ — Hops from the centre: d(s) = d(N) + 1. Each supplier sits one step further out and is damped more.

$R(A)$ — Your combined risk: the formula evaluated at your own organisation A, the centre of the graph (d = 0).

$R(s)$ — A supplier's effective risk, computed the same way from its own suppliers. A leaf with no suppliers has R = o_N.

f — The transmission fraction you configure. A larger f trusts distance more and shrinks every supplier's contribution.

Impact tiers you assign to each vendor

Critical	Failure immediately stops a critical service or causes a serious regulatory breach. DORA: critical.
High	Essential, but a temporary loss can be bridged with workarounds. DORA: important.
Medium	Supports normal operations; disruption means inconvenience. The default tier at onboarding.
Low	Minimal or no operational impact.

Why you can rely on it

- **Standards-grounded** — ISO 31000, ISO/IEC 27001, 27701 and 42001, NIST SP 800-30 and 800-53, DORA and NIS2.
- **Certified operator** — an independently audited ISO/IEC 27001 management system; ISO/IEC 42001 certification in progress.
- **Human in the loop** — users report inaccuracies and appeal findings; feedback tunes detection confidence over time.
- **Honest about limits** — vendor compromises are treated as independent, some detections are heuristic, and the continuous score is primary over the qualitative heat map.

An organisation's own excellent rating does not certify its supply chain. Only the combined risk does.

The dashboard shows, for you and every (sub-)vendor, six domains — Security, Privacy, Data leaks, Controls, AI, Quantum — plus the IISRI rating, the individual risk and the combined risk.

Copyright © 2026 IISRI. All rights reserved. Full methodology paper: "An Integrated Quantitative Methodology for Third-Party Security, Privacy and AI Risk Rating", July 2026. Available upon request.

D · APPENDICES AND REFERENCES

Detailed evidence registers

Findings

Evidence registers support findings; layout and row caps do not change any score.

Register index

D.n	Register	State	Content	Location
D.1	Affected assets by finding	Findings	5 of 5 affected assets	p. 33
D.1.2	IP reputation	Pending review	Not required — all 4 IP addresses shown in Section 04.	Section 04, p. 14
D.2	Credential exposure — supporting tables	No findings	Not required — no exposed credentials identified.	Section 05, p. 15
D.3	Data leak event details	No findings	Not required — no events identified.	Section 06, p. 16
D.4	Quantum scope breakdown	Findings	5 scopes (one row each) and all 46 scope × algorithm rows	pp. 34–36
D.5	Uploaded certificate documents	No findings	Not required — no uploaded certificate documents in the assessment data.	Section 13, p. 26
D.6	Fourth-party vendors and technologies	Partial coverage	Not required — all 3 connected organisations shown in Section 14.	Section 14, p. 27

Registers that are not required appear here only. Page references link to the register.

D.1 Affected assets by finding

Critical 0 · High 1 · Medium 4 · Low 0

One row per affected asset, sorted by highest severity, then number of findings, then name. Showing 5 of 5 assets.
Unit: affected assets; Findings counts finding types per asset. State: Findings. Snapshot 13 Oct 2026.
Back to Section 04 Vulnerabilities, p. 10

#	Highest severity	Affected asset	Finding IDs	Findings
1	High	`test.cyberrank.site`	vuln-01, vuln-05, vuln-12	3
2	Medium	`mail.cyberrank.site`	vuln-02, vuln-03, vuln-04, vuln-06, vuln-07, vuln-08, vuln-09, vuln-10, vuln-11, vuln-12	10
3	Medium	`cyberrank.site / 172.67.209.197`	vuln-02, vuln-03, vuln-06, vuln-07, vuln-08, vuln-09, vuln-10, vuln-11	8
4	Medium	`report.cyberrank.site`	vuln-03, vuln-04, vuln-06, vuln-07, vuln-08, vuln-10, vuln-11, vuln-12	8
5	Medium	`ai.cyberrank.site`	vuln-03, vuln-04, vuln-06, vuln-07, vuln-08, vuln-10, vuln-11	7

End of register · 5 rows. 5 of 5 affected assets shown; 0 not shown. Totals: 36 finding memberships; source register memberships 36 (matches); Section 04 affected-asset counts 36 (matches).

D.4 Quantum scope breakdown

High 8 Moderate 1 Low 37

D.4.1 lists one row per scope with its post-quantum (PQC) status, ordered by High, then Moderate, then Low findings. The apex aggregate comes first; subdomain rows are not added to it. Showing 5 of 5 scopes. D.4.2 lists every scope × algorithm row (46 of 46).

Unit: scopes (D.4.1) and scope × algorithm rows (D.4.2); counts are findings. Source: all rows "standard scan". State: Findings. Snapshot 13 Oct 2026.

Back to Section 11 Quantum security, p. 21

D.4.1 Scopes

#	Subdomain	PQC				Algorithms vs apex
A	cyberrank.site apex aggregate	ML-KEM detected	7	0	32	Reference
1	test.cyberrank.site	NTRU Prime detected	2	1	9	No CERT_RSA_SIGNATURE, No RSA, +CERT_ECDSA_SIGNATURE, +DHE, +SSH_HOST_KEY_ECDSA, +SSH_HOST_KEY_ED25519, +SSH_HOST_KEY_RSA
2	mail.cyberrank.site	ML-KEM detected	2	0	7	Same as apex
3	ai.cyberrank.site	ML-KEM detected	1	0	9	No CERT_RSA_SIGNATURE, No RSA, +CERT_ECDSA_SIGNATURE
4	report.cyberrank.site	ML-KEM detected	1	0	7	No CERT_RSA_SIGNATURE, No RSA, +CERT_ECDSA_SIGNATURE

D.4.2 Scope × algorithm rows

#	Category	Algorithm (pre-QC)	Post-QC			
cyberrank.site · apex aggregate						ML-KEM detected
1	Public-key cryptography	ECDHE	NTRU Prime	5	0	0
2	Public-key cryptography	RSA	ML-KEM	2	0	0
3	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	2
4	# Hash functions	SHA256	Not listed	0	0	5
5	# Hash functions	SHA384	Not listed	0	0	5
6	Public-key cryptography	ECDSA	Not listed	0	0	5
7	Symmetric cryptography	AES_128	Not listed	0	0	5
8	Symmetric cryptography	AES_256	Not listed	0	0	5
9	Symmetric cryptography	CHACHA20	Not listed	0	0	5
test.cyberrank.site						NTRU Prime detected
10	Public-key cryptography	DHE	NTRU Prime	1	0	0
11	Public-key cryptography	ECDHE	NTRU Prime	1	0	0
12	Certificate	CERT_ECDSA_SIGNATURE	Not listed	0	0	1

D.4.2 Scope × algorithm rows · continued

Rows 13–43 of 46 · test.cyberrank.site (cont.)

#	Category	Algorithm (pre-QC)	Post-QC			
13	# Hash functions	SHA256	Not listed	0	0	1
14	# Hash functions	SHA384	Not listed	0	0	1
15	Key exchange	SSH_HOST_KEY_ECDSA	Not listed	0	0	1
16	Key exchange	SSH_HOST_KEY_ED25519	Not listed	0	0	1
17	Key exchange	SSH_HOST_KEY_RSA	Not listed	0	1	0
18	Public-key cryptography	ECDSA	Not listed	0	0	1
19	Symmetric cryptography	AES_128	Not listed	0	0	1
20	Symmetric cryptography	AES_256	Not listed	0	0	1
21	Symmetric cryptography	CHACHA20	Not listed	0	0	1
mail.cyberrank.site					ML-KEM detected	
22	Public-key cryptography	ECDHE	ML-KEM	1	0	0
23	Public-key cryptography	RSA	ML-KEM	1	0	0
24	Certificate	CERT_RSA_SIGNATURE	Not listed	0	0	1
25	# Hash functions	SHA256	Not listed	0	0	1
26	# Hash functions	SHA384	Not listed	0	0	1
27	Public-key cryptography	ECDSA	Not listed	0	0	1
28	Symmetric cryptography	AES_128	Not listed	0	0	1
29	Symmetric cryptography	AES_256	Not listed	0	0	1
30	Symmetric cryptography	CHACHA20	Not listed	0	0	1
ai.cyberrank.site					ML-KEM detected	
31	Public-key cryptography	ECDHE	ML-KEM	1	0	0
32	Certificate	CERT_ECDSA_SIGNATURE	Not listed	0	0	3
33	# Hash functions	SHA256	Not listed	0	0	1
34	# Hash functions	SHA384	Not listed	0	0	1
35	Public-key cryptography	ECDSA	Not listed	0	0	1
36	Symmetric cryptography	AES_128	Not listed	0	0	1
37	Symmetric cryptography	AES_256	Not listed	0	0	1
38	Symmetric cryptography	CHACHA20	Not listed	0	0	1
report.cyberrank.site					ML-KEM detected	
39	Public-key cryptography	ECDHE	ML-KEM	1	0	0
40	Certificate	CERT_ECDSA_SIGNATURE	Not listed	0	0	1
41	# Hash functions	SHA256	Not listed	0	0	1
42	# Hash functions	SHA384	Not listed	0	0	1
43	Public-key cryptography	ECDSA	Not listed	0	0	1

CYBERRANK

D.4.2 Scope × algorithm rows · continued

Rows 44–46 of 46 · report.cyberrank.site (cont.)

#	Category	Algorithm (pre-QC)	Post-QC			
44	Symmetric cryptography	AES_128	Not listed	0	0	1
45	Symmetric cryptography	AES_256	Not listed	0	0	1
46	Symmetric cryptography	CHACHA20	Not listed	0	0	1

Post-QC “Not listed”: the source prints a dash, so no post-quantum replacement is listed for that algorithm; the source does not say whether one was checked.

End of register · 46 scope × algorithm rows. 5 of 5 scopes shown; 0 not shown (none withheld; all 46 scope × algorithm rows in D.4.2). Totals: over 4 subdomain rows, 39 findings (High 6 · Moderate 1 · Low 32) from 37 subdomain × algorithm rows; apex aggregate, not added, High 7 · Moderate 0 · Low 32 — differs from the Section 11 headline High 8 · Moderate 1 · Low 37, which counts the 46 scope × algorithm rows by level (highest level per row); Subdomain rows exceed the apex aggregate that covers them (Moderate 1 vs 0); not explained by the source data.

CYBERRANK