CYBERRANK

Cyber Risk Report

Assessment date

01 Oct 2026

Generated date

02 Oct 2026

REPORT FOR

Northwind Example Ltd

example.com

ISSUED BY

Example Group Procurement

Assessment organisation
via Cyberrank

Contents

Northwind Example Ltd / example.com / Assessment 01 Oct 2026

Overview and priorities

01 Executive overview 3
Scope and coverage / rating overview / sector comparison

02 Priority actions 6

Assessment details

03 Privacy 8

04 Vulnerabilities 9

05 Credential exposure 15

06 Data breach and leak history 17

07 Data sovereignty 18

08 Data residency 19

09 Legal terms & conditions 21

10 AI risk and governance 22

11 Quantum security 23

12 Security resourcing 26

13 Certifications 27

14 Fourth-party vendors 29

15 Cloud infrastructure 30

Appendices and references

A About this report 31

B IISRI rating scale 32

C Methodology and supply-chain aggregation 33

D Detailed evidence registers 35

CYBERRANK

01 · OVERVIEW AND PRIORITIES

Executive overview

Northwind Example Ltd (example.com) holds an IISRI external rating of BB (Sufficient, medium risk band), with 196 of 360 points. The largest gaps are vulnerabilities and credential exposure.

IISRI® External Rating

BB

Sufficient
Medium risk band



Main information security and/or privacy controls are adequate, but some specific control weaknesses have been noted.

Meaning of every grade: Appendix B IISRI rating scale, page 32

Scope and coverage

Organisation	Northwind Example Ltd	Organisation ID	org-demo-0001
Primary domain	example.com	Assessment ID	`demo-assessment-0001`
Sector	Financial services	Eligible targets	12 targets
Assessment date	01 Oct 2026	Coverage	100%

Observed targets

11 subdomains
Scanned subdomains

24 hosts
Hosts observed for residency

All subdomains discovered from public DNS and certificate records were included.


This report is generated by IISRI® CyberRank.ai using automated, non-intrusive analysis of publicly accessible information.

Organisation profile

Northwind Example Ltd is a fictional retail bank and payments provider used to demonstrate the Cyberrank Cyber Risk Report. All data in this report is synthetic.

Rating overview

Aspect scores



All aspects

Privacy — Findings
6 active privacy issues

Vulnerabilities — Findings
13 finding types · 2 Critical, 2 High, 5 Medium, 4 Low

Credential exposure — Findings
40 exposed account records

Data breach and leak history — Findings
3 events · 1 resolved

Data sovereignty — No findings
Matches the preference

Data residency — Findings
1 of 6 hosting countries outside the preference

Legal terms & conditions — Findings
1 of 2 customer-protection clauses found

AI risk and governance — Findings
2 AI governance issues

Quantum security — Findings
33 high-risk findings

Security resourcing — Identified
2 of 2 privacy and security roles with public evidence

Certifications — Identified
3 certifications · 1 awaiting approval

Fourth-party vendors — Identified
34 connected organisations · 5 need a look

Cloud infrastructure — Identified
4 cloud providers

Sector comparison

See how your security posture compares to sector peers.

Your score		**58 / 100**
Sector average		66 / 100
Sector top 10%		88 / 100

Sector	Financial services
Performance gap	You are 8 points below the sector average.
Peer cohort	120 organisations · 2026 Q3 · nearest rank

Next 02 Priority actions, page 6 · 6 actions (2 high, 2 medium, 2 low)

CYBERRANK

02 · OVERVIEW AND PRIORITIES

Priority actions

Recommended actions to improve your IISRI rating, ordered by severity and impact.

Identified — 5 recommended actions: 2 high, 2 medium and 1 low priority.

6 actions	2 actions	2 actions	2 actions
Total	High priority	Medium priority	Low priority

#	Priority	Action	Effort	Team
1		**Close the exposed remote desktop service** Remove public access to the remote desktop service on legacy.example.com and place it behind the VPN. Why it matters: An exposed remote access service is the most common starting point for ransomware. See 04 Vulnerabilities, page 9	1 day	IT Security team
2		**Reset Compromised Credentials** Force password resets for the exposed accounts and enable multi-factor authentication for all users. Why it matters: Exposed passwords are reused in credential-stuffing attacks against the portal and email. Verify first: 40 is the source headline (unit not defined); 40 register rows listed; unique accounts: Not available (cannot be derived from the available data). See 05 Credential exposure, page 15	1 week	IT Security team
3		**Enhance DMARC Policy to "Quarantine"** Upgrade DMARC policy from monitoring (p=none) to quarantine (p=quarantine). Why it matters: Spoofed email using the organisation domain is still delivered to recipients. See 04 Vulnerabilities, page 9	2 weeks	Email / DNS administrator

CYBERRANK

Priority actions · continued

Rows 4–6 of 6

#	Priority	Action	Effort	Team
4		**Privacy** Described in 03 Privacy, page 8 (Issue 1). Why it matters: Unclear retention periods weaken the privacy score and customer trust.	2 weeks	Legal + DPO team
5		**Publish an AI use statement** Publish a public AI policy and describe the chat assistant in the privacy policy. Why it matters: Credit decisioning is a high-risk AI use under the EU AI Act; transparency is expected. See 10 AI risk and governance, page 22	1 month	Legal + Product team
6		**Review system-detected certificates** 1 system-detected certificate (ISO/IEC 27001) is awaiting approval. Check the source, then approve or reject it in Cyberrank. Added by this report from the certificate records; not part of the assessment action list. See 13 Certifications, page 27	Not available[1]	Cyberrank admin

[1] Not tracked by the assessment.

Where not shown: owner not assigned, due not assigned, status not tracked by the assessment. Rank is the order of the recommendations. Estimated time is not a due date.

Projected Rating After Remediation

Estimated improvement upon completion of the recommended actions

Current rating	BB · score 196 / 360
Projected rating	AA · score 290 / 360
Recoverable	94 points
Active issues	19 (6 privacy + 13 vulnerability)

19 active issues were identified (6 privacy issues, 13 vulnerability findings). Completing the recommended actions is expected to recover up to 94 points, conditional on a fresh scan.

Projection as reported by the source, not a commitment. Vulnerability fixes count only after a fresh scan confirms them.

03 · ASSESSMENT DETAILS

Privacy

Evaluates privacy posture through publicly available data, privacy policies and disclosures.

Findings	One privacy policy was assessed at 64% with 6 active issues.

64%
Privacy Score

6 issues
Active Issues

1 policy
Policies Found

Privacy policy

Findings	Published privacy policy: state, source, assessed areas and issues
Policy source	`https://www.example.com/privacy`
Per-area results (A–P)	Not available (not provided in the assessment data)

Active issues

Issue	Type	What was found
Issue 1	Privacy	Vague retention periods – the policy does not say how long customer records are kept or when they are deleted.
Issue 2	Privacy	Cookie use is broad – analytics and advertising cookies are mentioned without listing their purposes or providers.
Issue 3	Security	No breach notification commitment – the policy does not say whether or when customers are told about a personal data breach.
Issue 4	Privacy	International transfers unclear – transfers outside the United Kingdom are mentioned without naming the safeguards used.
Issue 5	Privacy	Data subject rights incomplete – the right to data portability is not described.
Issue 6	Security	Contact route for privacy requests is a web form only – no postal or email route is given.

CYBERRANK

04 · ASSESSMENT DETAILS

Vulnerabilities

Covers external security posture including network vulnerabilities, open services, certificates and email security controls.

Findings — 13 finding types were reported: 2 critical, 2 high, 5 medium and 4 low, across 12 affected assets.

38% Vulnerability score

13 Finding types

31 memberships — Finding-asset memberships

12 asset labels — Distinct affected asset labels

Scanned assets

12 of 12 scanned domains have at least one finding

2 Critical · 3 High · 4 Medium · 3 Low

auth.example.com	legacy.example.com	vpn.example.com	status.example.com
files.example.com	example.com	www.example.com	portal.example.com
mail.example.com	api.example.com	dev.example.com	cdn.example.com

Scanned: 1 domain and 11 subdomains. Each domain is marked by its highest severity.

Finding types by severity

Critical 2 · High 2 · Medium 5 · Low 4

Critical Exploitable weakness with direct impact; act immediately.
High Serious weakness; fix as a priority.
Medium Moderate risk issues that should be addressed.
Low Minor security concerns with limited impact.

Expired TLS certificate appears under more than one severity: the severity depends on the affected domain, so it is listed once per severity.

ID	Severity	Finding	Affected domains	Breach likelihood
vuln-01	Critical	Remote desktop service exposed to the internet	1	38%
vuln-13	Critical	Expired TLS certificate	1	31%
vuln-02	High	TLS 1.0 enabled	3	22%
vuln-03	High	Expired TLS certificate	1	18%
vuln-04	Medium	HSTS not enforced	5	12%
vuln-05	Medium	Outdated jQuery library	2	11%
vuln-06	Medium	Missing Content-Security-Policy header	4	9%

Finding types · continued

Rows 8–13 of 13

ID	Severity	Finding	Affected domains	Breach likelihood
vuln-07		Weak cipher suites (3DES) offered	3	8%
vuln-08		DMARC policy p=none	1	10%
vuln-09		Server version disclosed in HTTP headers	5	4%
vuln-10		Missing X-Content-Type-Options header	3	3%
vuln-11		Session cookie without Secure flag	1	5%
vuln-12		DNSSEC not enabled	1	4%

Breach likelihood. Indicates the estimated probability that this vulnerability could lead to a security breach. >=30% represents high risk, 15-29% represents moderate risk, <15% represents lower risk.

Finding details

Critical 2 · High 2 · Medium 5 · Low 4

#	Severity	Finding	Rationale and affected domains
1		Remote desktop service exposed to the internet Breach likelihood 38% ID vuln-01	A remote desktop service answers on a public address. Exposed remote access services are a common entry point for brute-force and credential-stuffing attacks and should sit behind a VPN or zero-trust gateway. **Affected domains (1)** legacy.example.com / 192.0.2.80
2		Expired TLS certificate Breach likelihood 31% ID vuln-13	The certificate on the sign-in host expired months ago, so every visitor sees a warning on the page where credentials are entered. This makes interception attacks far easier than on a status page. **Affected domains (1)** auth.example.com
3		TLS 1.0 enabled Breach likelihood 22% ID vuln-02	The server still accepts TLS 1.0, a protocol version with known weaknesses that modern clients no longer need. Attackers able to force a downgrade can weaken the protection of data in transit. **Affected domains (3)** legacy.example.com / 192.0.2.80, vpn.example.com / 192.0.2.15, files.example.com
4		Expired TLS certificate Breach likelihood 18% ID vuln-03	The certificate presented by the host has passed its validity date. Browsers show a warning and users may learn to click through warnings, which makes interception attacks easier. **Affected domains (1)** status.example.com
5		HSTS not enforced Breach likelihood 12% ID vuln-04	The site does not send a Strict-Transport-Security header, so a first visit over plain HTTP can be intercepted before the redirect to HTTPS takes place. **Affected domains (5)** example.com / 203.0.113.10, www.example.com,

Finding details · continued

Rows 5–13 of 13

#	Severity	Finding	Rationale and affected domains
		HSTS not enforced (cont.)	`portal.example.com / 203.0.113.24`, `files.example.com`, `status.example.com`
6		`Outdated jQuery library` Breach likelihood 11% ID vuln-05	A JavaScript library version with publicly documented cross-site scripting issues is loaded by the page. Updating the library removes the known weaknesses. **Affected domains (2)** `www.example.com`, `portal.example.com / 203.0.113.24`
7		`Missing Content-Security-Policy header` Breach likelihood 9% ID vuln-06	No Content-Security-Policy is set. A policy limits where scripts may load from and reduces the impact of cross-site scripting. **Affected domains (4)** `example.com / 203.0.113.10`, `www.example.com`, `portal.example.com / 203.0.113.24`, `auth.example.com`
8		`Weak cipher suites (3DES) offered` Breach likelihood 8% ID vuln-07	Legacy 3DES cipher suites are still offered during the TLS handshake. They are vulnerable to birthday-bound attacks on long-lived connections. **Affected domains (3)** `mail.example.com / 198.51.100.7`, `vpn.example.com / 192.0.2.15`, `legacy.example.com / 192.0.2.80`
9		`DMARC policy p=none` Breach likelihood 10% ID vuln-08	The DMARC record is in monitoring mode only. Spoofed email that fails authentication is still delivered, which leaves the domain open to phishing and impersonation. **Affected domains (1)** `example.com / 203.0.113.10`
10		`Server version disclosed in HTTP headers` Breach likelihood 4% ID vuln-09	The web server announces its product and version in response headers. This helps attackers pick matching exploits; the header can be suppressed. **Affected domains (5)** `www.example.com`, `api.example.com / 198.51.100.40`, `dev.example.com`, `status.example.com`, `legacy.example.com / 192.0.2.80`
11		`Missing X-Content-Type-Options header` Breach likelihood 3% ID vuln-10	Without the nosniff option, browsers may guess content types, which can turn an uploaded file into executable content. **Affected domains (3)** `portal.example.com / 203.0.113.24`, `files.example.com`, `cdn.example.com`
12		`Session cookie without Secure flag` Breach likelihood 5% ID vuln-11	A session cookie can be sent over an unencrypted connection. Setting the Secure flag keeps it on HTTPS. **Affected domains (1)** `portal.example.com / 203.0.113.24`
13		`DNSSEC not enabled` Breach likelihood 4% ID vuln-12	The zone is not signed with DNSSEC, so resolvers cannot verify that DNS answers are authentic. **Affected domains (1)** `example.com / 203.0.113.10`

CYBERRANK

Vulnerability scan results

4 hosts scanned: 2 clean, 2 with findings reported.

Host	Result	Scanned	Findings
https://example.com	Clean	01 Oct 2026 09:42	0
https://www.example.com	Clean	01 Oct 2026 09:42	0
https://portal.example.com	Scanned	01 Oct 2026 09:42	2
https://api.example.com	Scanned	01 Oct 2026 09:42	1

Findings on https://portal.example.com

#	Severity	Finding	Detail
1	Informational	**Login form served without rate limiting**	Repeated login attempts were not slowed down. Impact: Allows password-guessing at scale. Remediation: Add rate limiting or a progressive delay to the login form.
2	Informational	**Directory listing enabled on /assets/**	The web server lists the files of a static folder. Impact: Reveals file names that may help an attacker map the application. Remediation: Disable automatic directory listing.

Findings on https://api.example.com

#	Severity	Finding	Detail
1	Informational	**API documentation publicly reachable**	Interactive API documentation is reachable without authentication. Impact: Gives attackers a precise map of the endpoints. Remediation: Restrict the documentation to authenticated users or internal networks.

CYBERRANK

Email and DNS security controls

Control	Result	What it does and what was recorded
SPF	✓ Enabled	Lists the servers allowed to send mail for the domain. Source: "SPF: Enabled – authorised sending servers are published."
DKIM	✓ Enabled	Signs outgoing mail so receivers can verify its origin and integrity. Key strength: 2048-bit Source: "DKIM: Enabled – supports email integrity and sender authenticity."
DMARC	◑ Enabled, monitoring only (p=none)	Sets how receivers treat mail failing SPF or DKIM; reports spoofing. Policy mode (p=): none Source: "DMARC: Enabled (none mode) – visibility into spoofing attempts is present, but failing mail is not blocked."
DNSSEC	✗ Missing or invalid	Authenticates DNS responses and protects against DNS cache poisoning. Source: "DNSSEC: Missing / Invalid – authenticates DNS responses and protects against DNS cache poisoning."

It is recommended to progressively enforce DMARC policies to reduce phishing and impersonation risks. DKIM RSA keys must be at least 2048 bits; 1024-bit keys are flagged as a LOW finding. DNSSEC should be enabled (DS record + RRSIG + valid chain of trust) to prevent DNS spoofing.

CYBERRANK

IP reputation

IP address	ISP	Country	Abuse score	Reports
203.0.113.10	Example Transit Networks	GB	0	0
203.0.113.24	Example Transit Networks	GB	0	0
198.51.100.7	Example Transit Networks	DE	0	0
198.51.100.40	Example Transit Networks	US	0	0
192.0.2.80	Example Transit Networks	BR	27	4

Other checks

Check	Result	Note
HTTPS redirect	No findings	HTTP correctly redirects to HTTPS. No insecure patterns detected. Source: “HTTPS Redirect — Secure”. What was checked: HTTP to HTTPS redirect on every scanned web host.

Related priority actions

Critical 0 High 1 Medium 1 Low 0

#	Priority	Action	Required role	Time
1		Close the exposed remote desktop service	IT Security team	1 day
3		Enhance DMARC Policy to "Quarantine"	Email / DNS administrator	2 weeks

Owners, due dates and status are listed with each action in section 02.

CYBERRANK

05 · ASSESSMENT DETAILS

Credential exposure

Identifies credential leaks associated with the organization's domains in breach compilations and monitored online sources.

Findings	40 exposed account records were found for example.com and its mail subdomain; 33 are still open.

40
exposed account records

9
include a password

7
rows on example.com or its subdomains with a password

4
affected domains

2026
latest exposure year

Affected domains

Domain	Rows	With password	Latest year
example.com	19	4	2026
app.example.com	10	3	2026
portal.example.com	7	0	2026
vpn.example.com	4	2	2025

Email domain of exposed accounts

Account email domain	With password	Without password	Fields not reported	Total
example.com	6	24	0	30
Subdomains of example.com	1	4	0	5
Other email domains	1	3	0	4
Unknown Email	1	0	0	1
All listed rows	**9**	**31**	**0**	**40**

The email domain is the account's mailbox provider, not the site where the credential leaked.

Rows by latest exposure year

2026	2025	2024	2023	2022	2021 and before	Unknown
6	8	4	6	4	11	1

Each row counts once, under the latest year the source gives; “Unknown” rows have no year. 6 rows list both a year and “Unknown” and count under the year. Rows on example.com with a password: 4 dated 2025–2026; 3 with latest year 2019–2021.

Row status as recorded: Open 33, Resolved 7.

Full register D.2 Credential exposure — supporting tables · 40 rows · Appendix D, pages 35–37

Recommended mitigation measures

Attention: Historical credential exposures were identified. Password resets and multi-factor authentication are recommended for the affected accounts.

- Force password resets for all affected accounts
- Enable multi-factor authentication across all user access points
- Review password hygiene and access policies
- Monitor authentication logs for anomalous activity
- 14 rows record a service/URL (origin) with the credential, a pattern typical of infostealer logs: revoke active sessions and tokens for the affected accounts and notify the affected users.
- Rows on other email domains are not accounts the organisation manages; tell the affected users rather than resetting them centrally.

CYBERRANK

06 · ASSESSMENT DETAILS

Data breach and leak history

Documents publicly known data leak incidents. Historical data leaks are listed for context.

Findings — 3 breach events were found in the sources checked: one is used in the rating, one is historical and one was marked resolved by the organisation.

55%	3 events	14 Nov 2025	2 events
Data leak score	Leak events	Last valid event	Open events (excludes resolved)

Source: "Last data leak has been reported on 20.11.2025."

Events in the period checked (3)

The rating uses the 14 Nov 2025 data leak on portal.example.com (row 1).

Used in rating · Historical · Resolved · Assessment date (01 Oct 2026)



Date	Event	Records affected	Status
14 Nov 2025 Disclosed 20 Nov 2025 Dated by disclosure date 315 days before assessment	**portal.example.com** · Data leak A misconfigured storage bucket behind the customer portal exposed account names, email addresses and hashed passwords for a limited period before it was closed. https://news.example.net/2025/11/portal-exposure	12,400 accounts this organisation only	Used in rating
02 Mar 2024 Dated by occurrence date 943 days before assessment	**example.com** · Third party breach A marketing-automation provider used by several companies reported unauthorised access to contact lists; addresses on the organisation domain appear in the aggregate. Rating: listed under Historical Breaches: not directly used in current scoring https://security-news.example.org/2024/03/marketing-platform-incident	2,100,000 records aggregate across several services	Historical
19 Jun 2023 Dated by occurrence date 1,200 days before assessment	**files.example.com** · Data leak A shared file link indexed by a search engine exposed a supplier contact sheet. The organisation removed the link and marked the event resolved. https://news.example.net/2023/06/file-share-index	850 accounts this organisation only	Resolved

Resolved events were closed by the organisation or an administrator. They stay in the list and the timeline but are not counted as open events.

07 · ASSESSMENT DETAILS

Data sovereignty

Where this supplier says disputes and legal obligations are handled

No findings	The governing law found in the published terms (England and Wales) is within the jurisdictions you accept.

No findings within the scope and time of this check

Governing law / courts found	United Kingdom
Accepted jurisdictions	United Kingdom, European Union (EU)
Against the preference	✓ Matches the preference

The governing law found is within the accepted jurisdictions (United Kingdom, European Union (EU)), compared with the preference set by the report owner/requestor.

Policy text: “These terms and any dispute arising from them are governed by the laws of England and Wales.”

Source text: “The terms of service name the courts of England and Wales, which matches the jurisdictions your organisation accepts.”

CYBERRANK

08 · ASSESSMENT DETAILS

Data residency

Where this organisation's public systems are hosted, compared with the countries preferred by the report owner/requestor

Findings	Most public systems are hosted in preferred countries; one host is in Brazil, outside the preference, and one host could not be located.


24 hosts
Hosts observed

6 countries
Countries identified


Preferred countries	GB, DE, IE, US, SG, AU
Against the preference	✕ Does not match the preference


Public systems were observed outside the preferred countries (GB, DE, IE, US, SG, AU), compared with the preference set by the report owner/requestor, so customer data may be held outside those countries.

World map; badges show the country code, listed in the table below; lettered frames are magnified under the map.



● Hosting in a preferred country ■ Hosting outside the preferred countries ○ Preferred country
◌ Not placed on the map: 1 host with unknown location.





	Country	Hosts	Against the preference	Evidence
●	United Kingdom (GB)	9	✓ Matches the preference	IP geolocation
●	Germany (DE)	4	✓ Matches the preference	IP geolocation
●	United States of America (US)	5	✓ Matches the preference	IP geolocation
●	Singapore (SG)	2	✓ Matches the preference	IP geolocation
●	Australia (AU)	2	✓ Matches the preference	IP geolocation
■	Brazil (BR)	1	✗ Does not match the preference	IP geolocation
○	Ireland (IE)	None observed	Preferred country; no hosts observed	–
◌	Location unknown (not on the map)	1	⊖ Cannot be compared	IP geolocation

IP geolocation shows where public systems are hosted, not where all customer data is stored.

CYBERRANK

09 · ASSESSMENT DETAILS

Legal terms & conditions

Login / payment portal customer-protection clauses

Findings	A customer login portal was found; its terms protect customer data but do not commit to breach notification.

1 clause

Customer-protection clauses found (of 2)

Login / Payment Portal	✓ Detected
Clause: protects customer data	✓ Yes
Clause: notifies customers on breach	✗ No
Terms page	`https://www.example.com/legal/terms`

One clause found; not counted against the rating.

The portal terms describe how customer data is protected, but we found no clause that commits to notifying customers after a breach.

CYBERRANK

10 · ASSESSMENT DETAILS

AI risk and governance

What we observed about this organisation's use of artificial intelligence

Findings	AI is used in customer-facing services; no public AI policy was found and the privacy policy explains AI use only in part.

2 issues
AI issues

3 signals
AI signals observed

What was observed

What we observed about this organisation's use of artificial intelligence

The organisation appears to use AI in customer-facing services. Its support site embeds a chat assistant, its content security policy allows calls to an AI service endpoint, and its careers page advertises machine-learning roles. Credit decisioning is listed among its services, an area the EU AI Act treats as high risk.

Signals observed

Signal	Method	Example as recorded
AI infrastructure	CSP / header analysis	`CSP destination: api.ai-vendor.example.net`
AI assistant mentioned	Public pages	`Chat assistant widget on support.example.com`
AI-related hiring	Careers pages	Careers page advertises a machine-learning engineer role

Areas rated

Area	Result	Status
AI use in the service	This organisation uses AI in customer-facing services.	Observation
EU AI Act Annex III high-risk sector	Credit decisioning is listed among its services (EU AI Act Annex III).	Findings
Public AI policy	We could not find a public AI policy explaining how they use or govern AI.	Findings
AI use explained in the privacy policy	The privacy policy mentions automated decisions but not the chat assistant.	Partial coverage

CYBERRANK

11 · ASSESSMENT DETAILS

Quantum security

Assesses exposure to quantum computing threats by analyzing cryptographic algorithms used by public services.

Findings — The scan reported 33 high-risk, 30 moderate-risk and 41 low-risk findings; ML-KEM post-quantum key exchange was detected on 5 domains.

33 findings — High Risk
30 findings — Moderate Risk
41 findings — Low Risk
5 domains — PQC Detected

High, Moderate and Low are the source headline: the main domain total, as scored in the product. The main domain total row for example.com matches it and covers the main domain and 8 subdomains (9 scopes). The subdomain rows sum to High 33 · Moderate 30 · Low 41; they are not added to the headline.

Source notice: Quantum Vulnerability is currently in beta. You may encounter incomplete data or ongoing changes as we refine the experience.

Findings by algorithm

High 33 · Moderate 30 · Low 41

Each algorithm counts findings across all scanned scopes. High risk marks key exchange that a quantum computer could break; a PQC alternative is the replacement the source names.

#	Risk	Category	Algorithm	Findings	Protocols	PQC alternative
1	High	Public-key cryptography 21 findings in category · 7 domains	RSA_2048	7	TLS_1_2, TLS_1_3	ML-DSA
2	High		ECDSA_P256	14	TLS_1_3	ML-DSA
3	High	Key exchange 28 findings in category · 8 domains	ECDHE_X25519	15	TLS_1_3	ML-KEM
4	High		DHE_2048	13	TLS_1_2	ML-KEM
5	Moderate	Symmetric cryptography 32 findings in category · 8 domains	AES_128	18	TLS_1_2	Not available
6	Low		AES_256	14	TLS_1_3	Not available
7	Moderate	# Hash functions 23 findings in category · 7 domains	SHA1	12	TLS_1_2	Not available
8	Low		SHA256	11	TLS_1_2, TLS_1_3	Not available

Post-quantum cryptography detected

ML-KEM (CRYSTALS-Kyber)

Key exchange / encryption · NIST standardized (FIPS 203)

Detected on 5 of 9 scopes. Support for PQC does not prove that every connection uses it.

`example.com` `www.example.com` `portal.example.com` `api.example.com` `auth.example.com`

No ML-KEM observed on 4 of 9 scopes

`files.example.com, mail.example.com, status.example.com, vpn.example.com`

Affected protocols

#	Risk	Protocol	Algorithms	PQC
1		TLS_1_3	ECDSA_P256, ECDHE_X25519, AES_256, SHA256	ML-KEM available
2		TLS_1_2	RSA_2048, DHE_2048, AES_128, SHA1	No PQC available on TLS 1.2

Scope breakdown

8 subdomains in 8 groups with identical counts, PQC status and algorithms, ordered by High, then Moderate, then Low findings. Appendix D.4 lists one row per subdomain and every scope × algorithm row (55).

Subdomains				PQC	Algorithms vs main domain
files.example.com	9	2	1	No PQC detected	No AES_128, No DHE_2048, No SHA256
mail.example.com	6	5	3	No PQC detected	No ECDHE_X25519, No SHA256
status.example.com	5	2	1	No PQC detected	No RSA_2048, No SHA1, No SHA256
vpn.example.com	4	3	2	No PQC detected	No AES_256, No ECDSA_P256, No RSA_2048, No SHA1
www.example.com	3	4	9	ML-KEM detected	No AES_256, No RSA_2048
auth.example.com	3	4	7	ML-KEM detected	No ECDHE_X25519, No RSA_2048
api.example.com	2	6	9	ML-KEM detected	Same as main domain
portal.example.com	1	4	9	ML-KEM detected	No RSA_2048

Main domain total (the headline scope, not added to subdomain rows): High 33 · Moderate 30 · Low 41. Source: all rows “standard scan”.

Full register D.4 Quantum scope breakdown · 9 scopes · Appendix D, pages 38–40

Scope and limitations

We cannot guarantee that a domain or organization is fully quantum-safe based on the results of this assessment because:

- Post-quantum cryptography is an evolving field. Cryptographic standards, implementations, and the understanding of quantum computing capabilities continue to develop. Future advances may affect the security of algorithms considered secure today.
- This is a non-invasive, external assessment. Unless an internal CyberRank agent is deployed, the scan evaluates only externally observable services and configurations. Internal systems, private networks, and services that are not externally accessible are outside the scope of this assessment.

Post-quantum readiness

A domain can only be considered fully post-quantum ready if it:

- Supports post-quantum cryptographic (PQC) algorithms for secure connections; and
- Disables legacy TLS versions (TLS 1.0, TLS 1.1, and TLS 1.2).

Allowing legacy TLS versions enables clients to establish connections using classical cryptographic algorithms. If an attacker can force or negotiate the use of an older protocol version (a protocol downgrade), the connection may lose the protections provided by post-quantum cryptography.

CYBERRANK

12 · ASSESSMENT DETAILS

Security resourcing

Whether this organisation publicly staffs security or privacy

Identified	Public materials show a dedicated security function and a named data protection role.

Privacy role evidence	✓ Detected
Security role evidence	✓ Detected
Role found	Data Protection Officer (source: Company website (privacy notice))
Role found	Chief Information Security Officer (source: Company website; Careers page)

Public materials show this organisation has a security function and a data protection officer.

CYBERRANK

13 · ASSESSMENT DETAILS

Certifications

Outlines industry certifications and compliance frameworks held by the organisation.

Identified	3 certifications are on record (4 certificate records): ISO/IEC 27001 (detected and uploaded), SOC 2 (uploaded) and PCI DSS (detected).

68%
Compliance score

3
Certifications

4 certificates
Certificate records

Certificates on record

Certificate	Origin	Status	Validity
ISO/IEC 27001 Information Security Management · Security	System detected [1]	Awaiting approval	Not detected by the system
Scope: Provision of online banking and payment services Issuer: Example Certification Body	Uploaded Document in Appendix D.5	✓ Approved	01 Mar 2025 – 29 Feb 2028
SOC 2 Security, Availability, Confidentiality · Security + Privacy Scope: Customer portal and payment API (Type II) Issuer: Sample Assurance Partners	Uploaded Document in Appendix D.5	✓ Approved	01 Jan 2026 – 31 Dec 2026
PCI DSS Payment Card Industry Data Security Standard · Security	System detected [2]	✓ Approved	15 Oct 2025 – 14 Oct 2026

[1] `https://trust.example.com/compliance`

[2] `https://www.example.com/security`

Next step: 1 system-detected certificate (ISO/IEC 27001) is awaiting approval. Check the source, then approve or reject it in Cyberrank.

CYBERRANK

Commonly referenced standards

Standard	Scope
ISO/IEC 27001	Information Security Management
ISO/IEC 27701	Privacy Information Management
SOC 2	Security, Availability, Confidentiality
GDPR	Data protection and privacy regulation

Reference list only: standards commonly referenced for organisations of this kind. It is not evidence that Northwind Example Ltd holds them. ISO/IEC 27001 and SOC 2 also appear among the certificates on record.

CYBERRANK

14 · ASSESSMENT DETAILS

Fourth-party vendors

Identifies fourth-party vendors — the suppliers and service providers your supplier relies on.

Identified — 34 fourth-party vendors were identified through automated discovery.

Ratings are as shown on the report date. How each organisation is connected to Northwind Example Ltd is not reported.

34 organisations
Connected organisations reported

33 rated
1 not rated

CCC 1 organisation
Lowest grade reported

BB
Grade of Northwind Example Ltd (for reference)

Rated organisations by grade (33); 1 not rated, not shown in the bar



CCC	B	BB	BBB	A	AA	AAA
1	3	6	6	6	6	5

Needs a look (5 of 34)

Lowest grades (cut where the risk band changes; never the Low band) and organisations without a rating; worst grade first.

Organisation	Sector	Grade	Why listed	Assessed on
Example Log Monitoring `logmonitoring.example.org`	Computer & network security	CCC Insufficient	Lowest grades	27 Sep 2026
Demo Courier Network `couriernetwork.example.net`	Logistics & supply chain	B Moderate	Lowest grades	11 Sep 2026
Sample Content Delivery `contentdelivery.example.net`	Information technology & services	B Moderate	Lowest grades	17 Sep 2026
Sample Identity Services `identityservices.example.net`	Computer & network security	B Moderate	Lowest grades	11 Sep 2026
Sample Data Brokers `databrokers.example.net`	Marketing & advertising	Not rated (the organisation has not been scanned yet)	Not rated	03 Sep 2026

Full register D.6.1 Connected organisations · 34 organisations · Appendix D, pages 41–43

A detected relationship is not evidence of a contract.

Supply-chain aggregation How fourth-party ratings feed combined supply-chain risk · Appendix C, page 33

CYBERRANK

15 · ASSESSMENT DETAILS

Cloud infrastructure

Identifies cloud service providers used by the organization through analysis of DNS records, IP ranges, MX records, and NS records.

Identified — 4 cloud providers were detected from public DNS, IP-range and MX records.

4 providers
Cloud providers detected

01 Oct 2026
Last scanned, cloud module
Report assessed 01 Oct 2026

Detected providers

Provider	Detected by	Observed
Example Cloud A	DNS records, IP ranges	01 Oct 2026
Example Cloud B	IP ranges	01 Oct 2026
Sample CDN Network	DNS records, NS records	01 Oct 2026
Example Mail Services	MX records	01 Oct 2026

Detection methods: DNS records, IP ranges, MX records, NS records.

CYBERRANK

A · APPENDICES AND REFERENCES

About this report

This report is generated by IISRI® CyberRank.ai using automated, non-intrusive analysis of publicly accessible information. The assessment does not require access to internal systems and should be interpreted as an external risk signal.

Data sources

- Automated analysis of data leak databases, public disclosures, and monitored online sources.
- Automated technology discovery and vendor relationship analysis.
- Analysis of DNS records, IP ranges, MX records, and NS records.

Report details

Organisation	Northwind Example Ltd
Domain	example.com
Assessment date	01 Oct 2026
Report generated	02 Oct 2026
Issued by	Example Group Procurement
Assessment ID	`demo-assessment-0001`

Reading the result states

Each assessed section shows one of these states next to its verdict.

State	Meaning
Findings	Assessed; weaknesses were reported. The severity marks and scores show how serious they are.
Identified	Assessed; items were found in an inventory or good-news section (priority actions, security roles, certifications, fourth-party vendors, cloud). Not a risk by itself.
No findings	Assessed; nothing was found within the sources and period checked. It does not mean the organisation is safe.
Not assessed	The module was not run for this report. No result is implied.
Not applicable	The check does not apply to this organisation.
Unavailable	The value could not be obtained or used. The reason is printed with it.
Partial coverage	Only part of the scope was covered; the results cover the part shown.
Pending review	A value exists but its meaning is unclear or contradicted; held for review.
None identified	Assessed; nothing was found in an inventory section. Not a statement about risk.


Report generated on 02.10.2026

CYBERRANK

B · APPENDICES AND REFERENCES

IISRI rating scale

Reference guide to the standardized rating scale used throughout this report, with descriptions of each grade level and associated risk profile.



Grade	Meaning
AAA Excellent	All information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met.
AA Very good	Almost all information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met.
A Good	Almost all information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. A few specific control weaknesses have been noted. Minor additional work on information security and/or privacy is recommended.
BBB Satisfactory	Main information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. A few specific control weaknesses have been noted. Minor additional work on information security and/or privacy is recommended.
BB Sufficient **Your rating**	Main information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. Some specific control weaknesses have been noted. Major additional work on information security and/or privacy is recommended.
B Moderate	Some information security and/or privacy controls are adequate, appropriate, and effective enough to provide reasonable assurance that security and/or privacy issues are being managed, and objectives are met. Many specific control weaknesses have been noted. Major additional work on information security and/or privacy is highly recommended.
CCC Insufficient	Main information security and/or privacy controls are unlikely to provide reasonable assurance that security and/or privacy issues are being managed and objectives are met. Major work on information security and/or privacy is highly recommended.
CC Very insufficient	Almost all information security and/or privacy controls are unlikely to provide reasonable assurance that security and/or privacy issues are being managed and objectives are met. Major work on information security and/or privacy is highly recommended.
C Poor	Almost all information security and/or privacy controls are unlikely to provide reasonable assurance that security and/or privacy issues are being managed and objectives are met. Major work or completely new program on information security and/or privacy is required.
D Very poor	All information security and/or privacy controls are not providing any assurance that security and/or privacy issues are being managed and objectives are met. Complete new program on information security and/or privacy is required.

CYBERRANK

C · APPENDICES AND REFERENCES

Methodology and supply-chain aggregation

One rating for every vendor. One risk number for your whole supply chain.

CYBERRANK turns externally observable evidence about an organisation into a single severity rating, a normalised risk score, and a combined risk that includes the vendors — and the vendors' vendors — behind it.

The problem

Attackers reach organisations through their suppliers. Existing tools don't add up: CVSS scores single technical flaws, questionnaires rely on self-reporting, and privacy, AI and quantum exposures have no common scale at all.

The approach

An ISO 31000-aligned model with four explicit steps, from observed weaknesses to supply-chain risk. Every step is reproducible and every number is comparable across organisations and portfolios.

The regulatory fit

Built for the obligations in DORA, NIS2, the GDPR and the AI Act, and aligned with ISO/IEC 27001, 27701 and 42001, NIST SP 800-53 and 800-161, PCI DSS and the NIST CSF.

How a rating becomes a risk four steps, one pipeline

1

Observe

Continuous external signals are collected without touching the organisation's systems.

- Vulnerabilities
- Privacy compliance
- Credential & data leaks
- Data sovereignty
- Data residency
- Terms of use
- AI
- Quantum

Certified controls earn credits: **ISO 27001, ISO 27701, SOC 2, ISAE 3402, PCI DSS**. Optional questionnaires add a second, bounded evidence channel.

2

Rate

Every organisation starts with a full point budget, split evenly between a security bucket and a privacy bucket. Weaknesses deduct capped demerits; certifications add capped credits.

The net score maps to the **IISRI rating, AAA to D**. The rating reflects the organisation's own posture only — a vendor's weakness never changes it.

3

Score the risk

Likelihood = threat probability × weakness. Threat probability comes from sector, size and internet exposure; weakness comes from the rating.

Impact is one of four tiers you assign: Critical, High, Medium or Low.

Risk = normalised **likelihood × impact**, reported as a score and a band: Low, Medium, High or Critical.

4

Combine

Vendors and sub-vendors are discovered automatically and rated with the same pipeline. Their risks are folded into yours, attenuated by distance in the chain.

The **combined risk** shows the cascading exposure that your own rating cannot see.

The IISRI rating scale

Ten grades. Higher grades mean lower weakness values and therefore lower likelihood.

D	C	CC	CCC	B	BB	BBB	A	AA	AAA
Very poor	Poor	Very insufficient	Insufficient	Moderate	Sufficient	Satisfactory	Good	Very good	Excellent

Controls provide no assurance — All controls adequate, appropriate and effective

General methodology, the same in every report; figures on the supply-chain page are illustrative and are not results for Northwind Example Ltd. Copyright © 2026 IISRI. All rights reserved. Full methodology paper: "An Integrated Quantitative Methodology for Third-Party Security, Privacy and AI Risk Rating", July 2026. Available upon request.



Your rating describes you. Your combined risk describes your supply chain.

Every vendor and sub-vendor is rated with the same pipeline as you are. A weak vendor never lowers your own rating — that stays attributable to your posture. But an exploited vendor can open an attack path into your systems, so the same weakness does enter your combined risk, attenuated by how far away it sits in the chain.

The result is two complementary numbers. Read together, they show that an excellent rating does not certify a healthy supply chain.

Individual risk

Low

Your own posture, as if you had no suppliers. Suitable for external presentation.

Combined risk

Medium

You plus every vendor and sub-vendor. The number to manage against.

Combined risk — the "at least one adverse event" composition, applied recursively through the chain

$$R(N) = 1 - (1 - o_N) \cdot \Pi_{s \in \text{suppliers}(N)} \left(1 - R(s) \,/\, (f + d(s))^2 \right)$$

Every supplier's effective risk R(s) already contains its own suppliers, so the chain unrolls from the outermost leaves inward. Each factor is one party's chance of *not* causing an incident; one minus the product is the chance that something, somewhere in the chain, goes wrong.

o_N — A node's own individual risk score — from its rating, threat probability and impact tier.

$d(s)$ — Hops from the centre: d(s) = d(N) + 1. Each supplier sits one step further out and is damped more.

$R(A)$ — Your combined risk: the formula evaluated at your own organisation A, the centre of the graph (d = 0).

$R(s)$ — A supplier's effective risk, computed the same way from its own suppliers. A leaf with no suppliers has R = o_N.

f — The transmission fraction you configure. A larger f trusts distance more and shrinks every supplier's contribution.

Impact tiers you assign to each vendor

Critical	Failure immediately stops a critical service or causes a serious regulatory breach. DORA: critical.
High	Essential, but a temporary loss can be bridged with workarounds. DORA: important.
Medium	Supports normal operations; disruption means inconvenience. The default tier at onboarding.
Low	Minimal or no operational impact.

Why you can rely on it

- **Standards-grounded** — ISO 31000, ISO/IEC 27001, 27701 and 42001, NIST SP 800-30 and 800-53, DORA and NIS2.
- **Certified operator** — an independently audited ISO/IEC 27001 management system; ISO/IEC 42001 certification in progress.
- **Human in the loop** — users report inaccuracies and appeal findings; feedback tunes detection confidence over time.
- **Honest about limits** — vendor compromises are treated as independent, some detections are heuristic, and the continuous score is primary over the qualitative heat map.

An organisation's own excellent rating does not certify its supply chain. Only the combined risk does.

The dashboard shows, for you and every (sub-)vendor, six domains — Security, Privacy, Data leaks, Controls, AI, Quantum — plus the IISRI rating, the individual risk and the combined risk.

Copyright © 2026 IISRI. All rights reserved. Full methodology paper: "An Integrated Quantitative Methodology for Third-Party Security, Privacy and AI Risk Rating", July 2026. Available upon request.

D · APPENDICES AND REFERENCES

Detailed evidence registers

Identified

Evidence registers support findings; layout and row caps do not change any score.

Register index

D.n	Register	State	Content	Location
D.1	Affected assets by finding	Findings	Not required — all 12 affected assets shown in Section 04.	Section 04, p. 9
D.1.2	IP reputation	Findings	Not required — all 5 IP addresses shown in Section 04.	Section 04, p. 14
D.2	Credential exposure — supporting tables	Findings	Aggregates and all 40 of 40 register rows (masked account as delivered)	pp. 35–37
D.3	Data leak event details	Findings	Not required — all 3 events shown in Section 06.	Section 06, p. 17
D.4	Quantum scope breakdown	Findings	9 scopes (one row each) and all 55 scope × algorithm rows	pp. 38–40
D.5	Uploaded certificate documents	Identified	2 of 2 uploaded certificate documents	pp. 40–41
D.6	Fourth-party vendors and technologies	Identified	34 of 34 connected organisations	pp. 41–43

Registers that are not required appear here only. Page references link to the register.

D.2 Credential exposure — supporting tables

D.2.1–D.2.3 give the aggregates that support Section 05 (not repeated there); D.2.4 lists every register row with the account label as delivered by the Cyberrank system (masked upstream), the approximate exposure period and the exposed field categories. Showing 40 of 40 register rows (40 in the source).

Unit: register rows, not accounts. State: Findings. Snapshot 01 Oct 2026.

Back to Section 05 Credential exposure, p. 15

D.2.1 Rows by exposed field category

#	Field category	Data class	Rows	Share of rows
1	email	Other identity fields only	39	98%
2	username	Other identity fields only	18	45%
3	ip	Sensitive personal data, no password	16	40%
4	Service/URL recorded (origin)	Origin flag (counted apart from classes)	14	35%
5	name	Other identity fields only	11	28%
6	password	Password category listed	9	22%
7	phone	Sensitive personal data, no password	6	15%

A row can count in several categories; column total exceeds row total.

D.2.2 Rows by data class

Exclusive: each row counts once, in its highest class (password, then sensitive personal data, then other identity fields). The origin flag is counted apart, below.

Data class	Rows
Password category listed	9
Sensitive personal data, no password	16
Other identity fields only	15
Fields not reported by source	0

Service/URL recorded (origin), counted apart from the classes: 14 rows; the value itself is not provided by the source.

D.2.3 Rows by affected domain

#	Domain	Rows	With password	Latest year
1	example.com	19	4	2026
2	app.example.com	10	3	2026
3	portal.example.com	7	0	2026
4	vpn.example.com	4	2	2025

D.2.4 Credential register

One row per register row as delivered by the Cyberrank system. The account label is printed exactly as received (masking is applied upstream, not by this report). Grouped by affected domain; inside a group, newest period first; rows whose period is only "Unknown" come last. Exposed fields are category names only; no password or other value is printed.

#	Account (masked, as delivered)	Approximate exposure period	Exposed fields	Status
example.com				19 rows
1	a*******s@example.com	2026, 2019	email, password, ip, origin	Open
2	a********s@example.com	2026, 2021, 2014	email, username	Open
3	r*******h@example.com	2026, 2024, 2016, 2015	email, name	Open
4	c***s@example.com	2026, 2016	email, phone, ip	Open
5	b******g@example.com	2025, 2017	email, name	Open
6	l****r@example.com	2025, 2024, 2021, 2016	email, username, origin, name	Open
7	n******y@example.com	2025, 2022, 2019, 2015	email, phone, ip	Open
8	d*******m@example.com	2024	email, ip, origin	Open
9	p******l@mail.example.com	2023, 2018, 2017	email, username, ip	Open
10	l***s@example.com	2023, 2021, 2018, 2016	email, username	Open
11	s******t@example.com	2023	email, username, ip	Open
12	s*****s@example.net	2023, 2015	email, phone	Open
13	s******e@example.net	2022, 2021, 2018	email, username, origin, name	Open
14	b*******7@example.com	2021, 2014	email, password, username, name	Open
15	c*****s@example.com	2020, 2018, 2014	email, username, origin, name	Open
16	r******s@example.com	2019, 2018	email, password, username, ip	Open
17	p**********t@example.com	2017	email, ip	Open

D.2.4 Credential register · continued

Rows 18–40 of 40 · example.com (cont.)

#	Account (masked, as delivered)	Approximate exposure period	Exposed fields	Status
18	d*****m@example.net	2015	email, username, ip, name	Open
19	Unknown Email	Unknown	password	Open
app.example.com				10 rows
20	t******y@example.com	2026, 2021, 2016, Unknown	email, ip, origin	Open
21	m*******g@example.com	2025, 2024, 2022, 2016	email, password, ip	Open
22	n*****s@mail.example.com	2025, 2018, 2016, Unknown	email, password, name	Open
23	p*********n@example.com	2024, 2022, 2020	email, phone	Open
24	o********g@example.net	2023, Unknown	email, password, username	Open
25	t******2@example.com	2023	email, username	Open
26	w******n@example.com	2022, Unknown	email, username, ip	Open
27	m*******p@example.com	2021, 2017, 2016	email, origin	Open
28	i******s@mail.example.com	2017, Unknown	email, username	Open
29	h******k@example.com	2016, 2014	email, username, ip	Open
portal.example.com				7 rows
30	f*******k@mail.example.com	2026, 2017, 2016	email, username, phone, name	Resolved
31	a***t@example.com	2025, 2023, 2017, 2014	email, origin, name	Resolved
32	s******y@example.com	2025, 2021	email, origin	Resolved
33	b*********e@example.com	2024, 2021	email, ip, origin	Resolved
34	p******s@example.com	2024, 2020, 2018	email, origin	Resolved
35	r*****s@example.com	2022, 2017, 2014	email, name	Resolved
36	f*****e@example.com	2022, 2019, Unknown	email, username, origin	Resolved
vpn.example.com				4 rows
37	t*****g@example.com	2025, 2018	email, password	Open
38	o*********s@example.com	2021	email, ip, origin	Open
39	c*********e@example.com	2019	email, password, origin	Open
40	t******r@mail.example.com	2019, 2014	email, username, phone, ip	Open

End of register · 40 rows. 40 of 40 register rows shown; 0 not shown (none withheld). Totals: example.com 30 + subdomains of example.com 5 + other email domains 4 + Unknown Email 1 = 40 rows = Section 05 overview total; source headline 40 (unit not defined by the source).

CYBERRANK

D.4 Quantum scope breakdown

High 33 Moderate 30 Low 41

D.4.1 lists one row per scope with its post-quantum (PQC) status, ordered by High, then Moderate, then Low findings. The main domain total (the source headline scope) comes first; subdomain rows are not added to it. Showing 9 of 9 scopes. D.4.2 lists every scope × algorithm row (55 of 55).

Unit: scopes (D.4.1) and scope × algorithm rows (D.4.2); counts are findings. Source: all rows "standard scan". State: Findings. Snapshot 01 Oct 2026.

Back to Section 11 Quantum security, p. 23

D.4.1 Scopes

#	Subdomain	PQC				Algorithms vs main domain
A	example.com main domain total (headline scope)	ML-KEM detected	33	30	41	Reference
1	files.example.com	No PQC detected	9	2	1	No AES_128, No DHE_2048, No SHA256
2	mail.example.com	No PQC detected	6	5	3	No ECDHE_X25519, No SHA256
3	status.example.com	No PQC detected	5	2	1	No RSA_2048, No SHA1, No SHA256
4	vpn.example.com	No PQC detected	4	3	2	No AES_256, No ECDSA_P256, No RSA_2048, No SHA1
5	www.example.com	ML-KEM detected	3	4	9	No AES_256, No RSA_2048
6	auth.example.com	ML-KEM detected	3	4	7	No ECDHE_X25519, No RSA_2048
7	api.example.com	ML-KEM detected	2	6	9	Same as main domain
8	portal.example.com	ML-KEM detected	1	4	9	No RSA_2048

D.4.2 Scope × algorithm rows

#	Category	Algorithm (pre-QC)	Post-QC			
example.com · main domain total (headline scope)						ML-KEM detected
1	Public-key cryptography	ECDSA_P256	Not listed	14	0	0
2	Key exchange	ECDHE_X25519	ML-KEM	7	0	8
3	Public-key cryptography	RSA_2048	Not listed	7	0	0
4	Key exchange	DHE_2048	ML-KEM	5	0	8
5	# Hash functions	SHA1	Not listed	0	12	0
6	# Hash functions	SHA256	Not listed	0	0	11
7	Symmetric cryptography	AES_128	Not listed	0	18	0
8	Symmetric cryptography	AES_256	Not listed	0	0	14
files.example.com · DHE_2048, AES_128, SHA256 not observed						No PQC detected
9	Key exchange	ECDHE_X25519	Not listed	3	0	0
10	Public-key cryptography	ECDSA_P256	Not listed	3	0	0
11	Public-key cryptography	RSA_2048	Not listed	3	0	0

D.4.2 Scope × algorithm rows · continued

Rows 12–40 of 55 · files.example.com (cont.)

#	Category	Algorithm (pre-QC)	Post-QC			
12	# Hash functions	SHA1	Not listed	0	2	0
13	Symmetric cryptography	AES_256	Not listed	0	0	1
mail.example.com · ECDHE_X25519, SHA256 not observed						No PQC detected
14	Public-key cryptography	RSA_2048	Not listed	3	0	0
15	Key exchange	DHE_2048	Not listed	2	0	0
16	Public-key cryptography	ECDSA_P256	Not listed	1	0	0
17	# Hash functions	SHA1	Not listed	0	3	0
18	Symmetric cryptography	AES_128	Not listed	0	2	0
19	Symmetric cryptography	AES_256	Not listed	0	0	3
status.example.com · RSA_2048, SHA1, SHA256 not observed						No PQC detected
20	Key exchange	DHE_2048	Not listed	2	0	0
21	Public-key cryptography	ECDSA_P256	Not listed	2	0	0
22	Key exchange	ECDHE_X25519	Not listed	1	0	0
23	Symmetric cryptography	AES_128	Not listed	0	2	0
24	Symmetric cryptography	AES_256	Not listed	0	0	1
vpn.example.com · RSA_2048, ECDSA_P256, AES_256, SHA1 not observed						No PQC detected
25	Key exchange	ECDHE_X25519	Not listed	3	0	0
26	Key exchange	DHE_2048	Not listed	1	0	0
27	# Hash functions	SHA256	Not listed	0	0	2
28	Symmetric cryptography	AES_128	Not listed	0	3	0
www.example.com · RSA_2048, AES_256 not observed						ML-KEM detected
29	Public-key cryptography	ECDSA_P256	Not listed	3	0	0
30	# Hash functions	SHA1	Not listed	0	1	0
31	# Hash functions	SHA256	Not listed	0	0	3
32	Key exchange	DHE_2048	ML-KEM	0	0	3
33	Key exchange	ECDHE_X25519	ML-KEM	0	0	3
34	Symmetric cryptography	AES_128	Not listed	0	3	0
auth.example.com · RSA_2048, ECDHE_X25519 not observed						ML-KEM detected
35	Public-key cryptography	ECDSA_P256	Not listed	3	0	0
36	# Hash functions	SHA1	Not listed	0	1	0
37	# Hash functions	SHA256	Not listed	0	0	2
38	Key exchange	DHE_2048	ML-KEM	0	0	2
39	Symmetric cryptography	AES_128	Not listed	0	3	0
40	Symmetric cryptography	AES_256	Not listed	0	0	3

D.4.2 Scope × algorithm rows · continued

Rows 41–55 of 55

#	Category	Algorithm (pre-QC)	Post-QC			
`api.example.com`						ML-KEM detected
41	Public-key cryptography	`ECDSA_P256`	Not listed	1	0	0
42	Public-key cryptography	`RSA_2048`	Not listed	1	0	0
43	# Hash functions	`SHA1`	Not listed	0	3	0
44	# Hash functions	`SHA256`	Not listed	0	0	2
45	Key exchange	`DHE_2048`	`ML-KEM`	0	0	2
46	Key exchange	`ECDHE_X25519`	`ML-KEM`	0	0	2
47	Symmetric cryptography	`AES_128`	Not listed	0	3	0
48	Symmetric cryptography	`AES_256`	Not listed	0	0	3
`portal.example.com` · **RSA_2048 not observed**						ML-KEM detected
49	Public-key cryptography	`ECDSA_P256`	Not listed	1	0	0
50	# Hash functions	`SHA1`	Not listed	0	2	0
51	# Hash functions	`SHA256`	Not listed	0	0	2
52	Key exchange	`DHE_2048`	`ML-KEM`	0	0	1
53	Key exchange	`ECDHE_X25519`	`ML-KEM`	0	0	3
54	Symmetric cryptography	`AES_128`	Not listed	0	2	0
55	Symmetric cryptography	`AES_256`	Not listed	0	0	3

Post-QC "Not listed": the source prints a dash, so no post-quantum replacement is listed for that algorithm; the source does not say whether one was checked.

End of register · 55 scope × algorithm rows. 9 of 9 scopes shown; 0 not shown (none withheld; all 55 scope × algorithm rows in D.4.2). Totals: over 8 subdomain rows, 104 findings (High 33 · Moderate 30 · Low 41) from 47 subdomain × algorithm rows; main domain total, not added, High 33 · Moderate 30 · Low 41 — matches the Section 11 headline; 55 scope × algorithm rows by level (highest level per row): High 20 · Moderate 15 · Low 20.

D.5 Uploaded certificate documents

D.5 shows the 2 certificate documents uploaded to Cyberrank, in the order of Section 13, one document per page.
Shown as uploaded; dates and scope printed on a document are not read into the report data.
Back to Section 13 Certifications, p. 27

D.5.1 ISO/IEC 27001

Issuer: Example Certification Body


SAMPLE

SAMPLE · demonstration document, not a real certificate

Certificate of Registration

This is to certify that the management system of

Northwind Example Ltd

has been assessed against ISO/IEC 27001:2022

Scope: Provision of online banking and payment services

Certificate number: DEMO-ISO-0001 Valid: 01 Mar 2025 · 29 Feb 2028

Issued by: Example Certification Body (fictional)

SAMPLE · demonstration document, not a real certificate

D.5.2 SOC 2

Issuer: Sample Assurance Partners


SAMPLE

SAMPLE · demonstration document, not a real certificate

Certificate of Registration

This is to certify that the management system of

Northwind Example Ltd

has been assessed against SOC 2 Type II

Scope: Customer portal and payment API

Certificate number: DEMO-SOC2-0002 Valid: 01 Jan 2026 · 31 Dec 2026

Issued by: Sample Assurance Partners (fictional)

SAMPLE · demonstration document, not a real certificate

End of register · 2 documents. 2 of 2 uploaded documents shown.

D.6 Fourth-party vendors and technologies

D.6.1 lists all 34 connected organisations reported for Northwind Example Ltd, sorted by grade, worst first; organisations without a rating last. Showing 34 of 34 organisations.

Unit: organisations (each listed name counts once; names are not merged). Grade and risk band as sent; the band is not derived from the grade. State: Identified. Snapshot 01 Oct 2026.

Back to Section 14 Fourth-party vendors, p. 29

D.6.1 Connected organisations

#	Organisation	Sector	Grade	Risk band	Assessed on
1	**Example Log Monitoring** `logmonitoring.example.org`	Computer & network security	CCC	High	27 Sep 2026
2	**Demo Courier Network** `couriernetwork.example.net`	Logistics & supply chain	B	High	11 Sep 2026
3	**Sample Content Delivery** `contentdelivery.example.net`	Information technology & services	B	High	17 Sep 2026

D.6.1 Connected organisations · continued

Rows 4–21 of 34

#	Organisation	Sector	Grade	Risk band	Assessed on
4	**Sample Identity Services** identityservices.example.net 420 employees · revenue 96M (as printed) · Example City, Example Country · founded 2012 · 346 technologies listed	Computer & network security	B	High	11 Sep 2026
5	**Demo Help Desk Tools** helpdesktools.example.org	Computer software	BB	Medium	10 Sep 2026
6	**Example Chat Widget** chatwidget.example.org	Computer software	BB	Medium	13 Sep 2026
7	**Example Code Hosting** codehosting.example.net	Computer software	BB	Medium	17 Sep 2026
8	**Example Credit Bureau** creditbureau.example.org	Financial services	BB	Medium	25 Sep 2026
9	**Sample Legal Archive** legalarchive.example.net	Legal services	BB	Medium	20 Sep 2026
10	**Sample Telephony Network** telephonynetwork.example.org	Telecommunications	BB	Medium	06 Sep 2026
11	**Demo Analytics Group** analyticsgroup.example.org 3,400 employees · revenue 96M (as printed) · Example City, Example Country · founded 2002 · 444 technologies listed	Information technology & services	BBB	Medium	02 Sep 2026
12	**Demo Marketing Suite** marketingsuite.example.org	Marketing & advertising	BBB	Medium	21 Sep 2026
13	**Demo Office Supplies** officesupplies.example.org	Wholesale	BBB	Medium	02 Sep 2026
14	**Demo Survey Platform** surveyplatform.example.net	Marketing & advertising	BBB	Medium	02 Sep 2026
15	**Example Document Signing** documentsigning.example.org	Computer software	BBB	Medium	14 Sep 2026
16	**Example Status Pages** statuspages.example.net	Computer software	BBB	Medium	05 Sep 2026
17	**Demo Font Library** fontlibrary.example.org	Design	A	Low	14 Sep 2026
18	**Demo Logistics Partners** logisticspartners.example.net	Logistics & supply chain	A	Low	15 Sep 2026
19	**Example Fraud Screening** fraudscreening.example.net	Computer & network security	A	Low	16 Sep 2026
20	**Example Mail Relay** mailrelay.example.org 8,700 employees · revenue 96M (as printed) · Example City, Example Country · founded 2002 · 60 technologies listed	Information technology & services	A	Low	12 Sep 2026
21	**Example SMS Gateway** smsgateway.example.net	Telecommunications	A	Low	01 Sep 2026

CYBERRANK

D.6.1 Connected organisations · continued

Rows 22–34 of 34

#	Organisation	Sector	Grade	Risk band	Assessed on
22	**Sample Tax Engine** `taxengine.example.org`	Financial services	A	Low	05 Sep 2026
23	**Demo Map Tiles** `maptiles.example.net`	Information technology & services	AA	Low	16 Sep 2026
24	**Demo Print Services** `printservices.example.org`	Printing	AA	Low	19 Sep 2026
25	**Example Backup Vault** `backupvault.example.net`	Information technology & services	AA	Low	19 Sep 2026
26	**Sample HR Portal** `hrportal.example.net`	Human resources	AA	Low	09 Sep 2026
27	**Sample Payments Co** `paymentsco.example.net` 180 employees · revenue 1.4B (as printed) · Example City, Example Country · founded 2006 · 270 technologies listed	Financial services	AA	Low	08 Sep 2026
28	**Sample Translation Hub** `translationhub.example.org`	Translation & localization	AA	Low	14 Sep 2026
29	**Example Cloud Hosting** `cloudhosting.example.org` 180 employees · revenue 1.4B (as printed) · Example City, Example Country · founded 2015 · 401 technologies listed	Information technology & services	AAA	Low	15 Sep 2026
30	**Example Video Meetings** `videomeetings.example.net`	Telecommunications	AAA	Low	08 Sep 2026
31	**Placeholder CRM Systems** `crmsystems.example.net` 180 employees · revenue 24M (as printed) · Example City, Example Country · founded 2012 · 289 technologies listed	Computer software	AAA	Low	02 Sep 2026
32	**Sample Card Processing** `cardprocessing.example.org`	Financial services	AAA	Low	22 Sep 2026
33	**Sample Payroll Bureau** `payrollbureau.example.org`	Human resources	AAA	Low	24 Sep 2026
34	**Sample Data Brokers** `databrokers.example.net`	Marketing & advertising	Not rated (the organisation has not been scanned yet)	Not sent	03 Sep 2026

A detected relationship is not evidence of a contract.

End of register · 34 rows. 34 of 34 organisations shown; 0 not shown. Totals: 33 rated + 1 not rated = 34 = Section 14 count.

CYBERRANK