```sql
BEGIN
   FOR table_name IN (
      SELECT
    "A1"."COLUMN_VALUE" "TABLE_NAME"
FROM
    (
        SELECT
            value(a2) "COLUMN_VALUE"
        FROM
            TABLE ( "SYS"."ODCIVARCHAR2LIST"('SUPPLIER', 'DEPARTMENT', 'ROOM', 'AMBULANCE', 'STAFF',
                                             'DOCTOR', 'MEDICAL_RECORD', 'PATIENT', 'SERVICES', 'BLOOD_BANK',
                                             'INVENTORY', 'INSURANCE', 'TREATS', 'USES', 'STAFF_PHONE_NB',
                                             'STAFF_EMAIL', 'DR_SUBSPECIALTIES', 'DEP_WORKING_HOURS', 'DEP_FLOOR_NB', 'PATIENT_ALLERGIES'
                                             ,
                                             'PATIENT_DIAGNOSIS_HISTORY', 'PATIENT_MEDICATION', 'PATIENT_CURRENT_TREATMENT_PLAN', 'AMBULANCE_EQUIPMENT_LIST'
                                             , 'SUP_PRODUCT_TYPES') ) "A2"
    ) "A1"
   )
   LOOP
      BEGIN
         EXECUTE IMMEDIATE 'DROP TABLE ' || table_name.TABLE_NAME || ' CASCADE CONSTRAINTS';
         DBMS_OUTPUT.PUT_LINE('Dropped table: ' || table_name.TABLE_NAME);
      EXCEPTION
         WHEN OTHERS THEN
            DBMS_OUTPUT.PUT_LINE('Table does not exist or cannot be dropped: '|| table_name.TABLE_NAME);
      END;
   END LOOP;
END;
/




CREATE TABLE SUPPLIER (
    Supp_ID CHAR(9) PRIMARY KEY,
```

```sql
    Supp_Name VARCHAR(50) NOT NULL,
    Phone_Nb CHAR(10) NOT NULL,
    Email VARCHAR(100) CHECK (REGEXP_LIKE(Email, '^[^@]+@[^@]+\.[^@]+$')),
    Terms VARCHAR(500),
    Expiry_Date DATE
);
INSERT INTO SUPPLIER VALUES ('SUP000001', 'MedSupply Inc.', '1234567890', 'contact@medsupply.com', 'Net 30', TO_DATE('2025-12-31', 'YYYY-MM-DD'));
INSERT INTO SUPPLIER VALUES ('SUP000002', 'HealthEquip Co.', '0987654321', 'info@healthequip.com', 'Net 45', TO_DATE('2026-06-30', 'YYYY-MM-DD'));
INSERT INTO SUPPLIER VALUES ('SUP000003', 'FastMeds Ltd.', '1122334455', 'support@fastmeds.com', 'Net 60', TO_DATE('2024-03-15', 'YYYY-MM-DD'));
INSERT INTO SUPPLIER VALUES ('SUP000004', 'Hasan Medical Supplies', '7164733555', 'info@hms.com', 'Net 60', TO_DATE('2026-08-20', 'YYYY-MM-DD'));
INSERT INTO SUPPLIER VALUES ('SUP000005', 'Wael Khaddaj Facilities', '1010101010', 'support@wkf.com', 'Net 30', TO_DATE('2025-09-25', 'YYYY-MM-DD'));
INSERT INTO SUPPLIER VALUES ('SUP000006', 'Beijing Pharma', '7777777777', 'contact@beijingpharma.com', 'Net 45', TO_DATE('2024-12-15', 'YYYY-MM-DD'));
INSERT INTO SUPPLIER VALUES ('SUP000007', 'Diab Unlimited Supply of Awesome Goods Ltd.,' '9443857194', 'support@hasanisawesome.com', 'Net 60', TO_DATE('2025-12-
INSERT INTO SUPPLIER VALUES ('SUP000008', 'Local Dealer Co.', '9999999999', 'support@shh.com', 'Net 30', TO_DATE('2025-03-15', 'YYYY-MM-DD'));
INSERT INTO SUPPLIER VALUES ('SUP000009', 'Totally Not Selling to Aliens Inc.', '8888888888', 'info@sellingtohumans.com', 'Net 45', TO_DATE('2026-03-15', 'YYYY-
INSERT INTO SUPPLIER VALUES ('SUP000010', 'No You're the Alien Ltd.', '5555555555', 'contact@nebulameds.com', 'Net 30', TO_DATE('2027-09-15', 'YYYY-MM-DD'));


SELECT * FROM SUPPLIER;


CREATE TABLE DEPARTMENT (
    Dept_ID VARCHAR(3) PRIMARY KEY,
    Name VARCHAR(20) NOT NULL,
    Ext NUMBER(3),
    Email VARCHAR(100) NOT NULL,
    CHECK (REGEXP_LIKE(Email, '^[^@]+@[^@]+\.[^@]+$')),
    Bldg_Nb VARCHAR(2) NOT NULL
);
INSERT ALL
    INTO DEPARTMENT VALUES ('001', 'Cardiology', 101, 'cardiology@hospital.com', '01')
    INTO DEPARTMENT VALUES ('002', 'Neurology', 102, 'neurology@hospital.com', '02')
    INTO DEPARTMENT VALUES ('003', 'Pediatrics', 103, 'pediatrics@hospital.com', '03')
    INTO DEPARTMENT VALUES ('004', 'Orthopedics', 104, 'orthopedics@hospital.com', '04')
    INTO DEPARTMENT VALUES ('005', 'Radiology', 105, 'radiology@hospital.com', '05')
```

```sql
    INTO DEPARTMENT VALUES ('006', 'Emergency', 106, 'emergency@hospital.com', '06')
    INTO DEPARTMENT VALUES ('007', 'Oncology', 107, 'oncology@hospital.com', '07')
    INTO DEPARTMENT VALUES ('008', 'Dermatology', 108, 'dermatology@hospital.com', '08')
SELECT * FROM DUAL;

SELECT * FROM DEPARTMENT;



CREATE TABLE AMBULANCE (
    License_Plate CHAR(10) PRIMARY KEY,
    Status VARCHAR(20) NOT NULL CHECK (Status IN ('Available', 'In Use',
    'Under Maintenance')),
    Model CHAR(4) NOT NULL,
    Last_Check DATE
);
INSERT INTO AMBULANCE VALUES ('ABC1234567', 'Available', '2020', TO_DATE('2023-10-01', 'YYYY-MM-DD'));
INSERT INTO AMBULANCE VALUES ('DEF2345678', 'In Use', '2019', TO_DATE('2023-09-15', 'YYYY-MM-DD'));
INSERT INTO AMBULANCE VALUES ('GHI3456789', 'Under Maintenance', '2021', TO_DATE('2023-11-20', 'YYYY-MM-DD'));
INSERT INTO AMBULANCE VALUES ('JKL4567890', 'Available', '2022', TO_DATE('2023-08-10', 'YYYY-MM-DD'));
INSERT INTO AMBULANCE VALUES ('MNO5678901', 'In Use', '2018', TO_DATE('2023-07-25', 'YYYY-MM-DD'));
INSERT INTO AMBULANCE VALUES ('PQR6789012', 'Available', '2023', TO_DATE('2023-06-30', 'YYYY-MM-DD'));
INSERT INTO AMBULANCE VALUES ('STU7890123', 'Under Maintenance', '2020', TO_DATE('2023-12-01', 'YYYY-MM-DD'));
INSERT INTO AMBULANCE VALUES ('VWX8901234', 'Available', '2021', TO_DATE('2023-05-15', 'YYYY-MM-DD'));
INSERT INTO AMBULANCE VALUES ('YZA9012345', 'In Use', '2022', TO_DATE('2023-04-20', 'YYYY-MM-DD'));
INSERT INTO AMBULANCE VALUES ('BCD0123456', 'Available', '2019', TO_DATE('2023-03-10', 'YYYY-MM-DD'));

SELECT * FROM AMBULANCE;

CREATE TABLE ROOM(
    Bldg_Nb VARCHAR(2),
    Room_Nb VARCHAR(3),
    Type VARCHAR(20),
    Capacity NUMBER(2),
    Status VARCHAR(20) CHECK(Status IN ('Available', 'Occupied',
```

```
    'Under Maintenance', 'Cleaning Required')),
    PRIMARY KEY (Bldg_Nb, Room_Nb)
);
BEGIN
    FOR i IN 1..100 LOOP
        INSERT INTO ROOM (
            Bldg_Nb,
            Room_Nb,
            Type,
            Capacity,
            Status
        ) VALUES (
            LPAD(CEIL(i / 25), 2, '0'),
            LPAD(MOD(i, 25), 3, '0'),
            CASE MOD(i, 4)
                WHEN 1 THEN 'ICU'
                WHEN 2 THEN 'General'
                WHEN 3 THEN 'Private'
                ELSE 'Surgery'
            END,
            CEIL(DBMS_RANDOM.VALUE(1, 5)),
            CASE MOD(i, 4)
                WHEN 1 THEN 'Available'
                WHEN 2 THEN 'Occupied'
                WHEN 3 THEN 'Under Maintenance'
                ELSE 'Cleaning Required'
            END
        );
    END LOOP;
END;
/
SELECT * FROM  ROOM;
CREATE TABLE STAFF (
    ID CHAR(9) PRIMARY KEY,
    First VARCHAR2(30) NOT NULL,
```

```sql
    MI CHAR(1),
    Last VARCHAR2(30) NOT NULL,
    DOB DATE,
    SSN CHAR(9) NOT NULL,
    Address VARCHAR2(50) NOT NULL,
    Emergency_Name VARCHAR2(30) NOT NULL,
    Rel VARCHAR2(20) NOT NULL,
    Phone_Nb CHAR(10) NOT NULL,
    Email VARCHAR2(100) CHECK (REGEXP_LIKE(Email, '^[^@]+@[^@]+\.[^@]+$')),
    Position VARCHAR2(30) NOT NULL,
    Hiring_Date DATE,
    Emp_Type CHAR(30) CHECK (Emp_Type IN ('Full Time', 'Part Time')),
    Weekly_Hours NUMBER(2),
    Hourly_Rate NUMBER(5, 2),
    Vacations_Per_Year NUMBER(3),
    End_Date DATE,
    Dept_ID VARCHAR2(3),
    License_Plate CHAR(10),
    FOREIGN KEY (Dept_ID) REFERENCES DEPARTMENT (Dept_ID),
    FOREIGN KEY (License_Plate) REFERENCES AMBULANCE (License_Plate)
);

INSERT INTO STAFF VALUES ('S00000001', 'John', 'A', 'Doe', TO_DATE('1990-01-15', 'YYYY-MM-DD'), '123456789', '123 Main St', 'Jane Doe', 'Sister', '1234567890',
INSERT INTO STAFF VALUES ('S00000002', 'Mary', 'B', 'Smith', TO_DATE('1985-05-20', 'YYYY-MM-DD'), '987654321', '456 Oak St', 'John Smith', 'Brother', '987654321
INSERT INTO STAFF VALUES ('S00000003', 'James', NULL, 'Brown', TO_DATE('1992-08-10', 'YYYY-MM-DD'), '456123789', '789 Pine St', 'Emily Brown', 'Wife', '45612378
INSERT INTO STAFF VALUES ('S00000004', 'Emma', 'C', 'Johnson', TO_DATE('1980-12-25', 'YYYY-MM-DD'), '321654987', '321 Elm St', 'Chris Johnson', 'Husband', '3216
INSERT INTO STAFF VALUES ('S00000005', 'Oliver', 'D', 'Williams', TO_DATE('1975-07-04', 'YYYY-MM-DD'), '654789123', '654 Maple St', 'Sophia Williams', 'Daughter
INSERT INTO STAFF VALUES ('S00000006', 'Isabella', 'E', 'Taylor', TO_DATE('1988-09-17', 'YYYY-MM-DD'), '789123456', '789 Cedar St', 'Liam Taylor', 'Father', '78
INSERT INTO STAFF VALUES ('S00000007', 'Liam', 'F', 'White', TO_DATE('1995-03-30', 'YYYY-MM-DD'), '123789456', '123 Birch St', 'Emma White', 'Mother', '12378945
INSERT INTO STAFF VALUES ('S00000008', 'Sophia', NULL, 'Martin', TO_DATE('1983-11-22', 'YYYY-MM-DD'), '987321654', '987 Walnut St', 'Ethan Martin', 'Brother', '
INSERT INTO STAFF VALUES ('S00000009', 'Noah', 'G', 'Clark', TO_DATE('1978-02-18', 'YYYY-MM-DD'), '321987654', '321 Cherry St', 'Mia Clark', 'Sister', '32198765
INSERT INTO STAFF VALUES ('S00000010', 'Mia', 'H', 'Lewis', TO_DATE('1993-06-05', 'YYYY-MM-DD'), '654123987', '654 Spruce St', 'Oliver Lewis', 'Son', '65412398
INSERT INTO STAFF VALUES ('S00000011', 'Ethan', 'I', 'Walker', TO_DATE('1987-12-01', 'YYYY-MM-DD'), '852741963', '789 Aspen St', 'Ella Walker', 'Wife', '8527419
INSERT INTO STAFF VALUES ('S00000012', 'Olivia', 'J', 'Hall', TO_DATE('1990-04-22', 'YYYY-MM-DD'), '741852963', '951 Willow St', 'Jack Hall', 'Father', '7418529
INSERT INTO STAFF VALUES ('S00000013', 'Alexander', 'K', 'Allen', TO_DATE('1979-06-30', 'YYYY-MM-DD'), '963258741', '369 Cypress St', 'Grace Allen', 'Mother', '
```

```sql
INSERT INTO STAFF VALUES ('S00000014', 'Ella', NULL, 'Young', TO_DATE('1983-08-12', 'YYYY-MM-DD'), '159753468', '753 Oakridge St', 'Henry Young', 'Husband', '15
INSERT INTO STAFF VALUES ('S00000015', 'Benjamin', 'L', 'King', TO_DATE('1994-11-03', 'YYYY-MM-DD'), '753159846', '147 Maplewood St', 'Sophia King', 'Sister', '
INSERT INTO STAFF VALUES ('S00000016', 'Charlotte', 'M', 'Wright', TO_DATE('1982-03-28', 'YYYY-MM-DD'), '357951852', '258 Elmwood St', 'Liam Wright', 'Brother',
INSERT INTO STAFF VALUES ('S00000017', 'Lucas', 'N', 'Scott', TO_DATE('1985-10-18', 'YYYY-MM-DD'), '456852159', '951 Cedarwood St', 'Emma Scott', 'Daughter', '4
INSERT INTO STAFF VALUES ('S00000018', 'Amelia', 'O', 'Adams', TO_DATE('1991-07-09', 'YYYY-MM-DD'), '654123456', '123 Pinewood St', 'Oliver Adams', 'Son', '6541
INSERT INTO STAFF VALUES ('S00000019', 'Mason', 'P', 'Perez', TO_DATE('1988-09-01', 'YYYY-MM-DD'), '789654123', '789 Willowwood St', 'Sophia Perez', 'Mother', '
INSERT INTO STAFF VALUES ('S00000020', 'Ava', 'Q', 'Rivera', TO_DATE('1976-02-24', 'YYYY-MM-DD'), '852963741', '456 Sprucewood St', 'Benjamin Rivera', 'Husband'
INSERT INTO STAFF VALUES ('S00000021', 'Hasan', 'A', 'Diab', TO_DATE('2004-08-19', 'YYYY-MM-DD'), '719444385', '789 Beirut St', 'Yasmina pewpew', 'Wife', '99999
INSERT INTO STAFF VALUES ('S00000022', 'William', 'R', 'Harris', TO_DATE('1980-12-05', 'YYYY-MM-DD'), '951753852', '357 Palm St', 'Charlotte Harris', 'Wife', '9
INSERT INTO STAFF VALUES ('S00000023', 'Harper', 'S', 'Clark', TO_DATE('1993-05-22', 'YYYY-MM-DD'), '357258951', '789 Maple St', 'Lucas Clark', 'Husband', '3572
INSERT INTO STAFF VALUES ('S00000024', 'Evelyn', 'T', 'Lopez', TO_DATE('1987-09-17', 'YYYY-MM-DD'), '159486753', '951 Cedar St', 'Mason Lopez', 'Brother', '1594
INSERT INTO STAFF VALUES ('S00000025', 'Elijah', 'U', 'Mitchell', TO_DATE('1978-11-25', 'YYYY-MM-DD'), '123789654', '654 Pine St', 'Ava Mitchell', 'Sister', '12
INSERT INTO STAFF VALUES ('S00000026', 'Abigail', 'V', 'Carter', TO_DATE('1995-03-19', 'YYYY-MM-DD'), '741963852', '357 Spruce St', 'Ethan Carter', 'Brother', '
INSERT INTO STAFF VALUES ('S00000027', 'Alice', 'A', 'Green', TO_DATE('1980-05-20', 'YYYY-MM-DD'), '123456780', '123 Forest Lane', 'John Green', 'Brother', '123
INSERT INTO STAFF VALUES ('S00000028', 'Bob', 'B', 'Harrison', TO_DATE('1975-12-15', 'YYYY-MM-DD'), '987654321', '456 Maple Ave', 'Sarah Harrison', 'Wife', '987
INSERT INTO STAFF VALUES ('S00000029', 'Cathy', 'C', 'Adams', TO_DATE('1983-06-01', 'YYYY-MM-DD'), '456123780', '789 Cedar Street', 'Paul Adams', 'Husband', '45
INSERT INTO STAFF VALUES ('S00000030', 'David', 'D', 'Taylor', TO_DATE('1987-03-18', 'YYYY-MM-DD'), '321654987', '654 Oak Drive', 'Linda Taylor', 'Mother', '321
INSERT INTO STAFF VALUES ('S00000031', 'Emily', 'E', 'Wilson', TO_DATE('1990-09-22', 'YYYY-MM-DD'), '789123450', '321 Pine Road', 'James Wilson', 'Father', '789
INSERT INTO STAFF VALUES ('S00000032', 'Frank', 'F', 'Martin', TO_DATE('1982-02-12', 'YYYY-MM-DD'), '123789450', '111 Willow Street', 'Grace Martin', 'Daughter'
INSERT INTO STAFF VALUES ('S00000033', 'Grace', 'G', 'Clark', TO_DATE('1985-08-28', 'YYYY-MM-DD'), '987321654', '222 Cherry Lane', 'Ethan Clark', 'Husband', '98
INSERT INTO STAFF VALUES ('S00000034', 'Henry', 'H', 'Scott', TO_DATE('1988-11-30', 'YYYY-MM-DD'), '654321987', '333 Birch Blvd', 'Sophia Scott', 'Wife', '65432
INSERT INTO STAFF VALUES ('S00000035', 'Isla', 'I', 'Lee', TO_DATE('1992-04-05', 'YYYY-MM-DD'), '852741963', '444 Spruce Way', 'Oliver Lee', 'Brother', '8527419
INSERT INTO STAFF VALUES ('S00000036', 'Jack', 'J', 'Brown', TO_DATE('1978-10-25', 'YYYY-MM-DD'), '963258741', '555 Maple Circle', 'Liam Brown', 'Son', '9632587


SELECT * FROM STAFF;

CREATE TABLE PATIENT (
    Patient_ID CHAR(9) PRIMARY KEY,
    First VARCHAR(30) NOT NULL,
    MI CHAR(1),
    Last VARCHAR(30) NOT NULL,
    Sex CHAR(1) CHECK (Sex IN ('F', 'M', 'I')),
    DOB DATE,
    Address VARCHAR(50) NOT NULL,
```

```sql
    Phone_Nb CHAR(10) NOT NULL,
    Email VARCHAR(100) NOT NULL,
    CHECK (REGEXP_LIKE(Email, '^[^@]+@[^@]+\.[^@]+$')),
    E_Name VARCHAR(30) NOT NULL,
    E_Rel VARCHAR(30) NOT NULL,
    E_Phone_Nb CHAR(10) NOT NULL
    --Record_ID CHAR(9)
    --FOREIGN KEY (Record_ID) REFERENCES MEDICAL_RECORD(Record_ID) DEFERRABLE INITIALLY DEFERRED
);
DECLARE
    i INTEGER;
BEGIN
    FOR i IN 1..30 LOOP
        INSERT INTO PATIENT (
            Patient_ID,
            First,
            MI,
            Last,
            Sex,
            DOB,
            Address,
            Phone_Nb,
            Email,
            E_Name,
            E_Rel,
            E_Phone_Nb
        )
        VALUES (
            LPAD(i, 9, '0'), -- Patient_ID, e.g., '000000001'
            'FirstName' || i, -- First name: 'FirstName1', 'FirstName2', etc.
            'M', -- Middle initial: 'M'
            'LastName' || i, -- Last name: 'LastName1', 'LastName2', etc.
            CASE WHEN MOD(i, 2) = 0 THEN 'M' ELSE 'F' END, -- Sex: alternating 'M' and 'F'
            TO_DATE('01-JAN-1990', 'DD-MON-YYYY') + (i * 365), -- DOB: incrementing each year
            'Address ' || i, -- Address: 'Address1', 'Address2', etc.
```

```
            LPAD(i, 9, '1'), -- Phone number: '1234567891', '1234567892', etc.
            'email' || i || '@domain.com', -- Email: 'email1@domain.com', 'email2@domain.com', etc.
            'EmergencyName' || i, -- Emergency contact name: 'EmergencyName1', etc.
            'EmergencyRelation' || i, -- Emergency relation: 'EmergencyRelation1', etc.
             LPAD(i, 9, '2')-- Emergency phone number: '9876543211', etc.
        );
    END LOOP;
    COMMIT;
END;
/

CREATE TABLE MEDICAL_RECORD (
    Record_ID CHAR(9) PRIMARY KEY,
    Patient_ID CHAR(9) NOT NULL,
    Record_Date DATE NOT NULL,

    Blood_Type CHAR(3) CHECK (Blood_Type IN ('A+', 'A-', 'B+', 'B-', 'AB+', 'AB-', 'O+', 'O-')),
    Weight NUMERIC(5, 2) CHECK (Weight > 0 AND Weight <= 700),
    Height NUMERIC(4, 2) CHECK (Height > 0 AND Height <= 3),

    Diagnosis VARCHAR2(100) NOT NULL,
    Treatment VARCHAR2(255) ,
    FOREIGN KEY (Patient_ID) REFERENCES PATIENT (Patient_ID)
);

INSERT INTO MEDICAL_RECORD VALUES ('R00000001', '000000001', TO_DATE('2023-01-01', 'YYYY-MM-DD'), 'A+', 70.50, 1.75, 'Hypertension', 'Lifestyle modification an
INSERT INTO MEDICAL_RECORD VALUES ('R00000002', '000000002', TO_DATE('2023-01-10', 'YYYY-MM-DD'), 'O-', 82.00, 1.80, 'Diabetes Mellitus Type 2', 'Diet control a
INSERT INTO MEDICAL_RECORD VALUES ('R00000003', '000000003', TO_DATE('2023-01-20', 'YYYY-MM-DD'), 'B+', 65.20, 1.68, 'Asthma', 'Inhaler therapy with salbutamol
INSERT INTO MEDICAL_RECORD VALUES ('R00000004', '000000004', TO_DATE('2023-01-30', 'YYYY-MM-DD'), 'AB-', 74.30, 1.62, 'Hyperlipidemia', 'Statin therapy and die
INSERT INTO MEDICAL_RECORD VALUES ('R00000005', '000000005', TO_DATE('2023-02-01', 'YYYY-MM-DD'), 'O+', 90.40, 1.88, 'Migraine', 'Preventive medications and pa
INSERT INTO MEDICAL_RECORD VALUES ('R00000006', '000000006', TO_DATE('2023-02-11', 'YYYY-MM-DD'), 'A-', 60.00, 1.70, 'Chronic Obstructive Pulmonary Disease', 'E
INSERT INTO MEDICAL_RECORD VALUES ('R00000007', '000000007', TO_DATE('2023-02-21', 'YYYY-MM-DD'), 'B-', 55.70, 1.58, 'Gastroesophageal Reflux Disease', 'Proton
INSERT INTO MEDICAL_RECORD VALUES ('R00000008', '000000008', TO_DATE('2023-03-01', 'YYYY-MM-DD'), 'AB+', 78.20, 1.82, 'Osteoarthritis', 'Physical therapy and p
INSERT INTO MEDICAL_RECORD VALUES ('R00000009', '000000009', TO_DATE('2023-03-11', 'YYYY-MM-DD'), 'O-', 68.90, 1.65, 'Epilepsy', 'Anticonvulsant therapy');
INSERT INTO MEDICAL_RECORD VALUES ('R00000010', '000000010', TO_DATE('2023-03-21', 'YYYY-MM-DD'), 'A+', 85.30, 1.72, 'Anemia', 'Iron supplementation and dietar
```

```sql
INSERT INTO MEDICAL_RECORD VALUES ('R00000011', '000000011', TO_DATE('2023-04-01', 'YYYY-MM-DD'), 'B+', 72.50, 1.76, 'Chronic Kidney Disease', 'Renal replaceme
INSERT INTO MEDICAL_RECORD VALUES ('R00000012', '000000012', TO_DATE('2023-04-11', 'YYYY-MM-DD'), 'AB-', 60.80, 1.60, 'Coronary Artery Disease', 'Lifestyle cha
INSERT INTO MEDICAL_RECORD VALUES ('R00000013', '000000013', TO_DATE('2023-04-21', 'YYYY-MM-DD'), 'O+', 81.10, 1.80, 'Depression', 'Cognitive-behavioral therap
INSERT INTO MEDICAL_RECORD VALUES ('R00000014', '000000014', TO_DATE('2023-05-01', 'YYYY-MM-DD'), 'A-', 65.50, 1.68, 'Anxiety Disorder', 'Psychotherapy and anx
INSERT INTO MEDICAL_RECORD VALUES ('R00000015', '000000015', TO_DATE('2023-05-11', 'YYYY-MM-DD'), 'B-', 78.00, 1.85, 'Hypothyroidism', 'Thyroid hormone replace
INSERT INTO MEDICAL_RECORD VALUES ('R00000016', '000000016', TO_DATE('2023-05-21', 'YYYY-MM-DD'), 'AB+', 88.90, 1.90, 'Hyperthyroidism', 'Antithyroid medicatio
INSERT INTO MEDICAL_RECORD VALUES ('R00000017', '000000017', TO_DATE('2023-06-01', 'YYYY-MM-DD'), 'O-', 73.40, 1.75, 'Psoriasis', 'Topical and systemic therapy
INSERT INTO MEDICAL_RECORD VALUES ('R00000018', '000000018', TO_DATE('2023-06-11', 'YYYY-MM-DD'), 'A+', 62.20, 1.62, 'Gout', 'Urate-lowering therapy and dietar
INSERT INTO MEDICAL_RECORD VALUES ('R00000019', '000000019', TO_DATE('2023-06-21', 'YYYY-MM-DD'), 'B+', 80.00, 1.78, 'Parkinsons Disease', 'Dopamine agonists a
INSERT INTO MEDICAL_RECORD VALUES ('R00000020', '000000020', TO_DATE('2023-07-01', 'YYYY-MM-DD'), 'AB-', 69.80, 1.63, 'Alzheimers Disease', 'Cholinesterase inh
INSERT INTO MEDICAL_RECORD VALUES ('R00000021', '000000021', TO_DATE('2023-07-11', 'YYYY-MM-DD'), 'O+', 91.20, 1.87, 'Rheumatoid Arthritis', 'DMARDs and physio
INSERT INTO MEDICAL_RECORD VALUES ('R00000022', '000000022', TO_DATE('2023-07-21', 'YYYY-MM-DD'), 'A-', 75.60, 1.74, 'Lupus', 'Immunosuppressive therapy');
INSERT INTO MEDICAL_RECORD VALUES ('R00000023', '000000023', TO_DATE('2023-08-01', 'YYYY-MM-DD'), 'B+', 67.80, 1.60, 'Chronic Fatigue Syndrome', 'Symptom manage
INSERT INTO MEDICAL_RECORD VALUES ('R00000024', '000000024', TO_DATE('2023-08-11', 'YYYY-MM-DD'), 'AB+', 70.50, 1.71, 'Multiple Sclerosis', 'Disease-modifying
INSERT INTO MEDICAL_RECORD VALUES ('R00000025', '000000025', TO_DATE('2023-08-21', 'YYYY-MM-DD'), 'O-', 84.00, 1.85, 'Chronic Sinusitis', 'Nasal corticosteroid
INSERT INTO MEDICAL_RECORD VALUES ('R00000026', '000000026', TO_DATE('2023-09-01', 'YYYY-MM-DD'), 'A+', 78.20, 1.75, 'Sleep Apnea', 'CPAP therapy');
INSERT INTO MEDICAL_RECORD VALUES ('R00000027', '000000027', TO_DATE('2023-09-11', 'YYYY-MM-DD'), 'B-', 58.50, 1.62, 'Irritable Bowel Syndrome', 'Dietary manage
INSERT INTO MEDICAL_RECORD VALUES ('R00000028', '000000028', TO_DATE('2023-09-21', 'YYYY-MM-DD'), 'AB-', 64.70, 1.70, 'Celiac Disease', 'Gluten-free diet');
INSERT INTO MEDICAL_RECORD VALUES ('R00000029', '000000029', TO_DATE('2023-10-01', 'YYYY-MM-DD'), 'O+', 72.50, 1.77, 'Vertigo', 'Vestibular rehabilitation');
INSERT INTO MEDICAL_RECORD VALUES ('R00000030', '000000030', TO_DATE('2023-10-11', 'YYYY-MM-DD'), 'A-', 68.30, 1.68, 'Hepatitis C', 'Antiviral therapy');

SELECT * FROM PATIENT;
SELECT * FROM MEDICAL_RECORD;
CREATE TABLE DOCTOR (
    D_ID CHAR(9) PRIMARY KEY,
    License_Nb CHAR(9) NOT NULL,
    Specialty VARCHAR(100),
    Salary NUMBER(10,2),
    Bldg_Nb VARCHAR(2) NOT NULL,
    Office_Nb CHAR(3),
    Availability CHAR(1) CHECK (Availability IN ('Y', 'N')),
    Paging_Nb CHAR(4),
    Staff_ID CHAR(9),
    FOREIGN KEY (Staff_ID) REFERENCES STAFF(ID)
);
```

```sql
-- Insert doctors based on the STAFF position being 'Doctor'
INSERT INTO DOCTOR (D_ID, License_Nb, Specialty, Salary, Bldg_Nb, Office_Nb, Availability, Paging_Nb, Staff_ID)
SELECT
    'D' || LPAD(ROWNUM, 8, '0') AS D_ID, -- Generate unique Doctor ID
    'LIC' || LPAD(ROWNUM, 6, '0') AS License_Nb, -- Generate unique License Number
    CASE WHEN Staff.ID = 'S00000002' THEN 'Cardiologist'
         WHEN Staff.ID = 'S00000014' THEN 'General Practitioner'
         WHEN Staff.ID = 'S00000020' THEN 'Surgeon'
         ELSE 'Specialist' END AS Specialty, -- Assign specialties based on staff ID
    100000 + ROWNUM * 5000 AS Salary, -- Assign example salary
    SUBSTR(Staff.Dept_ID, 2, 1) AS Bldg_Nb, -- Extract building number from Dept_Nb
    LPAD(ROWNUM, 3, '0') AS Office_Nb, -- Generate unique Office Number
    'Y' AS Availability, -- Default availability as 'Yes'
    LPAD(ROWNUM, 4, '0') AS Paging_Nb, -- Generate unique Paging Number
    Staff.ID AS Staff_ID -- Reference the staff ID
FROM
    STAFF
WHERE
    Position IN ( 'Doctor', 'Surgeon'); -- Filter only doctors from STAFF
SELECT * FROM DOCTOR;

CREATE TABLE SERVICES (
    Services_ID CHAR(9) PRIMARY KEY,
    Type VARCHAR(40) NOT NULL,
    Service_Date DATE,
    Result VARCHAR(255),
    Doctor_ID CHAR(9),
    FOREIGN KEY (Doctor_ID) REFERENCES DOCTOR(D_ID)
);
INSERT INTO SERVICES VALUES ('SRV000001', 'MRI Scan', TO_DATE('2023-11-01', 'YYYY-MM-DD'), 'Clear results', 'D00000001');
INSERT INTO SERVICES VALUES ('SRV000002', 'X-ray', TO_DATE('2023-11-02', 'YYYY-MM-DD'), 'Fracture detected', 'D00000002');
INSERT INTO SERVICES VALUES ('SRV000003', 'Blood Test', TO_DATE('2023-11-03', 'YYYY-MM-DD'), 'Normal', 'D00000003');
INSERT INTO SERVICES VALUES ('SRV000004', 'CT Scan', TO_DATE('2023-11-04', 'YYYY-MM-DD'), 'No abnormalities', 'D00000004');
INSERT INTO SERVICES VALUES ('SRV000005', 'ECG', TO_DATE('2023-11-06', 'YYYY-MM-DD'), 'Irregular rhythm detected', 'D00000002');
INSERT INTO SERVICES VALUES ('SRV000006', 'Blood Pressure Test', TO_DATE('2023-11-07', 'YYYY-MM-DD'), 'High BP', 'D00000003');
```

```sql
INSERT INTO SERVICES VALUES ('SRV000007', 'Dialysis', TO_DATE('2023-11-08', 'YYYY-MM-DD'), 'Session complete', 'D00000004');
INSERT INTO SERVICES VALUES ('SRV000008', 'Vaccination', TO_DATE('2023-11-09', 'YYYY-MM-DD'), 'Completed', 'D00000003');
INSERT INTO SERVICES VALUES ('SRV000009', 'Physical Therapy', TO_DATE('2023-11-10', 'YYYY-MM-DD'), 'Improved mobility', 'D00000001');
INSERT INTO SERVICES VALUES ('SRV000010', 'Dental Cleaning', TO_DATE('2023-11-11', 'YYYY-MM-DD'), 'Teeth cleaned', 'D00000002');
INSERT INTO SERVICES VALUES ('SRV000011', 'Vision Test', TO_DATE('2023-11-12', 'YYYY-MM-DD'), '20/20 vision', 'D00000003');
INSERT INTO SERVICES VALUES ('SRV000012', 'Emergency Surgery', TO_DATE('2024-11-13', 'YYYY-MM-DD'), 'Successful', 'D00000001');
INSERT INTO SERVICES VALUES ('SRV000013', 'Emergency Blood Transfusion', TO_DATE('2024-11-14', 'YYYY-MM-DD'), 'Completed', 'D00000002');
INSERT INTO SERVICES VALUES ('SRV000014', 'Emergency Dialysis', TO_DATE('2023-11-15', 'YYYY-MM-DD'), 'Session complete', 'D00000003');
INSERT INTO SERVICES VALUES ('SRV000015', 'Emergency C-section', TO_DATE('2024-11-16', 'YYYY-MM-DD'), 'Mother and baby healthy', 'D00000004');
INSERT INTO SERVICES VALUES ('SRV000016', 'Emergency Trauma Care', TO_DATE('2024-11-17', 'YYYY-MM-DD'), 'Stable condition', 'D00000002');
INSERT INTO SERVICES VALUES ('SRV000017', 'General Surgery', TO_DATE('2024-11-18', 'YYYY-MM-DD'), 'Successful', 'D00000003');
INSERT INTO SERVICES VALUES ('SRV000018', 'Cardiac Surgery', TO_DATE('2024-11-19', 'YYYY-MM-DD'), 'Stable condition', 'D00000001');
INSERT INTO SERVICES VALUES ('SRV000019', 'Orthopedic Surgery', TO_DATE('2024-11-20', 'YYYY-MM-DD'), 'Improved mobility', 'D00000002');
INSERT INTO SERVICES VALUES ('SRV000020', 'Emergency Appendectomy', TO_DATE('2024-11-21', 'YYYY-MM-DD'), 'Patient stable', 'D00000004');
INSERT INTO SERVICES VALUES ('SRV000021', 'Neurosurgery', TO_DATE('2024-11-22', 'YYYY-MM-DD'), 'Patient recovering', 'D00000003');


SELECT * FROM SERVICES;

CREATE TABLE BLOOD_BANK (
    Donation_ID CHAR(9) PRIMARY KEY,
    Blood_Type CHAR(3) CHECK (Blood_Type IN ('A+', 'A-', 'B+', 'B-', 'AB+', 'AB-', 'O+', 'O-')),
    First VARCHAR(30) NOT NULL,
    MI CHAR(1),
    Last VARCHAR(30) NOT NULL,
    Phone_Nb CHAR(10) NOT NULL CHECK (Phone_Nb LIKE ''),
    Collection_Date DATE NOT NULL,
    Availability CHAR(1) CHECK (Availability IN ('Y', 'N')),
    Services_ID CHAR(9),
    FOREIGN KEY (Services_ID) REFERENCES SERVICES(Services_ID)
);
INSERT INTO BLOOD_BANK VALUES ('BB0000006', 'A-', 'Noah', 'H', 'Clark', '6543210987', TO_DATE('2023-11-06', 'YYYY-MM-DD'), 'Y', 'SRV000006');
INSERT INTO BLOOD_BANK VALUES ('BB0000007', 'B+', 'Emma', 'I', 'Johnson', '9876543201', TO_DATE('2023-11-07', 'YYYY-MM-DD'), 'Y', 'SRV000007');
INSERT INTO BLOOD_BANK VALUES ('BB0000008', 'O+', 'Liam', 'J', 'Brown', '5678901234', TO_DATE('2023-11-08', 'YYYY-MM-DD'), 'Y', 'SRV000008');
INSERT INTO BLOOD_BANK VALUES ('BB0000009', 'AB+', 'Sophia', 'K', 'Taylor', '8765432190', TO_DATE('2023-11-09', 'YYYY-MM-DD'), 'Y', 'SRV000009');
```

```sql
INSERT INTO BLOOD_BANK VALUES ('BB0000010', 'O-', 'Charlotte', 'L', 'White', '4321098765', TO_DATE('2023-11-10', 'YYYY-MM-DD'), 'Y', 'SRV000010');
INSERT INTO BLOOD_BANK VALUES ('BB0000011', 'A+', 'Lucas', 'M', 'Harris', '3456789012', TO_DATE('2023-11-11', 'YYYY-MM-DD'), 'Y', 'SRV000011');
INSERT INTO BLOOD_BANK VALUES ('BB0000012', 'B-', 'Amelia', 'N', 'Martin', '6547890123', TO_DATE('2023-11-12', 'YYYY-MM-DD'), 'Y', 'SRV000010');
INSERT INTO BLOOD_BANK VALUES ('BB0000013', 'A+', 'Mason', 'O', 'Davis', '5432109876', TO_DATE('2023-11-13', 'YYYY-MM-DD'), 'Y', 'SRV000012');
INSERT INTO BLOOD_BANK VALUES ('BB0000014', 'B-', 'Ella', 'P', 'Garcia', '2109876543', TO_DATE('2023-11-14', 'YYYY-MM-DD'), 'Y', 'SRV000013');
INSERT INTO BLOOD_BANK VALUES ('BB0000015', 'O+', 'Oliver', 'Q', 'Martinez', '8901234567', TO_DATE('2023-11-15', 'YYYY-MM-DD'), 'Y', 'SRV000014');
INSERT INTO BLOOD_BANK VALUES ('BB0000016', 'AB+', 'Isabella', 'R', 'Hernandez', '7654321098', TO_DATE('2023-11-16', 'YYYY-MM-DD'), 'Y', 'SRV000015');
INSERT INTO BLOOD_BANK VALUES ('BB0000017', 'A-', 'James', 'S', 'Lopez', '3210987654', TO_DATE('2023-11-17', 'YYYY-MM-DD'), 'Y', 'SRV000016');
INSERT INTO BLOOD_BANK VALUES ('BB0000018', 'B+', 'Ava', 'T', 'Thomas', '9876512340', TO_DATE('2024-11-18', 'YYYY-MM-DD'), 'Y', 'SRV000017');
INSERT INTO BLOOD_BANK VALUES ('BB0000019', 'A-', 'Elijah', 'U', 'Moore', '6543298710', TO_DATE('2024-11-19', 'YYYY-MM-DD'), 'Y', 'SRV000018');
INSERT INTO BLOOD_BANK VALUES ('BB0000020', 'O+', 'Mia', 'V', 'King', '5432198760', TO_DATE('2024-11-20', 'YYYY-MM-DD'), 'Y', 'SRV000019');
INSERT INTO BLOOD_BANK VALUES ('BB0000021', 'AB-', 'Benjamin', 'W', 'Scott', '2109876453', TO_DATE('2024-11-21', 'YYYY-MM-DD'), 'Y', 'SRV000020');
INSERT INTO BLOOD_BANK VALUES ('BB0000022', 'B+', 'Harper', 'X', 'Young', '1234567890', TO_DATE('2024-11-22', 'YYYY-MM-DD'), 'Y', 'SRV000021');

SELECT * FROM BLOOD_BANK;

CREATE TABLE INVENTORY (
    Item_Name VARCHAR(50) NOT NULL,
    Batch_ID CHAR(9) PRIMARY KEY,
    Qty NUMBER(6) NOT NULL CHECK (Qty >= 0),
    Expiry_Date DATE NOT NULL,
    Reorder_Threshold NUMBER(6) NOT NULL CHECK (Reorder_Threshold >= 0),
    Supp_ID CHAR(9),
    Batch_Rating NUMBER(2, 1) CHECK (Batch_Rating BETWEEN 0 AND 5),
    FOREIGN KEY (Supp_ID) REFERENCES SUPPLIER(Supp_ID)
);
INSERT INTO INVENTORY VALUES ('Thermometers', 'B00000006', 300, TO_DATE('2024-09-01', 'YYYY-MM-DD'), 50, 'SUP000006', 4.7);
INSERT INTO INVENTORY VALUES ('Scalpel Blades', 'B00000007', 200, TO_DATE('2025-03-01', 'YYYY-MM-DD'), 30, 'SUP000007', 4.5);
INSERT INTO INVENTORY VALUES ('IV Stands', 'B00000008', 100, TO_DATE('2024-07-01', 'YYYY-MM-DD'), 20, 'SUP000008', 4.6);
INSERT INTO INVENTORY VALUES ('Surgical Masks', 'B00000009', 5000, TO_DATE('2025-05-01', 'YYYY-MM-DD'), 1000, 'SUP000009', 4.8);
INSERT INTO INVENTORY VALUES ('Hand Sanitizers', 'B00000010', 1000, TO_DATE('2025-01-01', 'YYYY-MM-DD'), 200, 'SUP000010', 4.9);

INSERT INTO INVENTORY VALUES ('Gloves', 'B00000011', 10, TO_DATE('2024-12-01', 'YYYY-MM-DD'), 50, 'SUP000006', 4.5);
INSERT INTO INVENTORY VALUES ('Face Shields', 'B00000012', 15, TO_DATE('2024-10-01', 'YYYY-MM-DD'), 60, 'SUP000007', 4.4);
INSERT INTO INVENTORY VALUES ('Ventilator Tubes', 'B00000013', 8, TO_DATE('2024-08-01', 'YYYY-MM-DD'), 25, 'SUP000008', 4.3);
```

```sql
INSERT INTO INVENTORY VALUES ('Sterile Syringes', 'B00000014', 5, TO_DATE('2024-11-15', 'YYYY-MM-DD'), 40, 'SUP000009', 4.2);
INSERT INTO INVENTORY VALUES ('IV Fluids', 'B00000015', 12, TO_DATE('2024-06-15', 'YYYY-MM-DD'), 30, 'SUP000010', 4.6);

SELECT * FROM INVENTORY;

CREATE TABLE INSURANCE (
    Insurance_ID CHAR(9) PRIMARY KEY,
    First VARCHAR(30) NOT NULL,
    MI CHAR(1),
    Last VARCHAR(30) NOT NULL,
    Policy_Nb VARCHAR(11) NOT NULL CHECK (REGEXP_LIKE(Policy_Nb, '^[A-Z]{2}-[0-9]{8}$')),
    Coverage_Type VARCHAR(7) CHECK (Coverage_Type IN ('class A', 'class B', 'class C')),
    P_Name VARCHAR(30) NOT NULL,
    Phone_Nb CHAR(10) NOT NULL CHECK (Phone_Nb LIKE ''),
    Email VARCHAR(100) CHECK (REGEXP_LIKE(Email, '^[^@]+@[^@]+\.[^@]+$')),
    Start_Date DATE NOT NULL,
    End_Date DATE,
    Patient_ID CHAR(9),
    FOREIGN KEY (Patient_ID) REFERENCES PATIENT(Patient_ID)
);
INSERT INTO INSURANCE VALUES ('INS000004', 'Emily', 'M', 'Stone', 'EF-09876543', 'class A', 'InsureMed', '2345678901', 'emily.stone@domain.com', TO_DATE('2023-0
INSERT INTO INSURANCE VALUES ('INS000005', 'Matthew', 'O', 'Ray', 'GH-87654321', 'class B', 'HealthSecure', '3456789012', 'matthew.ray@domain.com', TO_DATE('202
INSERT INTO INSURANCE VALUES ('INS000006', 'Sophia', 'P', 'Perry', 'IJ-65432109', 'class C', 'CareShield', '4567890123', 'sophia.perry@domain.com', TO_DATE('202
INSERT INTO INSURANCE VALUES ('INS000007', 'Olivia', 'Q', 'Evans', 'KL-54321098', 'class A', 'GuardianLife', '5678901234', 'olivia.evans@domain.com', TO_DATE('2
SELECT * FROM INSURANCE;
CREATE TABLE DR_SUBSPECIALTIES (
    Doctor_ID CHAR(9),
    Subspecialties VARCHAR(200),
    PRIMARY KEY (Doctor_ID, Subspecialties),
    FOREIGN KEY (Doctor_ID) REFERENCES DOCTOR(D_ID)
);
INSERT INTO DR_SUBSPECIALTIES VALUES ('D00000001', 'Pediatrics');
INSERT INTO DR_SUBSPECIALTIES VALUES ('D00000002', 'Oncology');
INSERT INTO DR_SUBSPECIALTIES VALUES ('D00000003', 'Emergency Medicine');
INSERT INTO DR_SUBSPECIALTIES VALUES ('D00000004', 'General Surgery');
```

```sql
INSERT INTO DR_SUBSPECIALTIES VALUES ('D00000005', 'Cardiology');
INSERT INTO DR_SUBSPECIALTIES VALUES ('D00000006', 'Orthopedics');
INSERT INTO DR_SUBSPECIALTIES VALUES ('D00000007', 'Cardiology');
INSERT INTO DR_SUBSPECIALTIES VALUES ('D00000008', 'Neurology');
INSERT INTO DR_SUBSPECIALTIES VALUES ('D00000009', 'Cardiology');
INSERT INTO DR_SUBSPECIALTIES VALUES ('D00000010', 'Psychiatry');
SELECT * FROM DR_SUBSPECIALTIES;
CREATE TABLE TREATS (
    Patient_ID CHAR(9),
    Doctor_ID CHAR(9),
    PRIMARY KEY (Patient_ID, Doctor_ID),
    FOREIGN KEY (Patient_ID) REFERENCES PATIENT(Patient_ID),
    FOREIGN KEY (Doctor_ID) REFERENCES DOCTOR(D_ID)
);
-- Insert the remaining patients evenly to ensure all are assigned a doctor
BEGIN
    FOR i IN 1..30 LOOP
        INSERT INTO TREATS (Patient_ID, Doctor_ID)
        VALUES (
            LPAD(i, 9, '0'), -- Patient_ID: '000000001', '000000002', ...
            CASE
                WHEN MOD(i, 4) = 1 THEN 'D00000001' -- Assign to Doctor 1
                WHEN MOD(i, 4) = 2 THEN 'D00000002' -- Assign to Doctor 2
                WHEN MOD(i, 4) = 3 THEN 'D00000003' -- Assign to Doctor 3
                ELSE 'D00000004' -- Assign to Doctor 4
            END
        );
    END LOOP;
    COMMIT;
END;
/
SELECT * FROM TREATS;


CREATE TABLE USES (
```

```sql
    Services_ID CHAR(9),
    Batch_ID CHAR(9),
    FOREIGN KEY (Services_ID) REFERENCES SERVICES(Services_ID),
    FOREIGN KEY (Batch_ID) REFERENCES INVENTORY(Batch_ID),
    PRIMARY KEY (Services_ID, Batch_ID)
);
INSERT INTO USES VALUES ('SRV000006', 'B00000006');
INSERT INTO USES VALUES ('SRV000007', 'B00000007');
INSERT INTO USES VALUES ('SRV000008', 'B00000008');
INSERT INTO USES VALUES ('SRV000009', 'B00000009');
INSERT INTO USES VALUES ('SRV000010', 'B00000010');


SELECT * FROM USES;
CREATE TABLE PATIENT_ALLERGIES (
    Record_ID CHAR(9),
    PAllergies VARCHAR(100),
    PRIMARY KEY (Record_ID, PAllergies),
    FOREIGN KEY (Record_ID) REFERENCES MEDICAL_RECORD(Record_ID)
);
INSERT INTO PATIENT_ALLERGIES VALUES ('R00000006', 'Latex');
INSERT INTO PATIENT_ALLERGIES VALUES ('R00000007', 'Bee Stings');
INSERT INTO PATIENT_ALLERGIES VALUES ('R00000008', 'Soy');
INSERT INTO PATIENT_ALLERGIES VALUES ('R00000009', 'Eggs');
INSERT INTO PATIENT_ALLERGIES VALUES ('R00000010', 'Dairy');
SELECT * FROM PATIENT_ALLERGIES;
CREATE TABLE PATIENT_DIAGNOSIS_HISTORY (
    Record_ID CHAR(9),
    Diagnosis_History VARCHAR(100),
    PRIMARY KEY (Record_ID, Diagnosis_History),
    FOREIGN KEY (Record_ID) REFERENCES MEDICAL_RECORD(Record_ID)
);

INSERT INTO PATIENT_DIAGNOSIS_HISTORY VALUES ('R00000006', 'Asthma');
INSERT INTO PATIENT_DIAGNOSIS_HISTORY VALUES ('R00000007', 'Hypertension');
```

```sql
INSERT INTO PATIENT_DIAGNOSIS_HISTORY VALUES ('R00000008', 'Diabetes Type 1');
INSERT INTO PATIENT_DIAGNOSIS_HISTORY VALUES ('R00000009', 'Arthritis');
INSERT INTO PATIENT_DIAGNOSIS_HISTORY VALUES ('R00000010', 'Migraine');
INSERT INTO PATIENT_DIAGNOSIS_HISTORY VALUES ('R00000015', 'Hypertension');
INSERT INTO PATIENT_DIAGNOSIS_HISTORY VALUES ('R00000022', 'Hypertension');
INSERT INTO PATIENT_DIAGNOSIS_HISTORY VALUES ('R00000003', 'Hypertension');
INSERT INTO PATIENT_DIAGNOSIS_HISTORY VALUES ('R00000005', 'HIV');
INSERT INTO PATIENT_DIAGNOSIS_HISTORY VALUES ('R00000004', 'HIV');



SELECT * FROM PATIENT_DIAGNOSIS_HISTORY;

CREATE TABLE DEP_WORKING_HOURS (
    Dept_ID VARCHAR(3),
    Working_Hours VARCHAR(35) NOT NULL CHECK (
        REGEXP_LIKE(
            Working_Hours,
            '^[0-9]{2}:[0-9]{2}-[0-9]{2}:[0-9]{2}( and [0-9]{2}:[0-9]{2}-[0-9]{2}:[0-9]{2})?$'
        )
    ),
    PRIMARY KEY (Dept_ID, Working_Hours),
    FOREIGN KEY (Dept_ID) REFERENCES DEPARTMENT(Dept_ID)
);
INSERT INTO DEP_WORKING_HOURS VALUES ('001', '08:00-16:00');
INSERT INTO DEP_WORKING_HOURS VALUES ('002', '09:00-17:00');
INSERT INTO DEP_WORKING_HOURS VALUES ('003', '10:00-18:00');
INSERT INTO DEP_WORKING_HOURS VALUES ('004', '07:00-15:00');
INSERT INTO DEP_WORKING_HOURS VALUES ('005', '12:00-20:00');
INSERT INTO DEP_WORKING_HOURS VALUES ('006', '06:00-14:00');
INSERT INTO DEP_WORKING_HOURS VALUES ('007', '11:00-19:00');
INSERT INTO DEP_WORKING_HOURS VALUES ('008', '08:00-16:00 and 18:00-22:00');
INSERT INTO DEP_WORKING_HOURS VALUES ('001', '16:00-00:00');
INSERT INTO DEP_WORKING_HOURS VALUES ('002', '00:00-08:00');
SELECT * FROM DEP_WORKING_HOURS;
```

```sql
CREATE TABLE DEP_FLOOR_NB (
    Dept_ID VARCHAR(3),
    Floor_Nb VARCHAR(2),
    PRIMARY KEY (Dept_ID, Floor_Nb),
    FOREIGN KEY (Dept_ID) REFERENCES DEPARTMENT(Dept_ID)
);
INSERT INTO DEP_FLOOR_NB VALUES ('001', '01');
INSERT INTO DEP_FLOOR_NB VALUES ('002', '02');
INSERT INTO DEP_FLOOR_NB VALUES ('003', '03');
INSERT INTO DEP_FLOOR_NB VALUES ('004', '04');
INSERT INTO DEP_FLOOR_NB VALUES ('005', '05');
INSERT INTO DEP_FLOOR_NB VALUES ('006', '06');
INSERT INTO DEP_FLOOR_NB VALUES ('007', '07');
INSERT INTO DEP_FLOOR_NB VALUES ('008', '08');
INSERT INTO DEP_FLOOR_NB VALUES ('001', '09');
INSERT INTO DEP_FLOOR_NB VALUES ('002', '10');
SELECT * FROM DEP_FLOOR_NB;

CREATE TABLE PATIENT_MEDICATION (
    Record_ID CHAR(9),
    Medication VARCHAR(100),
    PRIMARY KEY (Record_ID, Medication),
    FOREIGN KEY (Record_ID) REFERENCES MEDICAL_RECORD(Record_ID)
);
INSERT INTO PATIENT_MEDICATION VALUES ('R00000001', 'Lisinopril');
INSERT INTO PATIENT_MEDICATION VALUES ('R00000002', 'Metformin');
INSERT INTO PATIENT_MEDICATION VALUES ('R00000003', 'Salbutamol Inhaler');
INSERT INTO PATIENT_MEDICATION VALUES ('R00000004', 'Atorvastatin');
INSERT INTO PATIENT_MEDICATION VALUES ('R00000005', 'Sumatriptan');
INSERT INTO PATIENT_MEDICATION VALUES ('R00000006', 'Fluticasone Nasal Spray');
INSERT INTO PATIENT_MEDICATION VALUES ('R00000007', 'Omeprazole');
INSERT INTO PATIENT_MEDICATION VALUES ('R00000008', 'Paracetamol');
INSERT INTO PATIENT_MEDICATION VALUES ('R00000009', 'Ibuprofen');
INSERT INTO PATIENT_MEDICATION VALUES ('R00000010', 'Clopidogrel');
```

```sql
SELECT * FROM PATIENT_MEDICATION;

CREATE TABLE PATIENT_CURRENT_TREATMENT_PLAN(
    Record_ID CHAR(9),
    Current_Treatment_Plan VARCHAR(200),
    PRIMARY KEY (Record_ID, Current_Treatment_Plan),
    FOREIGN KEY (Record_ID) REFERENCES MEDICAL_RECORD(Record_ID)
);
INSERT INTO PATIENT_CURRENT_TREATMENT_PLAN VALUES ('R00000001', 'Daily Lisinopril and low-sodium diet');
INSERT INTO PATIENT_CURRENT_TREATMENT_PLAN VALUES ('R00000002', 'Diet control with Metformin twice daily');
INSERT INTO PATIENT_CURRENT_TREATMENT_PLAN VALUES ('R00000003', 'Use Salbutamol inhaler as needed for asthma symptoms');
INSERT INTO PATIENT_CURRENT_TREATMENT_PLAN VALUES ('R00000004', 'Daily Atorvastatin for cholesterol management');
INSERT INTO PATIENT_CURRENT_TREATMENT_PLAN VALUES ('R00000005', 'Sumatriptan during migraines');
INSERT INTO PATIENT_CURRENT_TREATMENT_PLAN VALUES ('R00000006', 'Fluticasone nasal spray daily');
INSERT INTO PATIENT_CURRENT_TREATMENT_PLAN VALUES ('R00000007', 'Omeprazole before meals');
INSERT INTO PATIENT_CURRENT_TREATMENT_PLAN VALUES ('R00000008', 'Paracetamol for fever');
INSERT INTO PATIENT_CURRENT_TREATMENT_PLAN VALUES ('R00000009', 'Ibuprofen for joint pain');
INSERT INTO PATIENT_CURRENT_TREATMENT_PLAN VALUES ('R00000010', 'Daily Clopidogrel for heart condition');
SELECT * FROM PATIENT_CURRENT_TREATMENT_PLAN;

CREATE TABLE SUP_PRODUCT_TYPES (
    Supp_ID CHAR(9),
    Product_Types CHAR(50),
    PRIMARY KEY (Supp_ID, Product_Types),
    FOREIGN KEY (Supp_ID) REFERENCES SUPPLIER(Supp_ID)
);
INSERT INTO SUP_PRODUCT_TYPES VALUES ('SUP000001', 'Surgical Instruments');
INSERT INTO SUP_PRODUCT_TYPES VALUES ('SUP000002', 'Medical Furniture');
INSERT INTO SUP_PRODUCT_TYPES VALUES ('SUP000003', 'Personal Protective Equipment');
INSERT INTO SUP_PRODUCT_TYPES VALUES ('SUP000004', 'Pharmaceutical Products');
INSERT INTO SUP_PRODUCT_TYPES VALUES ('SUP000005', 'Diagnostic Devices');
INSERT INTO SUP_PRODUCT_TYPES VALUES ('SUP000006', 'Hospital Consumables');
INSERT INTO SUP_PRODUCT_TYPES VALUES ('SUP000007', 'Laboratory Supplies');
INSERT INTO SUP_PRODUCT_TYPES VALUES ('SUP000008', 'Cleaning Products');
```

```sql
INSERT INTO SUP_PRODUCT_TYPES VALUES ('SUP000009', 'Respiratory Equipment');
INSERT INTO SUP_PRODUCT_TYPES VALUES ('SUP000010', 'Monitoring Systems');
SELECT * FROM SUP_PRODUCT_TYPES;
CREATE TABLE AMBULANCE_EQUIPMENT_LIST (
    License_Plate CHAR(10),
    Equipment_List VARCHAR(200),
    PRIMARY KEY (License_Plate, Equipment_List),
    FOREIGN KEY (License_Plate) REFERENCES AMBULANCE(License_Plate)
);
INSERT INTO AMBULANCE_EQUIPMENT_LIST VALUES ('ABC1234567', 'First Aid Kit');
INSERT INTO AMBULANCE_EQUIPMENT_LIST VALUES ('DEF2345678', 'Oxygen Cylinder');
INSERT INTO AMBULANCE_EQUIPMENT_LIST VALUES ('GHI3456789', 'Defibrillator');
INSERT INTO AMBULANCE_EQUIPMENT_LIST VALUES ('JKL4567890', 'Spinal Board');
INSERT INTO AMBULANCE_EQUIPMENT_LIST VALUES ('MNO5678901', 'Ventilator');
INSERT INTO AMBULANCE_EQUIPMENT_LIST VALUES ('PQR6789012', 'ECG Machine');
INSERT INTO AMBULANCE_EQUIPMENT_LIST VALUES ('STU7890123', 'Trauma Kit');
INSERT INTO AMBULANCE_EQUIPMENT_LIST VALUES ('VWX8901234', 'Pulse Oximeter');
INSERT INTO AMBULANCE_EQUIPMENT_LIST VALUES ('YZA9012345', 'Suction Machine');
INSERT INTO AMBULANCE_EQUIPMENT_LIST VALUES ('BCD0123456', 'IV Stand and Fluids');


SELECT * FROM AMBULANCE_EQUIPMENT_LIST;
SELECT * FROM AMBULANCE WHERE License_Plate = 'GHI3456789';
UPDATE AMBULANCE
SET Status = 'Available'
WHERE License_Plate = 'GHI3456789';

SELECT A.License_Plate, A.Model, E.Equipment_List
FROM AMBULANCE A
JOIN AMBULANCE_EQUIPMENT_LIST E ON A.License_Plate = E.License_Plate
WHERE E.Equipment_List LIKE '%Defibrillator%' AND A.Status = 'Available';
SELECT * FROM SERVICES WHERE Type LIKE '%Emergency%';

SELECT BB.Blood_Type, COUNT(BB.Donation_ID) AS Units_Requested
FROM BLOOD_BANK BB
```

```sql
JOIN SERVICES S ON BB.Services_ID = S.Services_ID
WHERE S.Service_Date >= ADD_MONTHS(SYSDATE, -1) AND S.Type LIKE '%Emergency%'
GROUP BY BB.Blood_Type
ORDER BY Units_Requested DESC;

SELECT I.Item_Name, I.Qty, I.Reorder_Threshold, S.Supp_Name
FROM INVENTORY I
JOIN SUPPLIER S ON I.Supp_ID = S.Supp_ID
WHERE I.Qty < I.Reorder_Threshold
ORDER BY (I.Reorder_Threshold - I.Qty) DESC;

SELECT P.Patient_ID, P.First, P.MI, P.Last
FROM PATIENT P
JOIN TREATS T ON P.Patient_ID = T.Patient_ID
JOIN DOCTOR D ON T.Doctor_ID = D.D_ID
WHERE D.License_Nb = 'LIC000001'; -- Update with Jane Smith's License Number


SELECT D.D_ID, S.ID AS Staff_ID, S.First AS First_Name, S.MI AS Middle_Initial, S.Last AS Last_Name
FROM DOCTOR D
JOIN DR_SUBSPECIALTIES DS ON D.D_ID = DS.Doctor_ID
JOIN STAFF S ON D.Staff_ID = S.ID
WHERE DS.Subspecialties = 'Cardiology' AND D.Availability = 'Y';

SELECT
    PM.Medication,
    COUNT(*) AS Prescription_Count
FROM
    PATIENT_MEDICATION PM
JOIN
    MEDICAL_RECORD MR ON PM.Record_ID = MR.Record_ID
JOIN
    PATIENT_DIAGNOSIS_HISTORY PDH ON MR.Record_ID = PDH.Record_ID
WHERE
    PDH.Diagnosis_History = 'Hypertension'
```

```sql
GROUP BY
    PM.Medication
ORDER BY
    Prescription_Count DESC
FETCH FIRST 3 ROWS ONLY;


SELECT
    P.Patient_ID,
    P.First,
    P.Last
FROM
    PATIENT P
JOIN
    MEDICAL_RECORD MR ON P.Patient_ID = MR.Patient_ID
JOIN
    PATIENT_DIAGNOSIS_HISTORY PDH ON MR.Record_ID = PDH.Record_ID
WHERE
    PDH.Diagnosis_History = 'HIV';


SELECT
    P.Patient_ID,
    P.First,
    P.Last
FROM
    PATIENT P
JOIN
    BLOOD_BANK BB ON P.Patient_ID = BB.Donation_ID
WHERE
    BB.First = 'Amelia' AND BB.Last = 'Martin'; -- Specify donor's name

SELECT
    S.Supp_ID,
    S.Supp_Name,
```

```sql
    AVG(I.Batch_Rating) AS Average_Rating
FROM
    SUPPLIER S
JOIN
    INVENTORY I ON S.Supp_ID = I.Supp_ID
GROUP BY
    S.Supp_ID, S.Supp_Name
ORDER BY
    Average_Rating DESC
FETCH FIRST 3 ROWS ONLY;

SELECT
    S.ID,
    S.First,
    S.Last
FROM
    STAFF S
WHERE
    S.End_Date IS NULL
    AND (SYSDATE - S.Hiring_Date) > (8 * 365); -- 8 years in days


SELECT
    P.Patient_ID,
    P.First,
    P.Last
FROM
    PATIENT P
JOIN
    SERVICES S ON P.Patient_ID = S.Doctor_ID
JOIN
    BLOOD_BANK BB ON S.Services_ID = BB.Services_ID
WHERE
    BB.First = 'Amelia' AND BB.Last = 'Martin';
```

```sql
SELECT
    P.Patient_ID,
    P.First AS FirstName,
    P.Last AS LastName,
    MR.Weight,
    MR.Height,
    ROUND(MR.Weight / (MR.Height * MR.Height), 2) AS BMI -- BMI = weight (kg) / height (m)^2
FROM
    PATIENT P
JOIN
    MEDICAL_RECORD MR ON P.Patient_ID = MR.Patient_ID -- Link medical records to patients
JOIN
    ROOM R ON R.Room_Nb = MR.Record_ID -- Assuming the ROOM table has a link to MEDICAL_RECORD
WHERE
    R.Type = 'ICU'; -- Filter for ICU rooms

SELECT
    P.Patient_ID,
    P.First,
    P.Last,
    P.Sex,
    P.DOB,
    P.Address,
    P.Phone_Nb
FROM
    PATIENT P
LEFT JOIN
    INSURANCE I ON P.Patient_ID = I.Patient_ID
WHERE
    I.Patient_ID IS NULL;

SELECT * FROM SUPPLIER;
SELECT * FROM ROOM;
SELECT * FROM AMBULANCE;
SELECT * FROM STAFF;
```