Every metric, wins and losses

Hub-controlled versions of the same rows (page 3 shows the raw scores): controlling for highly connected (hub) genes.

	Attention *adopted*	CLR	a3r *exploratory*	a3r2 *exploratory*	a3r3 *exploratory*	GENIE3	PIDC	GRNBoost2	|r|
E. coli, M3D compendium									
Regulons, strong evidence	1.56	1.40	1.63	● **1.65**	1.58	1.47	1.40	1.37	1.22
Regulons, all evidence	1.35	1.33	● **1.46**	1.43	1.38	1.37	1.34	1.28	1.21
Protein complexes (Complex Portal)	15.3	16.7	19.7	24.5	● **26.7**	–	–	–	23.1
E. coli, EcoMAC compendium									
Regulons, strong evidence	1.57	1.37	1.65	1.71	● **1.73**	1.47	1.40	1.37	1.16
Regulons, all evidence	1.36	1.29	1.46	● **1.47**	1.41	1.35	1.33	1.27	1.15
Protein complexes (Complex Portal)	16.7	17.4	● **19.4**	–	–	–	–	–	19.1
Human K562 Perturb-seq									
DoRothEA A-B (TF targets)	1.09	1.06	● **1.11**	1.09	1.06	1.07	1.07	1.05	1.05
DoRothEA A-B-C (TF targets)	1.06	1.02	● **1.06**	1.05	1.04	1.04	1.03	1.03	1.02
CollecTRI (TF targets)	1.02	1.01	● **1.05**	1.02	1.01	1.03	1.03	1.01	0.99
CORUM protein complexes	2.08	3.40	4.15	4.11	● **4.28**	3.47	3.82	2.51	3.76
Knockdown-response modules	1.60	1.91	● **2.09**	1.82	1.63	1.93	2.00	1.55	1.88
Human RPE1 Perturb-seq									
CORUM protein complexes (merged)	2.42	3.58	● **3.92**	–	–	–	–	–	2.36

Bars start at random (tick; 1.00, or 0.50 for the AUROC row) and are scaled within each row; the value, not the bar, carries the comparison across rows. Bold with a dot: highest value in the row.
Ties are not marked here (see the method table, docs/whitepapers/sota_table.md, for Bonferroni-tied cells). No intervals, no tests. A grey dash is a cell that was not run.
Pooled AUPR / base rate (1.00 = random), raw scores unless marked hub-controlled; BEELINE median over the 44 case-truth cells of the primary truths (14 cases); a3r was picked among about 20 read-outs by its K562 scores (selected, not fitted); K562 and M3D are tuning sets; attention and a3r settings were developed on M3D; DREAM5 yeast is separate (page 2 / section 8) and was not run for a3r.
Hub-controlled: each method's scores are converted to percentiles within 10 strata of pi_i + pi_j (pi of the attention walk), the stratifier of the method table. Not run for direct edges, per-regulon AP and BEELINE.