

March 29, 2023

The results below are generated from an R script.


```
# setting plot margins so main doesnt cut off the top
par(mar = c(5, 5, 4, 2) + 0.1)
#Question 1
library(DAAG)
#a.
plot(Manitoba.lakes, xlim= c(160,260),cex=0.7)
#b.
text(Manitoba.lakes, labels=rownames(Manitoba.lakes), cex=0.7, pos= 2)
#c.
myPlot = lm(area ~ elevation, data=Manitoba.lakes)
abline(myPlot, col="blue")
```



```
#d.
elevationdivided1000 = Manitoba.lakes$elevation/1000
areadivided100 = Manitoba.lakes$area/100
ML.df = data.frame(elevationdivided1000, areadivided100)
plot(ML.df)
```




```
# redo for areadivided1000 and elevationdivided100
elevationdivided100 = Manitoba.lakes$elevation/100
areadivided1000 = Manitoba.lakes$area/1000
ML.df = data.frame(elevationdivided100, areadivided1000)
plot(ML.df)
```




```
#Question 2
help(unique)
myData = c(1,1,1,2,3,4,4,5,5,6,6,6,6,7)
unique(myData)
## [1] 1 2 3 4 5 6 7
#unique takes data that is not repeated and returns it.
unique(myData, incomparables = 1)
## [1] 1 1 1 2 3 4 5 6 7
#incomparables means that it will not compare whatever value is given, for example here,
#this will return all 1's.
#Question 3
plot(Loblolly$age, Loblolly$height, xlab="age", ylab="height", main="height vs age")
abline(lm(height~age, data=Loblolly), col="red")
```

height vs age




```
#Question 4
# I believe this data is believable because if we think about it the older the pine tree
# the higher the tree but loblolly reaches its maximum height in around 150 years, so this
# data is true for now.


#Question 5
returns1 = diff(EuStockMarkets)
hist(returns1, main = "normal")
```



hist(returns1, breaks = "fd", main = "fd")



hist(returns1, breaks = "scott", main = "scott")



```
# they both look the same for fd and scott

#Question 6

# create points for b.

x <- c(8, 10, 15, 11, 12.5, 8.5, 4, 6, 2, 7, 8)

y <- c(15, 10, 10, 7, 2, 5, 2, 7, 10, 10, 15)

pointNames = c("A","B","C","D","E","F","G","H","I","J")

# c.


# setting the margins for my plots

par(mar = c(4, 4, 4, 4), pin = c(4, 4),bg="blue")


mystar = plot(x,y, asp = 1, cex = 0.7, xlim =c(2,15), ylim = c(2,15))

text(x,y,labels = pointNames,pos=2,cex = 0.7)

lines(x,y, col = "red",lwd = 3)</pre>
```



```
#BONUS
mystar = plot(x,y, asp = 1, cex = 0.7, xlim =c(2,15), ylim = c(2,15), type="n")
polygon(x,y,col="yellow")
text(8.5,8,labels = "MY STAR", col= "blue", cex = 1.5)
```



The R session information (including the OS info, R version and all packages used):

```
sessionInfo()
## R version 4.2.2 (2022-10-31)
## Platform: x86_64-apple-darwin17.0 (64-bit)
## Running under: macOS Ventura 13.1
## Matrix products: default
## LAPACK: /Library/Frameworks/R.framework/Versions/4.2/Resources/lib/libRlapack.dylib
##
## [1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
## attached base packages:
## [1] stats
               graphics grDevices utils datasets methods base
##
## other attached packages:
## [1] DAAG_1.25.4
##
## loaded via a namespace (and not attached):
## [1] Rcpp_1.0.10 lattice_0.20-45 deldir_1.0-6 png_0.1-8 ## [5] rbibutils_2.2.13 grid_4.2.2 evaluate_0.20 highr_0.10
## [9] Rdpack_2.4 latticeExtra_0.6-30 RColorBrewer_1.1-3 tools_4.2.2 ## [13] interp_1.1-3 tinytex_0.44 jpeg_0.1-10 xfun_0.37 ## [17] compiler_4.2.2 knitr_1.42
Sys.time()
## [1] "2023-03-29 16:22:44 PDT"
```