1.181. Employees Earning More Than Their Managers
https://leetcode.com/problems/employees-earning-more-than-their-managers/



2. 183. Customers Who Never Order https://leetcode.com/problems/customers-who-never-order/



3. 197. Rising Temperature https://leetcode.com/problems/rising-temperature/

Problem List | Submit | Premium

Description | Editorial | Solutions | Submissions

197. Rising Temperature

Solved

Easy | Topics | Companies

SQL Schema > Pandas Schema >

Table: `Weather`

```
+---------------+---------+
| Column Name   | Type    |
+---------------+---------+
| id            | int     |
| recordDate    | date    |
| temperature   | int     |
+---------------+---------+
id is the column with unique values for this table.
There are no different rows with the same recordDate.
This table contains information about the temperature on a
certain day.
```

Write a solution to find all dates' `id` with higher temperatures compared to its previous dates (yesterday).

Return the result table in **any order**.

The result format is in the following example.

4.2K | 613 | 81 Online

Code

MySQL | Auto

```
# Write your MySQL query statement below
SELECT w1.id FROM Weather w1, Weather w2 WHERE DATEDIFF(w1.recordDate, w2.recordDate) = 1 AND w1.temperature > w2.
temperature;
```

Saved | Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 77 ms

Case 1

Input

Weather =

id	recordDate	temperature
1	2015-01-01	10
2	2015-01-02	25
3	2015-01-03	20
4	2015-01-04	30

Output

id
2
4

Accepted

All Submissions

Accepted 15 / 15 testcases passed

RinaWasankar submitted at Mar 22, 2026 12:13

Runtime

491 ms | Beats 37.64%

8% 6% 4% 2% 0%

309ms 527ms 744ms 962ms

4. 607. Sales Person https://leetcode.com/problems/sales-person/

Description | Editorial | Solutions | Submissions

607. Sales Person

Solved

Easy | Topics | Companies | Hint

SQL Schema > Pandas Schema >

Table: `SalesPerson`

```
+-----------------+---------+
| Column Name     | Type    |
+-----------------+---------+
| sales_id        | int     |
| name            | varchar |
| salary          | int     |
| commission_rate | int     |
| hire_date       | date    |
+-----------------+---------+
sales_id is the primary key (column with
unique values) for this table.
Each row of this table indicates the name
and the ID of a salesperson alongside
their salary, commission rate, and hire
date.
```

Table: `Company`

```
+-------------+---------+
| Column Name | Type    |
```

1.4K | 147 | 27 Online

Code

MySQL | Auto

```
# Write your MySQL query statement below
SELECT s.name FROM SalesPerson s WHERE s.name NOT IN(SELECT s.name FROM SalesPerson S
LEFT JOIN Orders o ON s.sales_id = o.sales_id LEFT JOIN Company c ON o.com_id = c.com_id
WHERE c.name = 'RED')
```

Saved | Ln 2, Col 197

Testcase | Test Result

Accepted Runtime: 118 ms

Case 1

Input

SalesPerson =

sales_id	name	salary	commission_rate	hire_date
1	John	100000	6	4/1/2006
2	Amy	12000	5	5/1/2010
3	Mark	65000	12	12/25/2008
4	Pam	25000	25	1/1/2005
5	Alex	5000	10	2/3/2007

Company =

com_id	name	city

Accepted

All Submissions

Accepted 21 / 21 testcases passed

RinaWasankar submitted at Mar 20, 2026 22:27

Runtime

1683 ms | Beats 12.04%

6% 4% 2% 0%

1090ms 1396ms 1701ms 2007ms

Code | MySQL

```
# Write your MySQL query statement be
SELECT s.name FROM SalesPerson s WHERE
```

More challenges

5. 180. Consecutive Numbers https://leetcode.com/problems/consecutive-numbers/



180. Consecutive Numbers

Solved

Medium | Topics | Companies

SQL Schema > Pandas Schema >

Table: Logs

```
+-------------+---------+
| Column Name | Type    |
+-------------+---------+
| id          | int     |
| num         | varchar |
+-------------+---------+
In SQL, id is the primary key for this table.
id is an autoincrement column starting from 1.
```

Find all numbers that appear at least three times consecutively.

Return the result table in **any order**.

The result format is in the following example.

Example 1:

```
Input:
Logs table:
```

2.7K | 261 | 34 Online

MySQL | Auto

```mysql
# Write your MySQL query statement below
SELECT DISTINCT l1.num AS ConsecutiveNums
FROM Logs l1, Logs l2, Logs l3
WHERE
l1.id = l2.id - 1
AND l2.id = l3.id - 1
AND l1.Num = l2.Num
And l2.Num = l3.Num;
```

Saved | Ln 2, Col 17

Testcase | Test Result

View more

Output

```
| ConsecutiveNums |
| --------------- |
| 1               |
```

Expected

```
| ConsecutiveNums |
| --------------- |
| 1               |
```

Contribute a testcase

Accepted

All Submissions

Accepted 23 / 23 testcases passed

RinaWasankar submitted at Mar 22, 2026 10:08

Runtime

544 ms | Beats 50.15%

10%

5%

6. 175. Combine Two Tables https://leetcode.com/problems/combine-two-tables/



Description | Editorial | Solutions | Submissions

Input:

Person table:

```
+----------+----------+-----------+
| personId | lastName | firstName |
+----------+----------+-----------+
| 1        | Wang     | Allen     |
| 2        | Alice    | Bob       |
+----------+----------+-----------+
```

Address table:

```
+-----------+----------+---------------+-------------+
| addressId | personId | city          | state       |
+-----------+----------+---------------+-------------+
| 1         | 2        | New York City | New York    |
| 2         | 3        | Leetcode      | California  |
+-----------+----------+---------------+-------------+
```

Output:

```
+-----------+----------+---------------+----------+
| firstName | lastName | city          | state    |
+-----------+----------+---------------+----------+
| Allen     | Wang     | Null          | Null     |
| Bob       | Alice    | New York City | New York |
+-----------+----------+---------------+----------+
```

Explanation:

There is no address in the address table for the personId = 1 so we return null in their city and state.
addressId = 1 contains information about the address of personId = 2.

4.3K | 170 | 83 Online

Code

MySQL | Auto

```mysql
# Write your MySQL query statement below
SELECT p.firstName, p.lastName, a.city, a.state FROM Person P LEFT JOIN Address a on p.personId = a.personId;
```

Saved | Ln 2, Col 110

Testcase | Test Result

```
ork   |
| 2         | 3        | Leetcode      | Calif
ornia |
```

Output

```
| firstName | lastName | city          | state
|
| --------- | -------- | ------------- | -----
--- |
| Allen     | Wang     | null          | null
|
| Bob       | Alice    | New York City | New Y
ork |
```

Expected

Accepted

All Submissions

Accepted 8 / 8 testcases passed

RinaWasankar submitted at Mar 22, 2026 10:12

Runtime

402 ms | Beats 47.91%

10%

5%

7. 178. Rank Scores https://leetcode.com/problems/rank-scores/



8. 570. Managers with at Least 5 Direct Reports https://leetcode.com/problems/managers-with-at-least-5-direct-reports



9. 196. Delete Duplicate Emails https://leetcode.com/problems/delete-duplicate-emails/



10. 1204. Last Person to Fit in the Bus https://leetcode.com/problems/last-person-to-fit-in-the-bus/



11. 176. Second Highest Salary https://leetcode.com/problems/second-highest-salary