



Rincoin 840k S6/b Consensus Change Specification

Bounded Height-Only Customized Halving Transition

Rincoin Community Forge

2026-08-07

Table of contents

1	Status	2
2	Scope	2
3	Units and Conventions	2
4	Historical Rule Below Height 840,000	3
5	Post-Activation Maximum Subsidy	3
6	Terminal-Height Derivation	3
7	Maximum-Scheduled-Issuance Semantics	4
8	Coinbase Amount Validation	4
9	Boundary and Normative Vectors	5
10	Compatibility and Activation Risks	7
11	Chain Separation and Replay	7

12 Reference Implementation Placeholders	7
References	8

1 Status

This is the specification of the S6/b consensus change at block height 840,000. On 2026-09-19 Rincoin Community Forge selected S6/b for its implementation, Rincoin Community Core 1.2.0. The rule is independently implementable; it is not yet activated consensus and does not activate itself.

Document version 1.1 · Public-review date 2026-08-07 · Revised 2026-09-19 (status and the height-840,000 coinbase exception; the rule, the vectors and the arithmetic are unchanged from version 1.0)

S6/b is a provisional deterministic bounded interpretation of Customized Halving Scenario II pending clarification from the study's author. This specification fixes the rule needed for reproducible review; it does not claim that the source study supplied the terminal derivation or every consensus detail ([Tokino 2026](#)).

2 Scope

This document defines only the maximum block subsidy by height, its activation boundary, terminal-height derivation, coinbase amount validation, and fixed test vectors. It leaves chain-separation commitments, replay policy, release engineering, and activation coordination to separate specifications.

The schedule is height-only. It does not use actual issued supply, circulating supply, spendable supply, lost or burned coins, transaction volume, price, governance state, or prior underclaims as consensus inputs.

3 Units and Conventions

- One RIN is exactly 100000000 base units.
- Height intervals are half-open: $[a, b)$ includes a and excludes b .
- The subsidy returned by the rule is the maximum amount of new RIN that the coinbase transaction may create at that height.
- Transaction fees are not new issuance.
- All calculations use non-negative integers. Consensus code must not use floating-point arithmetic.

4 Historical Rule Below Height 840,000

For every height $h < 840,000$, nodes use the deployed Rincoin subsidy rule without modification ([Rin-coin contributors 2026](#)). With initial subsidy 5,000,000,000 base units and 210,000-block epochs:

$$S_0(h) = 5,000,000,000 >> \left\lfloor \frac{h}{210,000} \right\rfloor.$$

Consequently, scheduled issuance before height 840,000 is exactly:

$$210,000 \times (50 + 25 + 12.5 + 6.25) = 19,687,500 \text{ RIN}.$$

An implementation of S6/b must produce identical subsidy results and block validity below height 840,000. It must not apply the new phases retroactively.

5 Post-Activation Maximum Subsidy

For height $h \geq 840,000$, the maximum subsidy $S(h)$ is:

Height interval	Maximum subsidy, base units	Maximum subsidy, RIN
$840,000 \leq h < 2,100,000$	400000000	4.00000000
$2,100,000 \leq h < 4,200,000$	200000000	2.00000000
$4,200,000 \leq h < 6,300,000$	100000000	1.00000000
$6,300,000 \leq h < 234,587,500$	60000000	0.60000000
$h \geq 234,587,500$	0	0.00000000

Height 840,000 is the first block governed by the new rule. Height 234,587,499 is the final block with a non-zero scheduled subsidy. Height 234,587,500 is the first zero-subsidy block.

6 Terminal-Height Derivation

The terminal height is derived; it is not an independently selected input. Exact scheduled issuance before the 0.6 RIN phase is:

Component	Blocks	RIN per block	Scheduled issuance, RIN
Deployed rule below 840,000	840,000	phase-dependent	19,687,500
[840,000, 2,100,000)	1,260,000	4	5,040,000
[2,100,000, 4,200,000)	2,100,000	2	4,200,000
[4,200,000, 6,300,000)	2,100,000	1	2,100,000
Total before height 6,300,000			31,027,500

The exact remaining maximum scheduled issuance is:

$$168,000,000 - 31,027,500 = 136,972,500 \text{ RIN.}$$

At 0.6 RIN per block, the final phase contains exactly:

$$136,972,500 / 0.6 = 228,287,500 \text{ blocks.}$$

Therefore its exclusive end, and the first zero-subsidy height, is:

$$6,300,000 + 228,287,500 = 234,587,500.$$

An implementation must derive and assert this result with integer base-unit arithmetic. It must fail its build or tests if the ceiling is not exactly divisible by the final-phase subsidy after earlier scheduled issuance is deducted.

7 Maximum-Scheduled-Issuance Semantics

Maximum scheduled issuance is the sum of the maximum subsidy permitted at every height. Under this rule it is exactly 168000000000000000 base units, or 168000000.00000000 RIN.

A miner may claim less than the maximum subsidy (except at height 840,000; see the exception under Coinbase Amount Validation). Any unclaimed amount is not reissued, does not accumulate, does not extend the 0.6 RIN phase, and does not change the subsidy at any later height. Actual issued supply can therefore be lower than maximum scheduled issuance.

Consensus validation must not scan historical coinbases to calculate a supply cap. It must not consult chainstate totals, UTXO totals, circulating-supply estimates, burns, lost coins, or wallet state when calculating $S(h)$.

8 Coinbase Amount Validation

For a block at height h , let F be the sum of transaction fees in that block and let C be the total value of all coinbase outputs. Nodes reject the block if:

$$C > S(h) + F.$$

An exact claim of $S(h) + F$ is valid if every other consensus rule passes. An underclaim is valid and permanently forgoes the difference. A claim one base unit above $S(h) + F$ is invalid. At and after height 234,587,500, the coinbase may claim fees but no new subsidy.

Exception at the activation height (document version 1.1). For the single block at height 840,000, Rincoin Community Core 1.2.0 additionally requires

$$C = S(840000) + F,$$

that is, the coinbase must claim exactly the maximum subsidy plus all fees; an underclaim at that one height is invalid. This is a block-validation rule that ensures the activation block is rejected by software applying the historical schedule. It changes neither the emission curve nor the vectors below. Its definition and rationale are in `technology/consensus-transition.md`, section 3, of the same repository. At every other height the upper-bound rule above applies unchanged.

9 Boundary and Normative Vectors

The complete normative vector artifacts are:

- `data/S6B_normative_test_vectors.csv`;
- `data/S6B_normative_test_vectors.json`;
- `data/S6B_normative_test_vectors.sha256`.

They include every activation and phase boundary, the final two non-zero blocks, the first zero-subsidy block, and the following block. They also record cumulative maximum scheduled issuance immediately before and after each block.

Vector	Height	Phase	Maxi- mum subsidy, base units	Maxi- mum subsidy, RIN	Cumula- tive before, RIN	Cumula- tive after, RIN	Bound- ary purpose
S6B-001	839999	deployed- pre- activation	625000000	6.25000000	19687493.75	19687500.00	activation block
S6B-002	840000	S6B-4- RIN	400000000	4.00000000	19687500.00	19687504.00	activation block
S6B-003	840001	S6B-4- RIN	400000000	4.00000000	19687504.00	19687508.00	second activation- phase block
S6B-004	2099999	S6B-4- RIN	400000000	4.00000000	24727496.00	24727500.00	RIN block
S6B-005	2100000	S6B-2- RIN	200000000	2.00000000	24727500.00	24727502.00	RIN block
S6B-006	2100001	S6B-2- RIN	200000000	2.00000000	24727502.00	24727504.00	RIN block

Vector	Height	Phase	Maximum subsidy, base units	Maximum subsidy, RIN	Cumulative before, RIN	Cumulative after, RIN	Boundary purpose
S6B-007	4199999	S6B-2-RIN	200000000	2.00000000	28927498.00000000	28927500.00000000	first RIN block
S6B-008	4200000	S6B-1-RIN	100000000	1.00000000	28927500.00000000	28927501.00000000	second RIN block
S6B-009	4200001	S6B-1-RIN	100000000	1.00000000	28927501.00000000	28927502.00000000	third RIN block
S6B-010	6299999	S6B-1-RIN	100000000	1.00000000	31027499.00000000	31027500.00000000	fourth RIN block
S6B-011	6300000	S6B-0.6-RIN	60000000	0.60000000	31027500.00000000	31027500.60000000	fifth RIN block
S6B-012	6300001	S6B-0.6-RIN	60000000	0.60000000	31027500.60000000	31027501.20000000	sixth 0.6 RIN block
S6B-013	234587498	S6B-0.6-RIN	60000000	0.60000000	167999998.80000000	167999999.40000000	seventh 0.6 RIN block
S6B-014	234587499	S6B-0.6-RIN	60000000	0.60000000	167999999.40000000	168000000.00000000	eighth 0.6 RIN block
S6B-015	234587500	S6B-zero	0	0.00000000	168000000.00000000	168000000.00000000	ninth zero-subsidy block
S6B-016	234587501	S6B-zero	0	0.00000000	168000000.00000000	168000000.00000000	tenth zero-subsidy block

Artifact	SHA-256
data/S6B_normative_test_vectors.csv	2802045fde1e8ef0cd061a7e01dded6488fca5f2ca9c5573ca9d46dfeefb70
data/S6B_normative_test_vectors.json	50c4328578e8e46adc800a80e96796bb13572315f0130691a0d01ac

The vectors are generated by `scripts/simulate_monetary_scenarios.py` and checked by the separate `scripts/verify_s6b_independently.py`, which does not import the

primary subsidy implementation.

10 Compatibility and Activation Risks

At height 840,000, S6/b permits 4 RIN while unchanged deployed software permits 3.125 RIN. The validity sets overlap when a miner underclaims: a coinbase claim at or below the lower permitted amount may be valid under both subsidy rules. Subsidy difference alone therefore does not guarantee deterministic branch separation.

All nodes, miners, pools, wallets, explorers, and services that intend to follow this rule require coordinated software and activation handling. Pool coinbase construction must include fees correctly and must never treat the 168M maximum as a stateful supply counter.

11 Chain Separation and Replay

This monetary specification does not select a chain-separation commitment or a transaction-replay policy. Those are unresolved until a separate reviewed specification fixes their exact bytes, activation behavior, and test vectors. Implementers must not infer branch identity from the subsidy amount alone.

12 Reference Implementation Placeholders

A testing-mode-only candidate implementation now fills these references (it is not final, adopted, production-ready, official, or activation-ready – these remain identifiers to re-confirm and immutably lock before any actual release decision, not a readiness claim):

- source repository and commit: [rincoin-community/rincoin-core](#), branch [consensus/s6b-testing](#) (branched from [consensus/s1-testing](#)), commit [1e5a4201d](#) (CI run, concluded green);
- subsidy implementation path and symbol: `src/validation.cpp`, `GetBlockSubsidyPostFork()`, scanning `Consensus::Params::ForkSubsidyPhases` (`src/consensus/params.h`), populated per network in `src/chainparams.cpp`;
- block-validation call site: `GetBlockSubsidy()` in `src/validation.cpp`, dispatching to the above from `ForkH1Height` onward;
- unit and functional test commits: same commit as above – `src/test/fork_subsidy_tests.cpp` (unit), `test/functional/feature_fork_subsidy.py` (functional, exercises every phase transition including the terminal cutoff);
- candidate binary hashes: see [verification/S6B/build-manifest.json](#).

This build refuses to start on mainnet unless `RINCOIN_TESTING_ALLOW_MAINNET=1` is set in the process environment at every invocation. Build instructions: `./scripts/prereqs.sh && ./scripts/build.sh`. Test-vector cross-check, executed test results, and the cross-implementation comparison against older Rincoin releases and other independently-developed forks – including a design review of a structurally similar third-party implementation before this one was written

–: [verification/S6B_Consensus_Testing_Summary.qmd](#) and its evidence annex, [verification/S6B/](#). Local verification is complete and passing (532 C++ unit tests, 6 fork-scenario functional tests, 159 pre-existing functional tests, all green, cross-checked against the pre-existing [analysis/scripts/verify_s6b_independently.py](#)); the full cross-implementation producer $\times$ validator matrix and two narrow commitment test-vector cases remain outstanding — see that annex’s own [open-items.md](#).

No runtime option may choose among S1, S5/b, and S6/b in a final mainnet binary. A final release must contain one reviewed immutable schedule.

References

- Rin-coin contributors. 2026. *Rincoin Core: Deployed Block-Subsidy Validation*. Version b52c87778f800dc5f4e2f59c372badbc139f933f. Released March 7. <https://github.com/Rin-coin/rincoin/blob/b52c87778f800dc5f4e2f59c372badbc139f933f/src/validation.cpp#L1271-L1281>.
- Tokino, Michiru. 2026. *On the Convergence of Regenerative Thermodynamic Security and Economic Incentives*. Version 1.6.4. Zenodo. <https://doi.org/10.5281/zenodo.20674990>.