



Rincoin Whitepaper

S6/b Monetary Schedule Candidate

Rincoin Community Forge

2026-08-07

Table of contents

Abstract	2
1 Rincoin	2
2 Ledger and Transactions	3
3 Blocks, Proof of Work and Difficulty	3
4 Monetary Policy	4
5 Mining Incentives and Network Security	4
6 Network Operation and Protocol Evolution	5
References	5

Document version 1.0

This candidate shows how the Rincoin whitepaper would define the network under the S6/b monetary schedule. It is not adopted consensus and remains subject to public review, compatible implementation, testing, and voluntary network adoption.

Abstract

Rincoin is a decentralised Layer-1 UTXO cryptocurrency secured by proof of work. It combines direct ownership and independent validation with a 60-second target block interval, the memory-hard RinHash proof-of-work construction, and Dark Gravity Wave v3 difficulty adjustment. Its monetary rule is deterministic: the maximum permitted block subsidy depends only on block height.

Rincoin began with a 50 RIN subsidy and 210,000-block reward epochs. The first four epochs retain the deployed binary-halving rule. From height 840,000 the maximum subsidy is 4 RIN, then 2 RIN from height 2,100,000, 1 RIN from height 4,200,000, and 0.6 RIN from height 6,300,000 through height 234,587,499. It is zero from height 234,587,500. The precomputed height-only schedule permits exactly 168000000.00000000 RIN.

The network has no premine or developer tax as stated in the original RinCoin whitepaper ([RinCoin Whitepaper 2025](#)). Its operation depends on independently validating nodes, miners, wallets, and services choosing compatible software. RinHash seeks to increase the cost of fixed-function mining specialisation, but does not guarantee equal hardware access. Long-term security depends on subsidy, fees, coin value, liquidity, mining efficiency, and broad operational participation.

1 Rincoin

Rincoin is a proof-of-work digital currency for direct settlement and self-custody. It uses the UTXO ledger model and cumulative-proof-of-work chain selection. Independent full nodes validate transactions and blocks; miners order transactions by extending the valid chain with the greatest cumulative work ([Rin-coin contributors 2026](#)).

The design combines one-minute target blocks with a memory-hard proof-of-work function and finite, predictable issuance. It favours a compact base layer, transparent validation rules, open-source software, and direct control of private keys.

Parameter	Value
Ledger model	Layer-1 UTXO
Consensus mechanism	Proof of work
Proof-of-work function	RinHash
RinHash construction	BLAKE3 -> Argon2d -> SHA3-256
Difficulty adjustment	Dark Gravity Wave v3
Target block interval	60 seconds
Initial block subsidy	50 RIN
Historical reward epoch	210,000 blocks
Blocks 0-839,999	Binary integer halving, nominally 50%, with base-unit floor rounding
Blocks 840,000-2,099,999	4.00000000 RIN
Blocks 2,100,000-4,199,999	2.00000000 RIN
Blocks 4,200,000-6,299,999	1.00000000 RIN
Blocks 6,300,000-234,587,499	0.60000000 RIN
Blocks 234,587,500 and later	0 RIN
Underclaimed subsidy	Not reissued; terminal height unchanged
Maximum scheduled issuance	168000000.00000000 RIN
Historical upper bound stated in the original whitepaper	168,000,000 RIN
Premine	None stated in the original whitepaper
Developer tax	None stated in the original whitepaper

2 Ledger and Transactions

Rincoin transactions consume existing unspent transaction outputs and create new outputs. Spending authority is evaluated under the applicable signature and script rules. During block validation, full nodes verify that referenced inputs are available and value-conserving and perform input-script checks before updating the UTXO set ([Rin-coin contributors 2026](#)).

Each block contains a coinbase transaction that may claim no more than the height-dependent subsidy plus transaction fees. Fees transfer existing RIN to miners and are not new issuance. If a miner claims less than the maximum permitted subsidy, the difference is not reissued ([Rin-coin contributors 2026](#)).

3 Blocks, Proof of Work and Difficulty

Miners assemble valid transactions into candidate blocks and search for a header whose proof-of-work hash satisfies the current target. RinHash combines BLAKE3, Argon2d, and SHA3-256. Its memory-hard stage is intended to increase the cost of fixed-function specialisation compared with simple hash-only proof-of-work

designs. Specialisation resistance is parameter-dependent and is not a permanent guarantee of equal CPU, GPU, FPGA, or ASIC economics ([Rin-coin contributors 2026](#)).

Rincoin targets one block every 60 seconds. Dark Gravity Wave v3 adjusts difficulty from recent block history so that the network can respond to changes in available hashrate. Difficulty adjustment governs the work required for a valid block; it does not alter the subsidy schedule ([Rin-coin contributors 2026](#)).

Nodes choose among valid histories by cumulative proof of work. A chain with more blocks is not necessarily preferred if it represents less accumulated work.

4 Monetary Policy

The maximum permitted subsidy is a deterministic function of block height using integer base units, where one RIN is 100,000,000 base units. No market, circulating-supply, or actual-issued-supply state is an input ([Rin-coin contributors 2026](#)).

Blocks below height 840,000 retain the deployed binary-halving rule. The maximum subsidy is 400,000,000 base units for heights 840,000 through 2,099,999; 200,000,000 for heights 2,100,000 through 4,199,999; 100,000,000 for heights 4,200,000 through 6,299,999; and 60,000,000 for heights 6,300,000 through 234,587,499. It is zero from height 234,587,500.

The terminal height is precomputed from the deployed historical schedule and the exact 168,000,000 RIN maximum-scheduled-issuance ceiling. Underclaimed subsidy is not reissued and cannot extend the final phase. Actual issued, circulating, lost, burned, or dormant supply does not affect a later subsidy.

This is a deterministic bounded interpretation of Customized Halving Scenario II. It does not incorporate the study's governance contingency or the separate unbounded implementation snapshot. The change at height 840,000 is a hard-fork consensus change and preserves all valid earlier blocks, UTXOs, balances, and ownership claims.

5 Mining Incentives and Network Security

Miner revenue consists of block subsidy and transaction fees. Its economic value depends on the RIN price, usable liquidity, fee demand, hardware efficiency, energy cost, and competition among miners.

The post-840k schedule reduces the maximum subsidy from 6.25 to 4 RIN at activation, then uses predetermined 2, 1, and 0.6 RIN phases. The final phase ends at the precomputed height 234,587,500. These rules determine maximum

coinbase issuance but do not guarantee stable hashrate, market value, fees, or network security.

As subsidy declines, security depends increasingly on transaction fees, coin value, efficient mining, and the willingness of independent operators to support the network. A nominal reward alone cannot ensure decentralisation, liquidity, or resistance to reorganisation.

6 Network Operation and Protocol Evolution

Rincoin operates through independently validating nodes, miners, wallets, exchanges, explorers, and other services using compatible rules. Validating nodes independently enforce the consensus rules implemented by the software they choose to run.

Consensus changes require publicly inspectable specifications and software, testable boundary behaviour, compatible deployments, and voluntary adoption by network participants. Publication of a draft describes a rule; it does not activate that rule.

The candidate S6/b consensus arithmetic and boundary behavior are defined in the *Rincoin 840k S6/b Consensus Change Specification* ([Rincoin Community Forge 2026a](#)).

References

The candidate specification and companion review package provide the normative subsidy arithmetic, deployed-source audit, and reproducibility materials ([Rincoin Community Forge 2026b](#)).

Rin-coin contributors. 2026. *Rincoin Core: Deployed Consensus Source Snapshot*. Version b52c87778f800dc5f4e2f59c372badbc139f933f. Released March 7. <https://github.com/Rin-coin/rincoin/tree/b52c87778f800dc5f4e2f59c372badbc139f933f>.

Rincoin Community Forge. 2026a. *Rincoin 840k S6/b Consensus Change Specification*. Version 1.0. https://github.com/rincoin-community/consensus-840k/analysis/Rincoin_840k_S6B_Consensus_Change_Specification.pdf.

Rincoin Community Forge. 2026b. *Rincoin Monetary Policy and Security Scenario Analysis*. Version 1.0. https://github.com/rincoin-community/consensus-840k/analysis/Rincoin_Monetary_Scenario_Analysis.pdf.

RinCoin Whitepaper. 2025. https://coin.rin.so/rincoin_whitepaper.pdf.