

SYSC 3020: Introduction to Software Engineering

 [Jira Guide](#) · [Running Your Sprint in Jira](#)

Fall 2026

TA: Rinkesh Joshi · rinkeshjoshi@cmail.carleton.ca

For: Assignment 2 (Sprint 2) and every sprint after it

Companion to: the Assignment 2 lab walkthrough slides

Jira 1: How the Pieces Fit

```
Space SYSC3020_A1_TA (Scrum, team-managed)
├─ Epic SYSC-1 A1-Requirements
│   ├── Story SYSC-5 SJC-001 Pellet scores points
│   ├── Story SYSC-6 SJC-002 Player dies on ghost
│   └─ Task SYSC-8 Task A – Code Map
│       ├── Sub-task SYSC-13 board package
│       ├── Sub-task SYSC-14 level package
│       ├── Sub-task SYSC-15 npc + npc.ghost
│       └─ Sub-task SYSC-16 points + Core Events
│   ├── Task SYSC-9 Task B – SRS (B1-B6)
│   ├── Task SYSC-10 Task C – Defect review
│   └─ ... (more items, not all shown)
├─ Sprint "A1 Sprint 1 – Requirements" (+ goal)
└─ Backlog SYSC-7, SYSC-12 (not in a sprint yet)
```

- Epic: the assignment (one per sprint)
- Story: a requirement / user-facing behaviour
- Task: a unit of work (Task A, B, C...)
- Sub-task (Jira: "Subtask"): one person's share of a task
- Sprint: the time-box + goal
- Backlog: work not in a sprint yet

Screenshot 1 → next slide

Note: SYSC-1, SYSC-5, SYSC-8, ... are just Jira work item keys: the demo space's key (SYSC) plus a number. They are not course codes. Your team's items use your space's key (e.g., ABC-1). Screenshots come from our demo space SYSC3020_A1_TA (A1, Sprint 1). Reference only: one person made it in one sitting, so its history and times don't look like a real team's sprint.

Jira 1: How the Pieces Fit (Screenshot 1)

The screenshot displays the Jira interface for the space **SYSC3020_A1_TA**. The main view is the **Backlog**, which lists tasks for **A1 Sprint 1 — Requirements** (23 Sep – 5 Oct, 8 work items). The tasks are as follows:

Task ID	Task Name	Category	Status	Count	Assignee
SYSC-2	Review the Project Code	A1-Requirements	Done	-	RJ
SYSC-3	Primary Task 1	A1-Requirements	To Do	-	RJ
SYSC-6	SJC-001 — Pellet consumption scores points	A1-Requirements	Done	3	RJ
SYSC-6	SJC-002 — Player dies on contact with a ghost	A1-Requirements	In Progress	3	RJ
SYSC-8	Task A — Code Map of the JPacman core	A1-Requirements	In Progress	5	RJ
SYSC-9	Task B — Write the SRS in Confluence (B1-B6) with Yogi keys	A1-Requirements	In Progress	8	RJ
SYSC-10	Task C — Defect review: ISO 29148 checklist + LLM reviewer	A1-Requirements	To Do	5	RJ
SYSC-11	Sprint 1 review + retrospective (keep / change / try)	A1-Requirements	To Do	1	RJ

Below the sprint tasks is the **Backlog** section with 2 work items:

Task ID	Task Name	Category	Status	Count	Assignee
SYSC-7	SJC-010 — Clyde flees when close to Pac-Man (code-only)	A1-Requirements	To Do	-	RJ
SYSC-12	Export requirements.csv for the LLM reviewer	A1-Requirements	To Do	-	RJ

The right-hand panel shows a detailed view of the selected task, **Task A — Code Map of the JPacman core**. It includes the following information:

- Labels:** SYSC-1 / SYSC-8
- Status:** In Progress
- Agents:** Improve Task
- Description:**

Read board, level, npc (+ npc.ghost) and points, then build one table per package (Class · File path · Responsibility · Key methods) and a numbered **Core Events** list. The output becomes the **Code Map appendix** of the SRS.

Broken into sub-tasks, one per package plus the Core Events list.

Role on this item: Scrum Master (splits the work, tracks the sub-tasks). Example item for the TA lab demo.
- Subtasks:** A progress bar indicates 50% completion.

Jira 2: Backlog + Sprint Planning

Step 1: Fill the backlog

Sidebar → Backlog → + Create → work type (Story / Task) → title → Enter.

Step 2: Create the sprint

At the top of the backlog → Create sprint.

Step 3: Plan it

Drag the work items you commit to from the backlog into the sprint. Leave the rest in the backlog.

Step 4: Start it

Start sprint → set:

- Sprint name (e.g., "A2 Sprint 2 – Design")
- Duration / Start date / End date
- Sprint goal: one line (graded!)

The Board only shows the items of a started sprint.

Story vs Task (official): <https://www.atlassian.com/software/jira/guides/issues/overview>

Screenshots 2 and 3 → next 2 slides

Story or Task?

- Story: a requirement from the user's point of view (e.g., SJC-001 Pellet scores points)
- Task: work the team must do (e.g., Draw SD-01, Consistency check)
- Most A2 work (diagrams, checks) → Tasks

Docs:

<https://www.atlassian.com/agile/tutorials/sprints>

Jira 2: Backlog + Sprint Planning (Screenshot 2)

Screenshot of the Jira interface showing the Backlog and Sprint Planning view.

Spaces
SYSC3020_A1_TA

Board **Backlog** List Requirement Yogi +

Search backlog Filter

A1 Sprint 1 — Requirements 23 Sep – 5 Oct (8 work items) **6 16 3** Complete sprint

Deliver a code-grounded SRS for the JPacman core (code map, ≥12 FRs, ≥8 user stories, ≥8 NFRs) plus a judged LLM defect review.

Item	Status	Progress	Assignee
☒ SYSC-2 Review the Project Code	A1-Requirements	Done	RJ
☒ SYSC-3 Primary Task 1	A1-Requirements	To Do	RJ
☐ SYSC-5 SJC-001 — Pellet consumption scores points	A1-Requirements	Done	RJ
☐ SYSC-6 SJC-002 — Player dies on contact with a ghost	A1-Requirements	In Progress	RJ
☒ SYSC-8 Task A — Code Map of the JPacman core	A1-Requirements	In Progress	RJ
☒ SYSC-9 Task B — Write the SRS in Confluence (B1-B6) with Yogi keys	A1-Requirements	In Progress	RJ
☒ SYSC-10 Task C — Defect review: ISO 29148 checklist + LLM reviewer	A1-Requirements	To Do	RJ
☒ SYSC-11 Sprint 1 review + retrospective (keep / change / try)	A1-Requirements	To Do	RJ

+ Create

Backlog (2 work items) **0 0 0** Create sprint

Item	Status	Progress	Assignee
☐ SYSC-7 SJC-010 — Clyde flees when close to Pac-Man (code-only)	A1-Requirements	To Do	RJ
☒ SYSC-12 Export requirements.csv for the LLM reviewer	A1-Requirements	To Do	RJ

+ Create

Jira 2: Backlog + Sprint Planning (Screenshot 3)

The screenshot displays the Jira interface with a modal dialog for editing a sprint. The dialog is titled "Edit sprint: A1 Sprint 1 — Requirements". It contains the following fields:

- Sprint name ***: A1 Sprint 1 — Requirements
- Start date ***: 9/23/2026 9:00 AM
- End date ***: 10/5/2026 11:59 PM
- Sprint goal**: Deliver a code-grounded SRS for the JPacman core (code map, ≥12 FRs, ≥8 user stories, ≥8 NFRs) plus a judged LLM defect review.

Below the dialog, the Jira backlog is visible, showing a list of tasks under the "A1 Sprint 1 — Requirements" sprint. The tasks include:

- SYSC-2 Review the Project Code
- SYSC-3 Primary Task 1
- SYSC-5 SJC-001 — Pellet consumption scores pol
- SYSC-6 SJC-002 — Player dies on contact with a
- SYSC-8 Task A — Code Map of the JPacman core
- SYSC-9 Task B — Write the SRS in Confluence (B1
- SYSC-10 Task C — Defect review: ISO 29148 che
- SYSC-11 Sprint 1 review + retrospective (keep / ch

The interface also shows a "Backlog" section with 2 work items and a "Create spr." button at the bottom right.

Jira 2: Changes After the Sprint Starts

The usual order

1. Fill the backlog with stories + tasks (under the epic)
2. Create sprint → drag in the items you commit to
3. Start sprint (name, dates, one-line goal)

Need something new mid-sprint? You can add it.

- Create the work item → on the Backlog, drag it into the active sprint, or set its Sprint field
- Shared task? Add sub-tasks any time; they stay in their parent's sprint
- Editing items (description, assignee, status) is always allowed

But keep it rare

Work added after the start shows up as a scope change (the burndown line jumps up), and so does changing an estimate after the start. Plan most of the work on day 1.

Docs: <https://www.atlassian.com/agile/tutorials/burndown-charts>

Jira 3: Epics and Child Items

A new epic for every assignment (same space)

- A1 → "A1-Requirements" (our demo)
- A2 → "A2 – Design: Structure & Interaction"

Create the epic (team-managed)

Create → work type Epic → name → Create. (Or the Timeline tab, if enabled via + next to the tabs → + in the first column.)

Put work under it

- Open any work item → set its Parent field to the epic, or
- On the Timeline (if enabled): hover the epic → + Create work item.

Every story and task of the assignment should sit under its epic.

Screenshot 4 → next slide

Docs: <https://www.atlassian.com/agile/tutorials/epics>

Jira 3: Epics and Child Items (Screenshot 4)

Spaces / SYSC3020_A1_TA / SYSC-1

A1-Requirements

+ @ ⇅

Description
Add a description...

Child work items ... ▢ +

20% Done

Work	Prio...	Assi...	Status
☒ SYSC-2 Review the Project Code	= M..	RJ R.	Done ▾
☒ SYSC-3 Primary Task 1	= M..	RJ R.	To Do ▾
☒ SYSC-5 SJC-001 — Pellet consumption scores points	= M..	RJ R.	Done ▾
☒ SYSC-6 SJC-002 — Player dies on contact with a ghost	= M..	RJ R.	In Progress ▾
☒ SYSC-7 SJC-010 — Clyde flees when close to Pac-Man (code-only)	= M..	RJ R.	To Do ▾
☒ SYSC-8 Task A — Code Map of the JPacman core	= M..	RJ R.	In Progress ▾
☒ SYSC-9 Task B — Write the SRS in Confluence (B1-B6) with Yogi keys	= M..	RJ R.	In Progress ▾
☒ SYSC-10 Task C — Defect review: ISO 29148 checklist + LLM reviewer	= M..	RJ R.	To Do ▾
☒ SYSC-11 Sprint 1 review + retrospective (keep / change / try)	= M..	RJ R.	To Do ▾
☒ SYSC-12 Export requirements.csv for the LLM reviewer	= M..	RJ R.	To Do ▾

Linked work items
Add linked work item

Agents ⓘ Uses AI. Verify results.

Jira 4: Sub-tasks, One Person Each

A work item has one assignee

Jira has no "multiple assignees" field.

Two people on one task? You can break it into sub-tasks, each with its own assignee.

How

Open the task → create a sub-task from it (the ... menu, or the add button under the title) → title → Enter → set its Assignee.

Example (SYSC-8, Task A – Code Map)

Sub-task	Who	Status
SYSC-13 board package	member-A	Done
SYSC-14 level package	member-B	Done
SYSC-15 npc + npc.ghost	member-C	In Progress
SYSC-16 points + Core Events	member-B	To Do

Screenshot 5 → next slide: SYSC-8 (Task A) split into 4 sub-tasks, one per package, one assignee each. Use it as a reference.

Docs:

<https://support.atlassian.com/jira-software-cloud/docs/create-a-work-item-and-a-subtask>

Our demo has one account, so all items are assigned to one person and member-A/B/C labels stand in for teammates. Your team assigns real people.

Jira 4: Sub-tasks, One Person Each (Screenshot 5)

Spaces / SYSC3020_A1_TA / SYSC-1 / SYSC-8

Task A — Code Map of the JPacman core

+ ⌵ ⌵

Description

Read `board`, `level`, `npc` (+ `npc.ghost`) and `points`, then build one table per package (Class · File path · Responsibility · Key methods) and a numbered **Core Events** list. The output becomes the **Code Map appendix** of the SRS.

Broken into sub-tasks, one per package plus the Core Events list.

Role on this item: Scrum Master (splits the work, tracks the sub-tasks). Example item for the TA lab demo.

Subtasks

50% Done

Work	Prio...	Assl...	Status
SYSC-13 Code map: board package	= M..	R.	Done
SYSC-14 Code map: level package	= M..	R.	Done
SYSC-15 Code map: npc + npc.ghost packages	= M..	R.	In Progress
SYSC-16 Code map: points package + Core Events list	= M..	R.	To Do

Linked work items

Add linked work item

Agents

Start work

Uses AI. Verify results.

Details

In Progress Agents Improve Task

Assignee: Rinkesh Joshi

Parent: [SYSC-1 A1-Requirements](#)

Sprint: [A1 Sprint 1 — Requirements](#)

Labels: [member-B](#) [role-ScrumMaster](#) [taskA](#)

Due date: Add due date

Team: Add team

Start date: Add date

Story point estimate: 5

Reporter: Rinkesh Joshi

Development

Automation Rule executions

Requirement Yogi Linked requirements

Jira 5: Labels for Roles

Make the roles visible

Add one role label to each work item, matching the role the assignee plays this sprint:

`role-ProductOwner · role-ScrumMaster · role-QALead`

e.g., B is Scrum Master this sprint → items assigned to B get `role-ScrumMaster`. Using sub-tasks? Each one gets its own assignee's role.

Open the item → Labels field → type → Enter. (No spaces in a label; use `-.`)

Rotate every sprint (no repeats)

Member	Sprint 1 (A1)	Sprint 2 (A2)
A	Product Owner	Scrum Master
B	Scrum Master	QA Lead
C	QA Lead	Product Owner

Filter by label

Board / backlog → Filter → Labels → tick a label (e.g., `role-scrummaster`).

Screenshots 6 and 7 → next 2 slides

Docs:

<https://support.atlassian.com/jira/kb/how-to-create-and-use-labels-in-jira-cloud>

<https://support.atlassian.com/jira-software-cloud/docs/show-or-hide-issues-on-your-board>

Jira 5: Labels for Roles (Screenshot 6)

Spaces / SYSC3020_A1_TA / SYSC-1 / SYSC-11

Sprint 1 review + retrospective (keep / change / try)

Description

Sprint review (last day): demo SRS.pdf and the defect review to each other.

Retrospective — example

- **Keep:** citing class + method for every requirement while writing it; much less rework.
- **Change:** start the LLM review earlier; we left Task C to the last two days.
- **Try:** a 15-minute Monday/Thursday stand-up with comments posted in Jira right after.

Roles this sprint: member-A Product Owner · member-B Scrum Master · member-C QA Lead
Rotation for the next sprint: member-A → Scrum Master · member-B → QA Lead · member-C → Product Owner

Copy these bullets into the **Team & Process** section of the SRS. Example item for the TA lab demo.

Subtasks

Add subtask

Linked work items

Add linked work item

Agents

Start work

Uses AI. Verify results.

To Do Agents Improve Task

Details

Assignee

Rinkesh Joshi

Parent

SYSC-1 A1-Requirements

Sprint

A1 Sprint 1 — Requirements

Labels

member-B retrospective role-ScrumMaster

Due date

Add due date

Team

Add team

Start date

Add date

Story point estimate

1

Reporter

Rinkesh Joshi

Development

Automation

Rule executions

Requirement Yogi

Linked requirements

Jira 5: Labels for Roles (Screenshot 7)

The screenshot displays the Jira interface for the space **SYSC3020_A1_TA**. The top navigation bar includes **Board**, **Backlog**, **List**, and **Requirement Yogi**. A search bar for the backlog is present, along with a filter button showing **Filter 1** and a **Clear filters** link.

The left sidebar shows the **Backlog** with two items: **A1 Sprint 1 — Requirement** and **Backlog** (0 of 2 work items). The **A1 Sprint 1 — Requirement** item is expanded, showing a list of tasks: **SYSC-8 Task A — Code** and **SYSC-11 Sprint 1 review**. The **Labels** field for the selected item is highlighted, showing a dropdown menu with the following options: **role-scrummaster**, **No label**, **code-only**, **fr**, **member-a**, **member-b**, **member-c**, **requirement**, and **retrospective**. The **retrospective** label is currently selected.

The main area shows a sprint board for **Sprint 1** with a progress bar indicating **1** **5** **0** **Complete sprint**. The board displays two columns: **AI-Requirements** and **In Progress**. The **In Progress** column shows a task with a progress bar and a **1** **5** **0** **Complete sprint** indicator. The **AI-Requirements** column shows a task with a progress bar and a **1** **5** **0** **Complete sprint** indicator.

The right sidebar shows the **Jira work item** detail view for **SYSC-11**. The title is **Sprint 1 review + retrospective (keep / change / try)**. The **To Do** section shows **Agents** and **Improve Task**. The **Description** section contains the following text: **Sprint review (last day): demo SRS.pdf and the defect review to each other.** **Retrospective — example**

- Keep:** citing class + method for every requirement while writing it; much less rework.
- Change:** start the LLM review earlier; we left Task C to the last two days.
- Try:** a 15-minute Monday/Thursday stand-up with comments posted in Jira right after.

Roles this sprint: member-A Product Owner · member-B Scrum Master · member-C QA Lead

Jira 6: The Board (Move Cards As You Work)

Columns = statuses

To Do → In Progress → Done

- Start a task → drag its card to In Progress
- Finish it → drag to Done
- Do it on the day it happens: every move is recorded with your name and the time

What a healthy board looks like mid-sprint

Some cards in each column, sub-tasks finishing before their parent, owners spread across the team.

What loses marks

- Everything moved to Done in the last hour
- All cards created after the work was done
- One person moving every card

Screenshot 8 → next slide

Use the board Filter (Assignee, Labels, Parent = epic) to check who is carrying what.

Jira 6: The Board (Move Cards As You Work) (Screenshot 8)

The screenshot displays the Jira 6 Kanban Board interface. At the top, the 'Spaces' section shows the current space 'SYSC3020_A1_TA' with a search bar and navigation tabs for 'Board', 'Backlog', 'List', and 'Requirement Yogi'. A 'Filter' button and a 'Group' button are also visible. A 'Complete sprint' button is located in the top right corner.

The board is organized into three columns:

- To Do 3**: Contains three cards. The first card is 'Primary Task 1' with a green progress bar and a dropdown menu for 'A1-Requirements'. The second card is 'Task C — Defect review: ISO 29148 checklist + LLM reviewer...' with a green progress bar and a dropdown menu for 'A1-Requirements'. The third card is 'Sprint 1 review + retrospective (keep / change / try)...' with a green progress bar and a dropdown menu for 'A1-Requirements'.
- In Progress 3**: Contains three cards. The first card is 'SJC-002 — Player dies on contact with a ghost' with a green progress bar and a dropdown menu for 'A1-Requirements'. The second card is 'Task A — Code Map of the JPacman core' with a green progress bar and a dropdown menu for 'A1-Requirements'. The third card is 'Task B — Write the SRS in Confluence (B1-B6) with Yogi keys...' with a green progress bar and a dropdown menu for 'A1-Requirements'.
- Done 2**: Contains two cards. The first card is 'Review the Project Code' with a green progress bar and a dropdown menu for 'A1-Requirements'. The second card is 'SJC-001 — Pellet consumption scores points' with a green progress bar and a dropdown menu for 'A1-Requirements'.

Each card includes a title, a progress bar, a dropdown menu for 'A1-Requirements', and a status icon (a blue circle with 'RJ').

Jira 7: Stand-ups as Comments

What it is

A short team meeting (~15 min), $\geq 2\times$ per week. What gets graded is the record: every member's three lines (done / doing / blocked) as comments in Jira.

How (every member, every stand-up)

1. Open a work item you are working on
2. Activity → add a comment (type @ to mention a teammate)
3. Post it from your own account, on the day of the stand-up

Each student posts their own. Jira shows who posted each comment, so one comment for the whole team can't show that the others took part.

Template (each member, each stand-up)

```
Stand-up — Thu Oct 15 · <name> (<role>)
Done:    finished SD-01 (pellet flow) in PlantUML
Doing:    class diagram associations for level package
Blocked: Graphviz missing on my laptop → asked <name>
```

Screenshot 9 → next slide

A real blocker + who is helping is better than "Blocked: none" every time.

Read: <https://www.atlassian.com/agile/scrum/standups>

Jira 7: Stand-ups as Comments (Screenshot 9)

The screenshot displays a Jira task interface for 'SYSC-8 / SYSC-15'. The task is in the 'In Progress' state. The 'Activity' tab is selected, showing a comment from Rinkesh Joshi. The comment is titled 'Stand-up — Thu Oct 1 · member-C (QA Lead)' and contains a bulleted list of updates: 'Done: Ghost, Blinky, Pinky rows of the npc table.', 'Doing: Inky and Clyde — tracing Navigation.shortestPath to describe their AI correctly.', and 'Blocked: ./gradlew build fails on my laptop (JDK 17) → switching JAVA_HOME to JDK 11; member-B is helping.' The right sidebar shows task details: Assignee (Rinkesh Joshi), Parent (SYSC-8 Task A — Code Map of the), Sprint (A1 Sprint 1 — Requirements), Labels (member-C, role-QALeader, taskA), Story point estimate (Add story points), and Reporter (Rinkesh Joshi). The bottom of the sidebar shows 'Created 10 hours ago' and 'Updated 10 hours ago'.

Agents Uses AI. Verify results. In Progress Agents Improve Subtask

Start work

Activity Comments History Work log

RJ Add a comment...
Suggest a reply... Status update... Thanks...

Pro tip: press **M** to comment

RJ **Rinkesh Joshi**
10 hours ago

Stand-up — Thu Oct 1 · member-C (QA Lead)

- **Done:** Ghost, Blinky, Pinky rows of the npc table.
- **Doing:** Inky and Clyde — tracing `Navigation.shortestPath` to describe their AI correctly.
- **Blocked:** `./gradlew build` fails on my laptop (JDK 17) → switching `JAVA_HOME` to JDK 11; member-B is helping.

Development Automation Requirement Yogi

Created 10 hours ago
Updated 10 hours ago Configure

Jira 8: Review, Retro, Complete the Sprint

■ Last day: two short team meetings

1. Sprint review: demo the deliverable to each other (nothing to submit)
2. Retrospective: the team agrees on 3 bullets (Keep · Change · Try): one set for the team, not per member

The retro bullets go in the Team & Process section of the design page, so they end up in design.pdf (a Jira task like SYSC-11, see Screenshot 10, is optional).

Write down next sprint's roles (rotation!).

■ Then complete the sprint

Board → Complete sprint → choose where unfinished items go (backlog or a new sprint). The Create a retrospective (Confluence) box is optional; your retro goes in the design page anyway.

A completed sprint stays in the history and reports: don't delete it or its work items.

Screenshots 10 and 11 → next 2 slides

Read:

<https://www.atlassian.com/agile/scrum/retrospectives>

Jira 8: Review, Retro, Complete the Sprint (Screenshot 10)

The screenshot shows a Jira task page for 'Sprint 1 review + retrospective (keep / change / try)'. The page is divided into two main sections: a left sidebar with task details and a right sidebar with metadata and automation.

Left Sidebar:

- Description:**
 - Sprint review (last day):** demo SRS.pdf and the defect review to each other.
 - Retrospective — example**
 - Keep:** citing class + method for every requirement while writing it; much less rework.
 - Change:** start the LLM review earlier; we left Task C to the last two days.
 - Try:** a 15-minute Monday/Thursday stand-up with comments posted in Jira right after.
 - Roles this sprint:** member-A Product Owner · member-B Scrum Master · member-C QA Lead
 - Rotation for the next sprint:** member-A → Scrum Master · member-B → QA Lead · member-C → Product Owner
 - Copy these bullets into the **Team & Process** section of the SRS. Example item for the TA lab demo.
- Subtasks:** Add subtask
- Linked work items:** Add linked work item
- Agents:** Start work

Right Sidebar:

- To Do:** Agents, Improve Task
- Details:**
 - Assignee:** Rinkesh Joshi
 - Parent:** SYSC-1 A1-Requirements
 - Sprint:** A1 Sprint 1 — Requirements
 - Labels:** member-B, retrospective, role-ScrumMaster
 - Due date:** Add due date
 - Team:** Add team
 - Start date:** Add date
 - Story point estimate:** 1
 - Reporter:** Rinkesh Joshi
- Development:**
- Automation:** Rule executions
- Requirement Yogi:** Linked requirements

Jira 8: Review, Retro, Complete the Sprint (Screenshot 11)

Spaces

SYSC3020_A1_TA

Board Backlog List Requirement Yogi +

Search board Filter Group

To Do 3

Primary Task 1

A1-Requirements

SYSC-3

Subtasks 0/1

Task C — Defect review: ISO 29148 checklist + LLM reviewer...

member-C role-QALead taskC

A1-Requirements

SYSC-10 5

Sprint 1 review + retrospective (keep / change / try)...

member-B retrospective

role-ScrumMaster

A1-Requirements

SYSC-11 1

In Progress 3

SJC-002 — Player dies on contact with a ghost

FR member-A requirement

role-ProductOwner

A1-Requirements

SYSC-6 3

Task A — Code Map of the JPacman core

member-B role-ScrumMaster taskA

A1-Requirements

SYSC-8 5

Subtasks 2/4

Task B — Write the SRS in Confluence (B1-B6) with Yogi keys...

member-A role-ProductOwner taskB

A1-Requirements

Complete sprint

Complete A1 Sprint 1 — Requirements

This sprint contains 2 completed work items and 6 open work items.

- Completed work items includes everything in the last column on the board, Done.
- Open work items includes everything from any other column on the board. Move these to a new sprint or the backlog.

Move open work items to

New sprint

☒ Create a retrospective for this sprint

Finish off your sprint with a Confluence retrospective! Contribute to your team's culture and improve how you work.

Cancel Complete sprint

Jira 9: History (What the TA Sees)

 Every change is logged, by person, with a timestamp

Open any work item → Activity → History.

History of our demo item SYSC-5 (from Jira):

- Story point estimate → 3
 - by Rinkesh Joshi, Oct 7, 02:23
- Sprint → A1 Sprint 1 – Requirements
 - by Rinkesh Joshi, Oct 7, 02:23
- Status To Do → Done
 - by Rinkesh Joshi, Oct 7, 02:23

Comments (stand-ups) carry author + time too.

 So

- Each member uses their own account
- Move cards and post stand-ups when it happens
- Never delete and re-create items to "clean up"

Screenshot 12 → next slide

Reports (if enabled): Burnup, Sprint burndown, Velocity, Cumulative flow (turn on: Space settings → Features).

<https://support.atlassian.com/jira-software-cloud/docs/enable-reports>

Docs:

<https://support.atlassian.com/jira-software-cloud/docs/what-are-the-different-types-of-activity-on-an-issue/>

Jira 9: History (What the TA Sees) (Screenshot 12)

Add linked work item

Agents Start work Uses AI. Verify results.

Activity

All Comments **History** Work log

- Rinkesh Joshi** changed the Status
10 hours ago
To Do → **Done**
- Rinkesh Joshi** updated the Resolution
10 hours ago
None → Done
- Rinkesh Joshi** updated the Sprint
10 hours ago
None → A1 Sprint 1 — Requirements
- Rinkesh Joshi** updated the Story point estimate
10 hours ago
None → 3
- Rinkesh Joshi** created the Work item
10 hours ago

Details

Assignee	RJ Rinkesh Joshi
Parent	SYSC-1 A1-Requirements
Sprint	A1 Sprint 1 — Requirements
Labels	FR member-A requirement role-ProductOwner
Due date	Add due date
Team	Add team
Start date	Add date
Story point estimate	3
Reporter	RJ Rinkesh Joshi

Development

Automation Rule executions

Requirement Yogi Linked requirements

Created 10 hours ago
Updated 10 hours ago

Conf

Jira 10: Sharing the Board With the TAs

Before the deadline

1. The student who created the site invites all the TAs, the same way you invited teammates in A1 (••• next to the space name → Add people, or Atlassian Administration → Directory → Users → Invite users) → each TA's Carleton email:
 - `rinkeshjoshi@cmail.carleton.ca`
 - `HongboPang@cmail.carleton.ca`
 - `GhinwaYassin@cmail.carleton.ca`
2. Copy the board URL from the browser while on the Board:
`https://<team>.atlassian.net/jira/software/projects/<KEY>/boards/<N>`
3. Submit that board link on Brightspace (an epic link opens only that one work item)

Please don't remove the TAs before grades are out.

Jira 11: Common Mistakes + Further Reading

Common mistakes

- Kanban space: no sprint, no sprint goal
- Sprint created but never started
- One shared account → no individual history
- Everything moved to Done on the last day
- Stand-ups missing, or not every member has done / doing / blocked
- Two people "on" one task, but only one shows as assignee
- Roles not visible, or not rotated
- Board link that the TA couldn't open

Further reading (official Atlassian)

- Scrum with Jira (step by step): <https://www.atlassian.com/agile/tutorials/how-to-do-scrum-with-jira>
- Sprints: <https://www.atlassian.com/agile/tutorials/sprints>
- Backlog: <https://support.atlassian.com/jira-software-cloud/docs/use-your-scrum-backlog/>
- Story vs Task (work types): <https://www.atlassian.com/software/jira/guides/issues/overview>
- Add people: <https://support.atlassian.com/jira-software-cloud/docs/add-people-to-team-managed-projects>
- Roles on Free: <https://support.atlassian.com/jira-software-cloud/docs/next-gen-permissions/>
- Free plan: <https://support.atlassian.com/jira-cloud-administration/docs/explore-jira-cloud-plans/>

