

SYSC 3020: Introduction to Software Engineering

Jira Guide · Running Your Sprint in Jira

SYSC 3020: Introduction to Software Engineering

 [Jira Guide](#) · [Running Your Sprint in Jira](#)

Fall 2026

TA: Rinkesh Joshi · rinkeshjoshi@cmail.carleton.ca

For: Assignment 2 (Sprint 2) and every sprint after it

Companion to: the Assignment 2 lab walkthrough slides

Jira Guide: Start Here

Confused about Jira? Start here

The Process criterion (4 / 16) grades your Jira board and its history. These slides walk through every piece, step by step, on a real example board.

#	Topic	#	Topic
1	Scrum, not Kanban	7	The board (move cards as you work)
2	How the pieces fit	8	Stand-ups as comments
3	Backlog + sprint planning	9	Review, retro, complete the sprint
4	Epics and child items	10	History (what the TA sees)
5	Sub-tasks, one person each	11	Sharing the board with the TAs
6	Labels for roles	12	Common mistakes + further reading

Screenshots come from our demo space SYSC3020_A1_TA (A1, Sprint 1). Reference only: one person made it in one sitting, so its history and times don't look like a real team's sprint.

Note: SYSC-1, SYSC-5, SYSC-8, ... are just Jira work item keys: the demo space's key (SYSC) plus a number. They are not course codes. Your team's items use your space's key (e.g., ABC-1).

Jira 1: Scrum, Not Kanban

The assignment is a sprint

The handout asks for sprint planning, a sprint goal, stand-ups, a review and a retrospective: all Scrum events. Use a Scrum space.

	Scrum	Kanban
Cadence	Fixed-length sprints	Continuous flow
Roles	PO · SM · team	None required
Planning	Backlog → sprint	Pull when ready
Metric	Burndown, velocity	Cycle time, WIP

Read:

<https://www.atlassian.com/agile/kanban/kanban-vs-scrum>

Made a Kanban space in A1?

- Create a new Scrum space (Spaces → + → Scrum template → Team-managed), or
- In a team-managed space, turn on Sprints (needs the Backlog feature first):
<https://support.atlassian.com/jira-software-cloud/docs/enable-sprints/>

Words changed in Jira

- Projects are now called spaces
- Issues are now called work items

Same features: only the names changed.

Jira 2: How the Pieces Fit

```
Space SYSC3020_A1_TA (Scrum, team-managed)
|
├─ Epic SYSC-1 A1-Requirements
|   └─ Story SYSC-5 SJC-001 Pellet scores
points
|   └─ Story SYSC-6 SJC-002 Player dies on
ghost
|       └─ Task SYSC-8 Task A – Code Map
|           └─ Sub-task SYSC-13 board package
|               └─ Sub-task SYSC-14 level package
|                   └─ Sub-task SYSC-15 npc + npc.ghost
|                       └─ Sub-task SYSC-16 points + Core
Events
|   └─ Task SYSC-9 Task B – SRS (B1-B6)
|       └─ Task SYSC-10 Task C – Defect review
|
├─ Sprint "A1 Sprint 1 – Requirements" (+ goal)
└─ Backlog SYSC-7, SYSC-12 (not in a sprint yet)
```

- Epic: the assignment (one per sprint)
- Story: a requirement / user-facing behaviour
- Task: a unit of work (Task A, B, C...)
- Sub-task (Jira: "Subtask"): one person's share of a task
- Sprint: the time-box + goal
- Backlog: work not in a sprint yet

Screenshot → next slide

Jira 2: How the Pieces Fit (Screenshot)

The screenshot displays the Jira interface, divided into two main sections: a backlog on the left and a task detail view on the right.

Left Panel (Backlog):

- Spaces:** SYSC3020_A1_TA
- Navigation:** Board, Backlog, List, Requirement Yogi
- Search:** Search backlog
- Filter:** Filter
- Sprint 1 — Requirements:** 23 Sep – 5 Oct (8 work items)
 - Deliver a code-grounded SRS for the JPacman core (code map, ≥12 FRs, ≥8 user stories, ≥8 NFRs) plus a judged LLM defect review.
 - Items in sprint:
 - SYSC-2 Review the Project Code (A1-Requirements, Done)
 - SYSC-3 Primary Task 1 (A1-Requirements, To Do)
 - SYSC-5 SJC-001 — Pellet consumption scores points (A1-Requirements, Done)
 - SYSC-6 SJC-002 — Player dies on contact with a ghost (A1-Requirements, In Progress)
 - SYSC-8 Task A — Code Map of the JPacman core (A1-Requirements, In Progress)**
 - SYSC-9 Task B — Write the SRS in Confluence (B1-B6) with Yogi keys (A1-Requirements, In Progress)
 - SYSC-10 Task C — Defect review: ISO 29148 checklist + LLM reviewer (A1-Requirements, To Do)
 - SYSC-11 Sprint 1 review + retrospective (keep / change / try) (A1-Requirements, To Do)
- Backlog (2 work items):**
 - SYSC-7 SJC-010 — Clyde flees when close to Pac-Man (code-only) (A1-Requirements, To Do)
 - SYSC-12 Export requirements.csv for the LLM reviewer (A1-Requirements, To Do)

Right Panel (Task Detail View):

- Jira work item:** SYSC-1 / SYSC-8
- Task A — Code Map of the JPacman core**
- Status:** In Progress
- Agents:** Agents
- Improve Task:** Improve Task
- Description:**

Read board , level , npc (+ npc.ghost) and points , then build one table per package (Class · File path · Responsibility · Key methods) and a numbered **Core Events** list. The output becomes the **Code Map appendix** of the SRS.

Broken into sub-tasks, one per package plus the Core Events list.

Role on this item: Scrum Master (splits the work, tracks the sub-tasks). Example item for the TA lab demo.
- Subtasks:** 50% Done
- Work:** Code

Jira 3: Backlog + Sprint Planning

Step 1: Fill the backlog

Sidebar → Backlog → + Create → work type (Story / Task) → title → Enter.

Step 2: Create the sprint

At the top of the backlog → Create sprint.

Step 3: Plan it

Drag the work items you commit to from the backlog into the sprint. Leave the rest in the backlog.

Step 4: Start it

Start sprint → set:

- Sprint name (e.g., "A2 Sprint 2 — Design")
- Duration / Start date / End date
- Sprint goal: one line (graded!)

The Board only shows the items of a started sprint.

Story vs Task (official): <https://www.atlassian.com/software/jira/guides/issues/overview>

Screenshots → next 2 slides

Story or Task?

- Story: a requirement from the user's point of view (e.g., SJC-001 Pellet scores points)
- Task: work the team must do (e.g., Draw SD-01, Consistency check)
- Most A2 work (diagrams, checks) → Tasks

Docs:

<https://www.atlassian.com/agile/tutorials/sprints>

Jira 3: Backlog + Sprint Planning (Screenshot 1/2)

Screenshot of the Jira interface showing the Backlog and Sprint Planning view for the space SYSC3020_A1_TA.

Spaces
SYSC3020_A1_TA

Board | **Backlog** | List | Requirement Yogi

Search backlog | Filter

A1 Sprint 1—Requirements 23 Sep – 5 Oct (8 work items)
6 16 3 Complete sprint

Deliver a code-grounded SRS for the JPacman core (code map, ≥12 FRs, ≥8 user stories, ≥8 NFRs) plus a judged LLM defect review.

Item	Assignee	Status	Count	Priority
☒ SYSC-2 Review the Project Code	A1-Requirements	Done	-	PJ
☒ SYSC-3 Primary Task 1	A1-Requirements	To Do	-	PJ
☒ SYSC-5 SJC-001 — Pellet consumption scores points	A1-Requirements	Done	3	PJ
☒ SYSC-6 SJC-002 — Player dies on contact with a ghost	A1-Requirements	In Progress	3	PJ
☒ SYSC-8 Task A — Code Map of the JPacman core	A1-Requirements	In Progress	5	PJ
☒ SYSC-9 Task B — Write the SRS in Confluence (B1-B6) with Yogi keys	A1-Requirements	In Progress	8	PJ
☒ SYSC-10 Task C — Defect review: ISO 29148 checklist + LLM reviewer	A1-Requirements	To Do	5	PJ
☒ SYSC-11 Sprint 1 review + retrospective (keep / change / try)	A1-Requirements	To Do	1	PJ

+ Create

Backlog (2 work items)
0 0 0 Create sprint

Item	Assignee	Status	Count	Priority
☒ SYSC-7 SJC-010 — Clyde flees when close to Pac-Man (code-only)	A1-Requirements	To Do	-	PJ
☒ SYSC-12 Export requirements.csv for the LLM reviewer	A1-Requirements	To Do	-	PJ

+ Create

Jira 3: Backlog + Sprint Planning (Screenshot 2/2)

The screenshot displays the Jira 3 interface with a modal dialog for editing a sprint. The dialog is titled "Edit sprint: A1 Sprint 1 — Requirements". It contains the following fields and options:

- Sprint name ***: A1 Sprint 1 — Requirements
- Start date ***: 9/23/2026 9:00 AM
- End date ***: 10/5/2026 11:59 PM
- Automatically complete sprint**: ☒ (checked)
- Sprint goal**: Deliver a code-grounded SRS for the JPacman core (code map, ≥12 FRs, ≥8 user stories, ≥8 NFRs) plus a judged LLM defect review.

The background shows the Jira backlog for the space "SYSC3020_A1_TA". The backlog includes tasks such as "Review the Project Code", "Primary Task 1", "SJC-001 — Pellet consumption scores", "SJC-002 — Player dies on contact with a", "Task A — Code Map of the JPacman core", "Task B — Write the SRS in Confluence (B1)", "Task C — Defect review: ISO 29148", and "Sprint 1 review + retrospective (keep / ch".

Jira 3: Changes After the Sprint Starts

The usual order

1. Fill the backlog with stories + tasks (under the epic)
2. Create sprint → drag in the items you commit to
3. Start sprint (name, dates, one-line goal)

Need something new mid-sprint? You can add it.

- Create the work item → on the Backlog, drag it into the active sprint, or set its Sprint field
- Shared task? Add sub-tasks any time; they stay in their parent's sprint
- Editing items (description, assignee, status) is always allowed

But keep it rare

Work added after the start shows up as a scope change (the burndown line jumps up), and so does changing an estimate after the start. Plan most of the work on day 1.

Docs: <https://www.atlassian.com/agile/tutorials/burndown-charts>

Jira 4: Epics and Child Items

A new epic for every assignment (same space)

- A1 → "A1-Requirements" (our demo)
- A2 → "A2 – Design: Structure & Interaction"

Screenshot → next slide

Docs:

<https://www.atlassian.com/agile/tutorials/epics>

Create the epic (team-managed)

Create → work type Epic → name → Create. (Or the Timeline tab, if enabled via + next to the tabs → + in the first column.)

Put work under it

- Open any work item → set its Parent field to the epic, or
- On the Timeline (if enabled): hover the epic → + Create work item.

Every story and task of the assignment should sit under its epic.

Jira 4: Epics and Child Items (Screenshot)

Spaces / SYSC3020_A1_TA / SYSC-1

A1-Requirements

+ @ ⇅

Description

Add a description...

Child work items

20% Done

Work	Prio...	Assi...	Status
☒ SYSC-2 Review the Project Code	= M..	RJ R.	Done
☒ SYSC-3 Primary Task 1	= M..	RJ R.	To Do
☒ SYSC-5 SJC-001 — Pellet consumption scores points	= M..	RJ R.	Done
☒ SYSC-6 SJC-002 — Player dies on contact with a ghost	= M..	RJ R.	In Progress
☒ SYSC-7 SJC-010 — Clyde flees when close to Pac-Man (code-only)	= M..	RJ R.	To Do
☒ SYSC-8 Task A — Code Map of the JPacman core	= M..	RJ R.	In Progress
☒ SYSC-9 Task B — Write the SRS in Confluence (B1-B6) with Yogi keys	= M..	RJ R.	In Progress
☒ SYSC-10 Task C — Defect review: ISO 29148 checklist + LLM reviewer	= M..	RJ R.	To Do
☒ SYSC-11 Sprint 1 review + retrospective (keep / change / try)	= M..	RJ R.	To Do
☒ SYSC-12 Export requirements.csv for the LLM reviewer	= M..	RJ R.	To Do

Linked work items

Add linked work item

Agents

Uses AI. Verify results.

Jira 5: Sub-tasks, One Person Each

A work item has one assignee

Jira has no "multiple assignees" field.

Two people on one task? You can break it into sub-tasks, each with its own assignee.

How

Open the task → create a sub-task from it (the ... menu, or the add button under the title) → title → Enter → set its Assignee.

Example (SYSC-8, Task A – Code Map)

Sub-task	Who	Status
SYSC-13 board package	member-A	Done
SYSC-14 level package	member-B	Done
SYSC-15 npc + npc.ghost Progress	member-C	In
SYSC-16 points + Core Events	member-B	To Do

Screenshot → next slide: SYSC-8 (Task A) split into 4 sub-tasks, one per package, one assignee each. Use it as a reference.

Docs:

<https://support.atlassian.com/jira-software-cloud/docs/create-a-work-item-and-a-subtask>

Jira 5: Sub-tasks, One Person Each (Screenshot)

Spaces / SYSC3020_A1.TA / SYSC-1 / SYSC-8

Task A — Code Map of the JPacman core

+ ⓘ ⚙

Description

Read `board`, `level`, `npc` (+ `npc.ghost`) and `points`, then build one table per package (Class · File path · Responsibility · Key methods) and a numbered **Core Events** list. The output becomes the **Code Map appendix** of the SRS.

Broken into sub-tasks, one per package plus the Core Events list.

Role on this item: Scrum Master (splits the work, tracks the sub-tasks). Example item for the TA lab demo.

Subtasks

50% Done

Work	Prio...	Assi...	Status
SYSC-13 Code map: board package	M..	RJ R.	Done
SYSC-14 Code map: level package	M..	RJ R.	Done
SYSC-15 Code map: npc + npc.ghost packages	M..	RJ R.	In Progress
SYSC-16 Code map: points package + Core Events list	M..	RJ R.	To Do

Linked work items

Add linked work item

Agents

Start work

Uses AI. Verify results.

Details

In Progress Agents ⚡ Improve Task

Assignee: RJ Rinkesh Joshi

Parent: SYSC-1 A1-Requirements

Sprint: A1 Sprint 1 — Requirements

Labels: member-B role-ScrumMaster taskA

Due date: Add due date

Team: Add team

Start date: Add date

Story point estimate: 5

Reporter: RJ Rinkesh Joshi

Development

Automation

Rule executions

Requirement Yogi

Linked requirements

Jira 6: Labels for Roles

Make the roles visible

Add one role label to each work item, matching the role the assignee plays this sprint:

`role-ProductOwner` · `role-ScrumMaster` · `role-QALead`

e.g., B is Scrum Master this sprint → items assigned to B get `role-ScrumMaster`. Using sub-tasks? Each one gets its own assignee's role.

Open the item → Labels field → type → Enter. (No spaces in a label; use `-.`)

Rotate every sprint (no repeats)

Member	Sprint 1 (A1)	Sprint 2 (A2)
A	Product Owner	Scrum Master
B	Scrum Master	QA Lead
C	QA Lead	Product Owner

Filter by label

Board / backlog → Filter → Labels → tick a label (e.g., `role-scrummaster`).

Screenshots → next 2 slides

Docs:

<https://support.atlassian.com/jira/kb/how-to-create-and-use-labels-in-jira-cloud>

<https://support.atlassian.com/jira-software-cloud/docs/show-or-hide-issues-on-your-board>

Jira 6: Labels for Roles (Screenshot 1/2)

The screenshot shows a Jira issue page with a dark theme. The top navigation bar includes 'Spaces' and three tabs: 'SYSC3020_A1.TA', 'SYSC-1', and 'SYSC-11'. The issue title is 'Sprint 1 review + retrospective (keep / change / try)'. Below the title are icons for adding, commenting, and linking. The main content area is divided into sections: 'Description', 'Retrospective — example', 'Roles this sprint', 'Rotation for the next sprint', 'Subtasks', 'Linked work items', and 'Agents'. The 'Description' section contains a paragraph about the sprint review and retrospective. The 'Retrospective — example' section lists three bullet points: 'Keep', 'Change', and 'Try'. The 'Roles this sprint' section lists roles for member-A, member-B, and member-C. The 'Rotation for the next sprint' section lists the rotation for each role. The 'Subtasks' section has an 'Add subtask' button. The 'Linked work items' section has an 'Add linked work item' button. The 'Agents' section has a 'Start work' button. The right sidebar contains a 'Details' section with fields for Assignee (Rinkesh Joshi), Parent (SYSC-1 A1-Requirements), Sprint (A1 Sprint 1 — Requirements), Labels (member-B, retrospective, role-ScrumMaster), Due date, Team, Start date, Story point estimate (1), and Reporter (Rinkesh Joshi). Below the details are sections for 'Development', 'Automation' (Rule executions), and 'Requirement Yogi' (Linked requirements).

Spaces / SYSC3020_A1.TA / SYSC-1 / SYSC-11

Sprint 1 review + retrospective (keep / change / try)

+ @ ↗

Description

Sprint review (last day): demo SRS.pdf and the defect review to each other.

Retrospective — example

- **Keep:** citing class + method for every requirement while writing it; much less rework.
- **Change:** start the LLM review earlier; we left Task C to the last two days.
- **Try:** a 15-minute Monday/Thursday stand-up with comments posted in Jira right after.

Roles this sprint: member-A Product Owner · member-B Scrum Master · member-C QA Lead

Rotation for the next sprint: member-A → Scrum Master · member-B → QA Lead · member-C → Product Owner

Copy these bullets into the **Team & Process** section of the SRS. Example item for the TA lab demo.

Subtasks

Add subtask

Linked work items

Add linked work item

Agents

ⓘ Uses AI. Verify results.

Start work

To Do Agents ⚡ Improve Task

Details

Assignee Rinkesh Joshi

Parent SYSC-1 A1-Requirements

Sprint A1 Sprint 1 — Requirements

Labels member-B retrospective role-ScrumMaster

Due date Add due date

Team Add team

Start date Add date

Story point estimate 1

Reporter Rinkesh Joshi

> Development

> Automation ⚡ Rule executions

> Requirement Yogi 👤 Linked requirements

Jira 6: Labels for Roles (Screenshot 2/2)

The screenshot displays the Jira 6 interface for a project named 'SYSC3020_A1_TA'. The main view is the 'Backlog' tab, showing a list of items. A filter is applied, and the 'Labels' filter menu is open, showing a list of labels. The 'retrospective' label is selected. The sprint backlog shows items with labels and counts. The right sidebar shows the 'Jira work item' panel with a description of the sprint review and retrospective process.

Labels

- ☒ role-scrummaster
- ☐ No label
- ☐ code-only
- ☐ fr
- ☐ member-a
- ☐ member-b
- ☐ member-c
- ☐ requirement
- ☒ retrospective

Clear all 14 of 14

Give feedback Press Shift + F to open and close

Jira work item

SYSC-1 / SYSC-11

Sprint 1 review + retrospective (keep / change / try)

To Do Agents

Improve Task

Description

Sprint review (last day): demo SRS.pdf and the defect review to each other.

Retrospective — example

- Keep:** citing class + method for every requirement while writing it; much less rework.
- Change:** start the LLM review earlier; we left Task C to the last two days.
- Try:** a 15-minute Monday/Thursday stand-up with comments posted in Jira right after.

Roles this sprint: member-A Product Owner · member-B Scrum Master · member-C QA Lead

Jira 7: The Board (Move Cards As You Work)

Columns = statuses

To Do → In Progress → Done

- Start a task → drag its card to In Progress
- Finish it → drag to Done
- Do it on the day it happens: every move is recorded with your name and the time

What a healthy board looks like mid-sprint

Some cards in each column, sub-tasks finishing before their parent, owners spread across the team.


What loses marks

- Everything moved to Done in the last hour
- All cards created after the work was done
- One person moving every card

Screenshot → next slide

Use the board Filter (Assignee, Labels, Parent = epic) to check who is carrying what.

Jira 7: The Board (Move Cards As You Work) (Screenshot)



Jira 8: Stand-ups as Comments

What it is

A short team meeting (~15 min), ≥ 2× per week. What gets graded is the record: every member's three lines (done / doing / blocked) as comments in Jira.

How (every member, every stand-up)

1. Open a work item you are working on
2. Activity → add a comment (type @ to mention a teammate)
3. Post it from your own account, on the day of the stand-up

Each student posts their own. Jira shows who posted each comment, so one comment for the whole team can't show that the others took part.

Template (each member, each stand-up)

```
Stand-up — Thu Oct 15 · <name> (<role>)
Done:   finished SD-01 (pellet flow) in
PlantUML
Doing:  class diagram associations for level
package
Blocked: Graphviz missing on my laptop → asked
<name>
```

Screenshot → next slide

A real blocker + who is helping is better than "Blocked: none" every time.

Read: <https://www.atlassian.com/agile/scrum/standups>

Jira 8: Stand-ups as Comments (Screenshot)

The screenshot displays the Jira 8 interface for a task titled "SYS-8 / SYS-15". The task is in the "In Progress" state. The left sidebar shows the "Agents" section with a "Start work" button and the "Activity" section with tabs for "All", "Comments", "History", and "Work log". The "Comments" tab is active, showing a comment by Rinkesh Joshi (RJ) from 10 hours ago. The comment is titled "Stand-up — Thu Oct 1 · member-C (QA Lead)" and contains a bulleted list of updates: "Done: Ghost, Blinky, Pinky rows of the npc table.", "Doing: Inky and Clyde — tracing Navigation.shortestPath to describe their AI correctly.", and "Blocked: ./gradlew build fails on my laptop (JDK 17) → switching JAVA_HOME to JDK 11; member-B is helping." The right sidebar shows the "Details" section with fields for Assignee (Rinkesh Joshi), Parent (SYS-8 Task A — Code Map of the), Sprint (A1 Sprint 1 — Requirements), Labels (member-C, role-QALead, taskA), Story point estimate (Add story points), and Reporter (Rinkesh Joshi). The bottom right corner shows the task was created and updated 10 hours ago, with a "Configure" button.

Agents ① Uses AI. Verify results. In Progress Agents ⚡

Start work

Activity

All **Comments** History Work log

RJ Add a comment...
Suggest a reply... Status update... Thanks...

Pro tip: press **M** to comment

RJ **Rinkesh Joshi**
10 hours ago

Stand-up — Thu Oct 1 · member-C (QA Lead)

- **Done:** Ghost, Blinky, Pinky rows of the npc table.
- **Doing:** Inky and Clyde — tracing `Navigation.shortestPath` to describe their AI correctly.
- **Blocked:** `./gradlew build` fails on my laptop (JDK 17) → switching `JAVA_HOME` to JDK 11; member-B is helping.

Details

Assignee **RJ** Rinkesh Joshi

Parent ☒ SYS-8 Task A — Code Map of the

Sprint **A1 Sprint 1 — Requirements**

Labels **member-C** **role-QALead** **taskA**

Story point estimate Add story points

Reporter **RJ** Rinkesh Joshi

Development

Automation ⚡ Rule executions

Requirement Yogi 👤 Linked requirements

Created 10 hours ago Updated 10 hours ago ⚙️ Configure

Jira 9: Review, Retro, Complete the Sprint

■ Last day: two short team meetings

1. Sprint review: demo the deliverable to each other (nothing to submit)
2. Retrospective: the team agrees on 3 bullets (Keep · Change · Try): one set for the team, not per member
3. They go in the Team & Process section of the design page, so they end up in design.pdf (a Jira task like SYSC-11 is optional)
4. Write down next sprint's roles (rotation!)

■ Then complete the sprint

Board → Complete sprint → choose where unfinished items go (backlog or a new sprint). The Create a retrospective (Confluence) box is optional; your retro goes in the design page anyway.

A completed sprint stays in the history and reports: don't delete it or its work items.

Screenshots → next 2 slides

Read:

<https://www.atlassian.com/agile/scrum/retrospectives>

Jira 9: Review, Retro, Complete the Sprint (Screenshot 1/2)

The screenshot shows a Jira task page with a dark theme. At the top, there are space links: 'SYSC3020_A1_TA', 'SYSC-1', and 'SYSC-11'. The task title is 'Sprint 1 review + retrospective (keep / change / try)'. Below the title are icons for adding, commenting, and linking. The 'Description' section contains instructions for a sprint review and retrospective, including a list of bullet points and roles. The 'Subtasks' section has an 'Add subtask' button. The 'Linked work items' section has an 'Add linked work item' button. The 'Agents' section has a 'Start work' button. On the right, there is a 'Details' sidebar with fields for Assignee (Rinkesh Joshi), Parent (SYSC-1 A1-Requirements), Sprint (A1 Sprint 1 — Requirements), Labels (member-B, retrospective, role-ScrumMaster), Due date, Team, Start date, Story point estimate (1), and Reporter (Rinkesh Joshi). Below the details are sections for 'Development', 'Automation' (Rule executions), and 'Requirement Yogi' (Linked requirements).

Spaces / SYSC3020_A1_TA / SYSC-1 / SYSC-11

Sprint 1 review + retrospective (keep / change / try)

+ @ ↗

Description

Sprint review (last day): demo SRS.pdf and the defect review to each other.

Retrospective — example

- **Keep:** citing class + method for every requirement while writing it; much less rework.
- **Change:** start the LLM review earlier; we left Task C to the last two days.
- **Try:** a 15-minute Monday/Thursday stand-up with comments posted in Jira right after.

Roles this sprint: member-A Product Owner · member-B Scrum Master · member-C QA Lead
Rotation for the next sprint: member-A → Scrum Master · member-B → QA Lead · member-C → Product Owner

Copy these bullets into the **Team & Process** section of the SRS. Example item for the TA lab demo.

Subtasks

Add subtask

Linked work items

Add linked work item

Agents

Start work

① Uses AI. Verify results.

Details

Assignee Rinkesh Joshi

Parent SYSC-1 A1-Requirements

Sprint A1 Sprint 1 — Requirements

Labels member-B retrospective role-ScrumMaster

Due date Add due date

Team Add team

Start date Add date

Story point estimate 1

Reporter Rinkesh Joshi

> Development

> Automation ⚡ Rule executions

> Requirement Yogi 👤 Linked requirements

Jira 9: Review, Retro, Complete the Sprint (Screenshot 2/2)

The screenshot displays the Jira interface for a sprint board titled 'SYS3020_A1_TA'. The board is divided into columns: 'To Do' (3 items), 'In Progress' (3 items), and 'Completed' (2 items). The 'To Do' column contains 'Primary Task 1' (A1-Requirements, SYSC-3), 'Task C — Defect review: ISO 29148 checklist + LLM reviewer...' (member-C, role-QALead, taskC, A1-Requirements, SYSC-10), and 'Sprint 1 review + retrospective (keep / change / try)...' (member-B, retrospective, role-ScrumMaster, A1-Requirements, SYSC-11). The 'In Progress' column contains 'SJC-002 — Player dies on contact with a ghost' (FR, member-A, requirement, role-ProductOwner, A1-Requirements, SYSC-6), 'Task A — Code Map of the JPacman core' (member-B, role-ScrumMaster, taskA, A1-Requirements, SYSC-8), and 'Task B — Write the SRS in Confluence (B1-B6) with Yogi keys...' (member-A, role-ProductOwner, taskB, A1-Requirements). A modal dialog titled 'Complete A1 Sprint 1 — Requirements' is open, showing a trophy icon and stating: 'This sprint contains 2 completed work items and 6 open work items.' It lists: 'Completed work items includes everything in the last column on the board, Done.' and 'Open work items includes everything from any other column on the board. Move these to a new sprint or the backlog.' Below this, it says 'Move open work items to' with a dropdown menu set to 'New sprint'. There is a checkbox 'Create a retrospective for this sprint' with the text 'Finish off your sprint with a Confluence retrospective! Contribute to your team's culture and improve how you work.' At the bottom of the dialog are 'Cancel' and 'Complete sprint' buttons.

Spaces

SYS3020_A1_TA ...

Board Backlog List Requirement Yogi +

Search board Filter Group

To Do 3

Primary Task 1

- A1-Requirements
- SYSC-3
- Subtasks 0/1

Task C — Defect review: ISO 29148 checklist + LLM reviewer...

member-C | role-QALead | taskC

- A1-Requirements
- SYSC-10

Sprint 1 review + retrospective (keep / change / try)...

member-B | retrospective

role-ScrumMaster

- A1-Requirements
- SYSC-11

In Progress 3

SJC-002 — Player dies on contact with a ghost

FR | member-A | requirement

role-ProductOwner

- A1-Requirements
- SYSC-6

Task A — Code Map of the JPacman core

member-B | role-ScrumMaster | taskA

- A1-Requirements
- SYSC-8

Subtasks 2/4

Task B — Write the SRS in Confluence (B1-B6) with Yogi keys...

member-A | role-ProductOwner | taskB

- A1-Requirements

Complete A1 Sprint 1 — Requirements

This sprint contains 2 completed work items and 6 open work items.

- Completed work items includes everything in the last column on the board, Done.
- Open work items includes everything from any other column on the board. Move these to a new sprint or the backlog.

Move open work items to

New sprint

☒ Create a retrospective for this sprint

Finish off your sprint with a Confluence retrospective! Contribute to your team's culture and improve how you work.

Cancel Complete sprint

Jira 10: History (What the TA Sees)

Every change is logged, by person, with a timestamp

Open any work item → Activity → History.

History of our demo item SYSC-5 (from Jira):

- Story point estimate → 3
 - by Rinkesh Joshi, Oct 7, 02:23
- Sprint → A1 Sprint 1 – Requirements
 - by Rinkesh Joshi, Oct 7, 02:23
- Status To Do → Done
 - by Rinkesh Joshi, Oct 7, 02:23

Comments (stand-ups) carry author + time too.

So

- Each member uses their own account
- Move cards and post stand-ups when it happens
- Never delete and re-create items to "clean up"

Screenshot → next slide

Reports (if enabled): Burnup, Sprint burndown, Velocity, Cumulative flow (turn on: Space settings → Features).

<https://support.atlassian.com/jira-software-cloud/docs/enable-reports>

Docs:

<https://support.atlassian.com/jira-software-cloud/docs/what-are-the-different-types-of-activity-on-an-issue/>

Jira 10: History (What the TA Sees) (Screenshot)

The screenshot displays the Jira 10 interface for a specific work item. The top navigation bar includes a 'Done' button, 'Agents', a 'Done' status indicator, and an 'Improve Story' link. Below this, the 'Details' section is expanded, showing fields such as Assignee (Rinkesh Joshi), Parent (SYSC-1 A1-Requirements), Sprint (A1 Sprint 1 — Requirements), Labels (FR, member-A, requirement, role-ProductOwner), Due date, Team, Start date, Story point estimate (3), and Reporter (Rinkesh Joshi). The 'Development' section is also visible, showing 'Automation' and 'Requirement Yogi' with a 'Linked requirements' link. The 'Activity' section on the left shows a list of updates by Rinkesh Joshi, including changes to Status, Resolution, Sprint, Story point estimate, and the creation of the Work item. The 'Agents' section on the right shows a 'Start work' button and a note about AI usage.

Add linked work item

Agents

Start work

Uses AI. Verify results.

Details

Assignee: Rinkesh Joshi

Parent: SYSC-1 A1-Requirements

Sprint: A1 Sprint 1 — Requirements

Labels: FR, member-A, requirement, role-ProductOwner

Due date: Add due date

Team: Add team

Start date: Add date

Story point estimate: 3

Reporter: Rinkesh Joshi

Development

Automation: Rule executions

Requirement Yogi: Linked requirements

Created 10 hours ago

Updated 10 hours ago

Activity

All Comments History Work log

Rinkesh Joshi changed the Status 10 hours ago
To Do → Done

Rinkesh Joshi updated the Resolution 10 hours ago
None → Done

Rinkesh Joshi updated the Sprint 10 hours ago
None → A1 Sprint 1 — Requirements

Rinkesh Joshi updated the Story point estimate 10 hours ago
None → 3

Rinkesh Joshi created the Work item 10 hours ago

Jira 11: Sharing the Board With the TAs

Before the deadline

1. The student who created the site invites all the TAs, the same way you invited teammates in A1 (••• next to the space name → Add people, or Atlassian Administration → Directory → Users → Invite users) → each TA's Carleton email:
 - rinkeshjoshi@cmail.carleton.ca
 - HongboPang@cmail.carleton.ca
 - GhinwaYassin@cmail.carleton.ca
2. Copy the board URL from the browser while on the Board:
`https://<team>.atlassian.net/jira/software/projects/<KEY>/boards/<N>`
3. Submit that board link on Brightspace (an epic link opens only that one work item)

Please don't remove the TAs before grades are out.

Jira 12: Common Mistakes + Further Reading

Common mistakes

- Kanban space: no sprint, no sprint goal
- Sprint created but never started
- One shared account → no individual history
- Everything moved to Done on the last day
- Stand-ups missing, or not every member has done / doing / blocked
- Two people "on" one task, but only one shows as assignee
- Roles not visible, or not rotated
- Board link that the TA couldn't open

Further reading (official Atlassian)

- Scrum with Jira (step by step): <https://www.atlassian.com/agile/tutorials/how-to-do-scrum-with-jira>
- Sprints: <https://www.atlassian.com/agile/tutorials/sprints>
- Backlog: <https://support.atlassian.com/jira-software-cloud/docs/use-your-scrum-backlog/>
- Story vs Task (work types): <https://www.atlassian.com/software/jira/guides/issues/overview>
- Add people: <https://support.atlassian.com/jira-software-cloud/docs/add-people-to-team-managed-projects>
- Roles on Free: <https://support.atlassian.com/jira-software-cloud/docs/next-gen-permissions/>
- Free plan: <https://support.atlassian.com/jira-cloud-administration/docs/explore-jira-cloud-plans/>

