

Question 1

How can you use GitHub Copilot to get inline suggestions for refactoring your code? (Select two.)

- A. By adding comments to your code and triggering a suggestion.**
- B. By highlighting the code you want to fix, right-clicking, and selecting "Fix using GitHub Copilot."
- C. By running the `gh copilot fix` command.
- D. By using the `/fix` command in GitHub Copilot in-line chat.
- E. By highlighting the code you want to fix, right-clicking, and selecting "Refactor using GitHub Copilot."**

Question 2

What is zero-shot prompting?

- A. Only giving GitHub Copilot a question as a prompt and no examples**
- B. Giving GitHub Copilot examples of the problem you want to solve
- C. Telling GitHub Copilot it needs to show only the correct answer
- D. Giving GitHub Copilot examples of the algorithm and outcome you want to use
- E. Giving as little context to GitHub Copilot as possible

Question 3

How do you generate code suggestions with GitHub Copilot in the CLI?

- A. Type out the code snippet # Use the `copilot refine` command to enhance it # Review the suggested command.
- B. Write code comments # Press the suggestion shortcut # Select the best suggestion from the list.
- C. Use `gh copilot suggest` # Write the command you want # Select the best suggestion from the list.**
- D. Describe the project's architecture # Use the `copilot generate` command # Accept the generated suggestion.

Question 4

What GitHub Copilot configuration needs to be enabled to protect against IP infringements?

- A. Blocking public code matches**
- B. Blocking license check configuration
- C. Allowing public code matches
- D. Allowing license check configuration

Question 5

1.

blog.yatricloud.com

blog.yatricloud.com

A. The API can generate detailed reports on code quality improvements made by GitHub Copilot.

B. The API can track the acceptance rate of code suggestions accepted and used in the organization.

C. The API can refactor your code to improve productivity.

D. The API can provide feedback on coding style and standards compliance.

E. The API can provide Copilot Chat specific suggestions acceptance metrics.

Question 6

What is the impact of the " Fill-In-the-Middle " (FIM) technique on GitHub Copilot ' s code suggestions?

- A. Restricts Copilot to use only external databases for generating code suggestions.
- B. Allows Copilot to generate suggestions based only on the prefix of the code.
- C. Ignores both the prefix and suffix of the code, focusing only on user comments for context.
- D. Improves suggestions by considering both the prefix and suffix of the code, filling in the middle part more accurately.**

Question 7

You are deploying a new development environment to a Windows 11 device.

You need to install GitHub Copilot CLI, and then start an interactive GitHub Copilot CLI

session.

Which command should you run for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To install GitHub Copilot CLI:

- apt install copilot-cli
- npm install -g @github/copilot
- gh extension install github/copilot

To start the interactive session:

- copilot
- /new
- /session

Correct Answer:

Answer Area

To install GitHub Copilot CLI:

- apt install copilot-cli
- npm install -g @github/copilot
- gh extension install github/copilot

To start the interactive session:

- copilot
- /new
- /session

Answer Area

To install GitHub Copilot CLI: gh extension install github/copilot

To start the interactive session: copilot

Question 8

Which of the following does GitHub Copilot 's LLM derive context from when producing a response?

- A. Frequency of commits to the repository
- B. Syntax highlighting scheme of the code in the IDE
- C. Neighboring or related files within a project

D. Version control system integrated with the IDE

Question 9

What is few-shot prompting?

A. Telling GitHub Copilot about the mechanism you want it to use and how to incorporate that into the response

B. Telling GitHub Copilot from which sources it should base the response on

C. Telling GitHub Copilot to try multiple times to answer the prompt

D. Telling GitHub Copilot to iterate several times on the answer before returning it to you

Question 10

What is a likely effect of GitHub Copilot being trained on commonly used code patterns?

A. Suggest innovative coding solutions that are not yet popular.

B. Suggest completely novel projects, while reducing time on a project.

C. Suggest code snippets that reflect the most common practices in the training data.

D. Suggest homogeneous solutions if provided a diverse data set.

Question 11

Identify the steps involved in the life cycle of a GitHub Copilot code suggestion? (Each correct answer presents part of the solution. Choose two.)

A. Generate suggestions

B. Capturing the user 's context

C. Processing telemetry data

D. Retraining the model

E. Storing user data

Question 12

GitHub Copilot in the Command Line Interface (CLI) can be used to configure the following settings: (Each correct answer presents part of the solution. Choose two.)

A. The default execution confirmation

B. Usage analytics

C. The default editor

D. GitHub CLI subcommands

Question 13

Which scenarios can GitHub Copilot Chat be used to increase productivity? (Each correct answer presents part of the solution. Choose two.)

A. A project plan for the team needs to be generated using a project management software.

B. Create a documentation file for the newly created code base.

C. A developer is added to a new project and would like to understand the current software code.

D. Fast tracking of release management activities to move code to production main branch.

Question 14

How can GitHub Copilot assist developers during the requirements analysis phase of the Software Development Life Cycle (SDLC)?

A. By automatically generating detailed requirements documents.

B. By providing templates and code snippets that help in documenting requirements.

C. By identifying and fixing potential requirement conflicts when using /help.

D. By managing stakeholder communication and meetings.

Question 15

Which Microsoft ethical AI principle is aimed at ensuring AI systems treat all people equally?

A. Inclusiveness

B. Fairness

C. Reliability and Safety

D. Privacy and Security

Question 16

Which Copilot Enterprise features are available in all commercially supported IDEs?

A. Inline suggestions

B. Pull request summaries

C. Knowledge bases

D. Chat

Question 17

An independent contractor develops applications for a variety of different customers. Assuming no concerns from their customers, which GitHub Copilot plan is best suited?

A. GitHub Copilot Individual

B. GitHub Copilot Business

C. GitHub Copilot Business for non-GHE Customers

D. GitHub Copilot Enterprise

E. GitHub Copilot Teams

Question 18

Which Copilot Individual features are available when using a supported extension for Visual Studio, VS Code, or JetBrains IDEs? (Each correct answer presents part of the solution. Choose two.)

A. Code suggestions

B. Chat

C. Knowledge Base

D. Pull Request Diff Analysis

Question 19

A team is using GitHub Copilot Individual in their daily development activities. They need to exclude specific files from being used to inform code completion suggestions. How can they achieve this?

A. Have an organization owner configure content exclusions

B. Add a .gitignore file to the repo

C. Have a repo administrator configure content exclusions

D. Use the #file Chat variable to exclude the files

E. Upgrade to Copilot Business

Question 20

Which of the following statements best describes the impact of GitHub Copilot on the software development process?

A. It decreases software vulnerabilities from third party dependencies.

B. It reduces overhead by automating testing workflows.

C. It increases productivity by automating repetitive coding tasks.

D. It replaces the need for developers in the software development process.

Question 21

Which GitHub Copilot plan allows for prompt and suggestion collection?

A. GitHub Copilot Individuals

B. GitHub Copilot Business

C. GitHub Copilot Enterprise

D. GitHub Copilot Codespace

Question 22

Which of the following describes role prompting?

A. Describing in your prompt what your role is to get a better suggestion

B. Tell GitHub Copilot in what tone of voice it should respond

C. Prompt GitHub Copilot to explain what was the role of a suggestion

D. Giving GitHub Copilot multiple examples of the form of the data you want to use

Question 23

Where can you validate if GitHub Copilot is not returning suggestions because of content exclusions?

A. The GitHub Copilot icon in the status bar of the editor will display a message

B. The GitHub Copilot logs on GitHub.com under your user settings

- C. The code suggestions window will display a warning message
- D. The GitHub Copilot errors panel in your IDE

Question 24

What are the additional checks that need to pass before the GitHub Copilot responses are submitted to the user? (Each correct answer presents part of the solution. Choose two.)

- A. Code quality
- B. Compatibility with user-specific settings
- C. Suggestions matching public code (optional based on settings)
- D. Performance benchmarking

Question 25

How can you improve the context used by GitHub Copilot? (Each correct answer presents part of the solution. Choose two.)

- A. By opening the relevant tabs in your IDE
- B. By adding relevant code snippets to your prompt
- C. By adding the important files to your .gitconfig
- D. By adding the full file paths to your prompt of important files

Question 26

How does GitHub Copilot suggest code optimizations for improved performance?

- A. By analyzing the codebase and suggesting more efficient algorithms or data structures.
- B. By automatically rewriting the codebase to use more efficient code.
- C. By enforcing strict coding standards that ensure optimal performance.
- D. By providing detailed reports on the performance of the codebase.

Question 27

In what ways can GitHub Copilot support a developer during the code refactoring process? (Each correct answer presents part of the solution. Choose two.)

- A. By offering code transformation examples that enhance performance and reduce complexity.**
- B. By independently ensuring compliance with regulatory standards across industries.
- C. By providing suggestions for improving code readability and maintainability based on best practices.**
- D. By autonomously refactoring entire codebases to the latest programming language.

Question 28

When using an IDE with a supported GitHub Copilot plug-in, which Chat features can be accessed from within the IDE? (Each correct answer presents part of the solution. Choose two.)

- A. Explain code and suggest improvements**
- B. Generate unit tests**
- C. Plan coding tasks
- D. Find out about releases and commits

Question 29

What are two techniques that can be used to improve prompts to GitHub Copilot? (Select two.)

- A. Provide specific success criteria**
- B. Provide all information about the utilized files
- C. Provide insight on where to get the content from to get a response
- D. Provide links to supporting documentation**

Question 30

How can GitHub Copilot assist with code refactoring tasks?

- A. GitHub Copilot can fix syntax errors without user input.
- B. GitHub Copilot can automatically rewrite code to follow best practices.
- C. GitHub Copilot can suggest refactoring improvements for better code quality.**
- D. GitHub Copilot can remove unnecessary files from the project directory.

Question 31

What types of content can GitHub Copilot Knowledge Base answer questions about? (Each correct answer presents part of the solution. Choose three.)

- A. Code snippets**
- B. Compiled binaries
- C. Documentation**
- D. Design patterns**
- E. Screenshots

Question 32

When crafting prompts for GitHub Copilot, what is a recommended strategy to enhance the relevance of the generated code?

- A. Keep the prompt as short as possible, using single words or brief phrases.
- B. Write the prompt in natural language without any programming language.
- C. Avoid mentioning the programming language to allow for more flexible suggestions.
- D. Provide examples of expected input and output within the prompt.**

Question 33

Why is code reviewing still necessary when using GitHub Copilot to write tests?

- A. Because GitHub Copilot can cover all possible scenarios in your test cases.
- B. Because GitHub Copilot generates the best code possible for the test scenario.
- C. Because GitHub Copilot 's generated test cases may not cover all possible scenarios.**
- D. Because GitHub Copilot replaces the need for manual testing.

Question 34

Which of the following is a risk associated with using AI?

- A. AI algorithms are incapable of perpetuating existing biases.
- B. AI systems can sometimes make decisions that are difficult to interpret.**
- C. AI eliminates the need for data privacy regulations.
- D. AI replaces the need for developer opportunities in most fields.

Question 35

How does GitHub Copilot assist developers in reducing the amount of manual boilerplate code they write?

- A. By engaging in real-time collaboration with multiple developers to write boilerplate code.
- B. By predicting future coding requirements and pre-emptively generating boilerplate code.
- C. By refactoring the entire codebase to eliminate boilerplate code without developer input.
- D. By suggesting code snippets that can be reused across different parts of the project.**

Question 36

What is the primary purpose of organization audit logs in GitHub Copilot Business?

- A. To track the number of lines of code suggested by Copilot
- B. To assign software licenses within the organization
- C. To monitor code conflicts across repositories
- D. To monitor administrator activities and actions within the organization**

Question 37

Which GitHub Copilot plan could an Azure DevOps organization use without requiring a GitHub Enterprise license?

- A. GitHub Copilot Individual
- B. GitHub Copilot Enterprise
- C. GitHub Copilot for Azure DevOps**
- D. Copilot Teams

Question 38

What should developers consider when relying on GitHub Copilot for generating code that involves statistical analysis?

- A. GitHub Copilot can independently verify the statistical significance of results.
- B. GitHub Copilot 's suggestions are based on statistical trends and may not always apply accurately to specific datasets.**

- C. GitHub Copilot will automatically correct any statistical errors found in the user 's initial code.
- D. GitHub Copilot can design new statistical methods that have not been previously documented.

Question 39

Which of the following GitHub Copilot Business related activities can be tracked using the organization audit logs?

- A. Accepted chat suggestions
- B. Code suggestions made by GitHub Copilot
- C. Changes to content exclusion settings
- D. Suggestions blocked by duplication detection filtering

Question 40

In what way can GitHub Copilot and GitHub Copilot Chat aid developers in modernizing applications?

- A. GitHub Copilot can directly convert legacy applications into cloud-native architectures.
- B. GitHub Copilot can suggest modern programming patterns based on your code.
- C. GitHub Copilot can create and deploy full-stack applications based on a single query.
- D. GitHub Copilot can refactor applications to align with upcoming standards.

Question 41

What content can be configured to be excluded with content exclusions? (Each correct answer presents part of the solution. Choose three.)

- A. Files
- B. Folders
- C. Lines in files
- D. Gists
- E. Repositories

Question 42

What type of information can you retrieve through GitHub Copilot Business Subscriptions via REST API?

(Each correct answer presents part of the solution. Choose two.)

- A. Get a summary of GitHub Copilot usage for organization members**
- B. List all GitHub Copilot seat assignments for an organization**
- C. View code suggestions for a specific user
- D. List of all unsubscribed GitHub Copilot members within an organization

Question 43

What do you check when GitHub Copilot content exclusions are not working? (Each correct answer presents part of the solution. Choose two.)

- A. If GitHub Copilot can connect to the server selected in your user settings.
- B. If the user is part of the content exclusion team that limits the use of content exclusions.
- C. If the content exclusion settings changed in the last 30 minutes or before that.**
- D. If the user is in an organization that has content exclusions configured.**

Question 44

How long does GitHub retain Copilot data for Business and Enterprise? (Each correct answer presents part of the solution. Choose two.)

- A. Prompts and Suggestions: Not retained
- B. Prompts and Suggestions: Retained for 28 days**
- C. User Engagement Data: Kept for Two Years**
- D. User Engagement Data: Kept for One Year

Question 45

When using GitHub Copilot Chat to generate boilerplate code for various test types, how can you guide the AI to follow the testing standards of your company?

- A. By using a specific setting in GitHub Copilot 's configuration.
- B. By using a specific command in the terminal.
- C. By using specific prompt examples in your chat request.**

D. By using a specific slash command in the prompt.

Question 46

You have a GitHub Copilot subscription.

You need to start an interactive GitHub Copilot CLI session from the root folder of a project.

If you are NOT authenticated, GitHub Copilot must prompt you to sign in.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Run /login.
- Run copilot --resume.
- Run gh auth login.
- Open a browser-based GitHub sign-in flow.
- Confirm folder trust.
- Run copilot.

Answer Area

Correct Answer:

Actions

- Run /login.
- Run copilot --resume.
- Run gh auth login.
- Open a browser-based GitHub sign-in flow.
- Confirm folder trust.
- Run copilot.

Answer Area

- Run gh auth login.
- Open a browser-based GitHub sign-in flow.
- Confirm folder trust.
- Run copilot.

Actions

- Run /login.
- Run copilot --resume.

Answer Area

- Run gh auth login.
- Open a browser-based GitHub sign-in flow.
- Confirm folder trust.
- Run copilot.

Question 47

What is a limitation of content exclusions?

A. Repository administrators and organization owners cannot manage content exclusion settings.

B. Content exclusions can be worked around as it is only available for Git repositories.

C. Content exclusions can only be configured by an enterprise administrator.

D. Content exclusions are only available in the GitHub Copilot Individual plan.

Question 48

How does GitHub Copilot Chat help to fix security issues in your codebase?

A. By enforcing strict coding standards that prevent the introduction of vulnerabilities.

B. By providing detailed reports on the security vulnerabilities present in the codebase.

C. By annotating the given suggestions with known vulnerability patterns.

D. By automatically refactoring the entire codebase to remove vulnerabilities.

Question 49

Which of the following statements correctly describes how GitHub Copilot Individual uses prompt data?

(Each correct answer presents part of the solution. Choose two.)

A. Prompt data is stored unencrypted for faster processing.

B. Prompt data is used internally by GitHub for improving the search engine.

C. Prompt data is used to train machine learning models for better code suggestions.

D. Real-time user input helps generate context-aware code suggestions.

Question 50

How long does it take content exclusion to add or be updated?

A. Up to 30 minutes

B. 45 - 60 minutes

C. 60 - 90 minutes

D. 24 hours

Question 51

How can the insights gained from the metrics API be used to improve the development process in conjunction with GitHub Copilot?

A. Real-time debugging and error resolution statistics.

B. Insights on the types of coding languages where GitHub Copilot is most helpful.

C. Automated generation of complete project documentation.

D. Detailed analysis of GitHub Copilot 's suggestions vs. manual coding.

Question 52

Which principle emphasizes that AI systems should be understandable and provide clear information on how they work?

A. Fairness

B. Transparency

C. Inclusiveness

D. Accountability

Question 53

How is GitHub Copilot Individual billed? (Each correct answer presents part of the solution. Choose two.)

A. Monthly as a subscription

B. Annually as a subscription

C. Monthly, as a metered service based on actual consumption

D. Free (not billed) for all open source projects

Question 54

What are the potential limitations of GitHub Copilot Chat? (Each correct answer presents part of the solution.

Choose two.)

A. Limited training data

B. No biases in code suggestions

C. Ability to handle complex code structures

D. Extensive support for all programming languages

Question 55

If you are working on open source projects, GitHub Copilot Individual can be paid:

A. Through an invoice or a credit card

B. N/A - Copilot Individual is a free service for all open source projects

C. Through an Azure Subscription

D. Based on the payment method in your user profile

Question 56

How does GitHub Copilot Chat help in understanding the existing codebase?

A. By running code linters and formatters.

B. By providing visual diagrams of the code structure.

C. By answering questions about the code and generating explanations.

D. By automatically refactoring code to improve readability.

Question 57

What are the different ways to give context to GitHub Copilot to get more precise responses? (Each correct answer presents part of the solution. Choose two.)

A. Utilize to interpret developer 's thoughts and intentions without any code or comments.

B. Engage with chat participants such as @workspace to incorporate collaborative context into the responses.

C. Access developer 's previous projects and code repositories to understand their coding style without explicit permission.

D. Utilize chat variables like *file to anchor the conversation within the specific context of the files or editors in use.

Question 58

Select a strategy to increase the performance of GitHub Copilot Chat.

A. Optimize the usage of memory-intensive operations within generated code

B. Apply prompt engineering techniques to be more specific

C. Use a single GitHub Copilot Chat query to find resolutions for the collection of technical requirements

D. Limit the number of concurrent users accessing GitHub Copilot Chat

Question 59

How does GitHub Copilot identify matching code and ensure that public code is appropriately handled or blocked? (Each correct answer presents part of the solution. Choose two.)

- A. Using machine learning models trained only on private repositories
- B. Reviewing and storing user-specific private repository data for future suggestions
- C. Filtering out suggestions that match code from public repositories
- D. Implementing safeguards to detect and avoid suggesting verbatim snippets from public code

Question 60

How does GitHub Copilot Enterprise assist in code reviews during the pull request process? (Select two.)

- A. It automatically merges pull requests after an automated review.
- B. It generates a prose summary and a bulleted list of key changes for pull requests.
- C. It can validate the accuracy of the changes in the pull request.
- D. It can answer questions about the changeset of the pull request.

Question 61

If you are working on open source projects, GitHub Copilot Individual can be paid:

- A. Based on the payment method in your user profile
- B. N/A - Copilot Individual is a free service for all open source projects
- C. Through an invoice or a credit card
- D. Through an Azure Subscription

Question 62

When can GitHub Copilot still use content that was excluded using content exclusion?

- A. If the contents of an excluded file are referenced in code that is not excluded, for example function calls.
- B. When the repository level settings allow overrides by the user.
- C. If the content exclusion was configured at the enterprise level, and is overwritten at the organization level.

D. When the user prompts with @workspace.

Question 63

How can you get multiple suggestions from GitHub Copilot?

A. By asking for multiple suggestions using comments in your code

B. By opening the completions panel in your editor

C. By using the inline chat functionality with the command ' multiple '

D. By using @workspace in the chat window

Question 64

What is the best way to share feedback about GitHub Copilot Chat when using it on GitHub Mobile?

A. The Settings menu in the GitHub Mobile app.

B. The feedback section on the GitHub website.

C. Use the emojis in the Copilot Chat interface.

D. By tweeting at GitHub ' s official X (previously known as Twitter) account.

Question 65

What method can be used to interact with GitHub Copilot?

A. By using a properly configured GitHub CLI

B. By using chat capabilities in NeoVim

C. From a watch window in an IDE debug session

D. From a web browser at <https://github.copilot.com>