



CookieTrim

饼干退退退

只留下必要的，其他饼干统统退退退。
Keep only what you need.

一个被 Cookie 弹窗逼疯后写出来的浏览器插件。

A local-first Chrome extension that safely rejects non-essential cookie consent whenever a reliable choice is available.

个人非盈利

Non-commercial

完全开源

Open source

本地运行

Local-first

无遥测

No telemetry

点击访问 GitHub 项目 | Open on
GitHub

<https://github.com/rinrin583/cookietrim>

为什么需要它？

Why does it exist?

重复、打扰、浪费时间 | Repetitive and distracting

每打开一个网站，都要重新回答一次 Cookie 选择题。接受按钮醒目，拒绝入口却常被藏进第二层设置。

Every website asks the same consent question again. Accept is prominent; reject is often buried in a second settings layer.

准确目标 | The precise goal

CookieTrim 的目标不是删光 Cookie，而是在能够安全判断时，自动拒绝广告、分析、营销等非必要选项。

CookieTrim does not erase every cookie. It safely rejects advertising, analytics, marketing, and other non-essential consent when possible.

它会自动做什么？

What does it automate?

-  直接拒绝
Select Reject all, Necessary only, or an equivalent safe action.
-  处理两步设置
Open preferences, disable clearly optional categories, and save.
-  识别 11 种语言
Match safe actions in 11 supported languages.
-  等待动态弹窗
Watch late-loading banners for up to 60 seconds.
-  覆盖 iframe 与开放 Shadow DOM
Inspect matching frames and open Shadow DOM roots.
-  支持按网站暂停
Pause globally or add individual sites to an allowlist.
-  安全回退
Leave unsupported or ambiguous banners visible for manual handling.

工作流程

How CookieTrim decides

1	发现弹窗 Detect consent UI
2	优先查找已知拒绝控件 Check known reject controls first
3	在同意语境中匹配安全文本 Match safe text only inside consent context
4	必要时进入设置并关闭可选类别 Open settings and disable optional categories
5	保存偏好并显示短暂对勾 Save the choice and show a brief checkmark

安全边界

Conservative safety boundaries

情况 Situation	处理方式 Behavior
明确的拒绝或仅必要按钮	点击一次并停止 Click once and stop
拒绝选项藏在设置中	关闭明确的非必要类别后保存 Disable clearly optional categories, then save
按钮类似全部接受	从通用点击路径中排除 Exclude from every generic action path
弹窗含义模糊或暂不支持	保持可见，交给用户处理 Leave visible for manual handling
达到 60 秒或 8 次交互	停止本页面扫描 Stop scanning the page

为什么可以信任它？

Trust through verifiable design

CookieTrim 是个人独立开发、完全非商业、开源免费的项目。没有广告盈利模式、付费后台、联盟追踪、账号系统或数据交易关系。

CookieTrim is an independent, non-commercial personal open-source project with no ads, paid backend, affiliate tracking, account system, or data-selling model.

检查项 Check	可验证结果 Verifiable result
源代码是否公开？	是。完整运行代码都在 GitHub 仓库中，采用 MIT License。 Yes. The full runtime is public under the MIT License.
是否向项目服务器传数据？	否。运行代码没有 fetch、XHR、WebSocket 或 sendBeacon。 No outbound runtime primitives or project server.
能否读取 Cookie 仓库？	不能。没有申请 cookies 权限。 No Chrome cookies permission.
能否监听或改写网络流量？	不能。没有 webRequest 或 declarativeNetRequest 权限。 No network interception permission.
数据保存在哪里？	仅保存在用户自己的 Chrome 本地存储中。 Only in the user's local Chrome profile.
以后代码变了怎么办？	自动测试会阻止新增危险权限和常见外传接口。 Automated checks guard the privacy boundary.

权限为什么看起来很广？ | Why broad website access?

Cookie 弹窗存在于网页内部，因此扩展需要在 HTTP/HTTPS 页面中运行，才能找到并操作可见的同意按钮。它不等于读取 Cookie 内容。

Consent controls live inside web pages, so the extension needs page access to operate visible controls. This is not permission to read cookie values.

[Chrome permissions documentation](#) · [Chrome Storage API](#)

任何软件都不应被宣传成绝对安全。CookieTrim 的可信度来自小型代码库、最小化权限、公开源代码和可重复测试。

No software is absolutely safe. Trust comes from a small codebase, limited permissions, public source, and repeatable tests.

安装与使用

Install and use

目前以开源、已解压扩展的方式提供，尚未上架 Chrome 网上应用店。

CookieTrim is currently distributed as an unpacked open-source extension and is not yet in the Chrome Web Store.

- 1 打开 GitHub 项目，下载 main 分支 ZIP 并解压。
Open the GitHub project, download the main-branch ZIP, and extract it.
- 2 在 Chrome 菜单中进入扩展程序管理页面。
Open Chrome's Extensions management page.
- 3 开启开发者模式，然后点击“加载已解压的扩展程序”。
Enable Developer mode, then choose Load unpacked.
- 4 选择包含 manifest.json 的 cookietrim 文件夹。
Select the cookietrim folder that contains manifest.json.

下载与安装说明 | Download and install

装好以后

After installation

快捷控制 | Quick controls

默认自动启用。打开工具栏弹窗，可以全局暂停，也可以只暂停当前网站。

Automation is enabled by default. Use the toolbar popup to pause globally or only on the current site.

高级设置 | Advanced settings

高级设置支持域名例外、成功提示和调试日志。日志只写入浏览器开发者控制台。

Advanced settings provide domain exceptions, the success indicator, and local console debug logs.

目前已经验证

Verified behavior

- 28 条多语言规则断言通过
28 multilingual rule assertions passed.
- 直接拒绝场景通过
Direct Reject all scenario passed.
- 设置页关闭非必要类别并保存通过
Two-step preferences flow passed.
- 只有接受按钮时保持弹窗可见
Accept-only safe fallback passed.
- Manifest、语法、隐私边界和 Cookie 安全检查通过
Manifest, syntax, privacy-boundary, and cookie-safety checks passed.

常见问题

Frequently asked questions

它会删掉登录或购物车 Cookie 吗？

不会。它不读取或删除 Cookie，只操作可见的同意按钮。

Will it delete login or cart cookies?

No. It does not read or delete cookies; it operates visible consent controls.

为什么有些弹窗还在？

插件没有找到足够可靠的拒绝路径。保留弹窗是预期的安全回退。

Why did a banner remain?

No sufficiently reliable reject path was found. Leaving it visible is the intended safe fallback.

它能阻止所有追踪吗？

不能。它不是广告拦截器，也不拦截网络请求。

Does it block every tracker?

No. It is not an ad blocker and does not intercept network requests.

可以只在某个网站关闭吗？

可以。在工具栏弹窗中暂停当前网站，或在高级设置中加入域名。

Can I disable it on one site?

Yes. Pause the current site or add its domain in Advanced settings.

找到项目 | Find the project

GitHub 搜索: CookieTrim

作者: rinrin583

Search GitHub for CookieTrim by rinrin583.

点击打开 CookieTrim | Open CookieTrim

<https://github.com/rinrin583/cookietrim>

如果某个公开网站没有被正确处理，欢迎在 GitHub Issue 中提供网址和可见按钮文字。请勿公开 Cookie 值、账号资料、Token 或私人页面内容。

If a public site is not handled correctly, report its URL and visible button labels in a GitHub issue. Never post cookie values, account data, tokens, or private page content.