



Detect HTML Tags, Attributes and Attribute Values ★

88/115 challenges solved

Rank: 15445 | Points: 1355



Your Detect HTML Tags, Attributes and Attribute Values submission got 30.00 points.

[Share](#)[Tweet](#)[Try the next challenge](#) | [Try a Random Challenge](#)[Problem](#)[Submissions](#)[Leaderboard](#)[Editorial](#)

You are given an HTML code snippet of N lines.

Your task is to detect and print all the HTML tags, attributes and attribute values.

Print the detected items in the following format:

```
Tag1
Tag2
-> Attribute2[0] > Attribute_value2[0]
-> Attribute2[1] > Attribute_value2[1]
-> Attribute2[2] > Attribute_value2[2]
Tag3
-> Attribute3[0] > Attribute_value3[0]
```

The \rightarrow symbol indicates that the tag contains an attribute. It is immediately followed by the name of the attribute and the attribute value.

The $>$ symbol acts as a separator of attributes and attribute values.

If an HTML tag has no attribute then simply print the name of the tag.

Note: Do not detect any HTML tag, attribute or attribute value inside the HTML comment tags ($<!--$ Comments $-->$). Comments can be multiline.

All attributes have an attribute value.

Input Format

The first line contains an integer N , the number of lines in the HTML code snippet.

The next N lines contain HTML code.

Constraints

$0 < N < 100$

Output Format

Print the HTML tags, attributes and attribute values in order of their occurrence from top to bottom in the snippet.

Format your answers as explained in the problem statement.

Sample Input

```
9
<head>
<title>HTML</title>
</head>
<object type="application/x-flash"
  data="your-file.swf"
  width="0" height="0">
  <!-- <param name="movie" value="your-file.swf" /> -->
  <param name="quality" value="high"/>
</object>
```

Sample Output

```
head
title
object
-> type > application/x-flash
-> data > your-file.swf
-> width > 0
-> height > 0
param
-> name > quality
-> value > high
```

Explanation

- **head** tag: Print the head tag only because it has no attribute.
- **title** tag: Print the title tag only because it has no attribute.
- **object** tag: Print the object tag. In the next **4** lines, print the attributes type, data, width and height along with their respective values.
- **<!-- Comment -->** tag: Don't detect anything inside it.
- **param** tag: Print the param tag. In the next **2** lines, print the attributes name along with their respective values.

Change Theme Language Python 3



```
1  from html.parser import HTMLParser
2
3
4  class CustomerHtmlParser(HTMLParser):
5      def handle_starttag(self, tag, attrs):
6          print(tag)
7
8          for a, v in attrs:
9              print(f'-> {a} > {v}')
10
11  if __name__ == '__main__':
12      n = int(input())
13
14      html = ''
15
16      for _ in range(n):
17          html += input()
18
19      parser = CustomerHtmlParser()
20      parser.feed(html)
21
```

Line: 20 Col: 22

Upload Code as File

☐ Test against custom input

Run Code

Submit Code

You have earned 30.00 points!

88/115 challenges solved.

77%



Congratulations

You solved this challenge. Would you like to challenge your friends?

[Next Challenge](#)

✔ Test case 0

Compiler Message

Success

✔ Test case 1

✔ Test case 2

✔ Test case 3

✔ Test case 4

✔ Test case 5

Input (stdin)

[Download](#)

```
1 9
2 <head>
3 <title>HTML</title>
4 </head>
5 <object type="application/x-flash"
6     data="your-file.swf"
7     width="0" height="0">
8     <!-- <param name="movie" value="your-file.swf" /> -->
9     <param name="quality" value="high"/>
```