MUHAMMAD DANIEL UMAR

E41230181 TIF A





pakelcomedy@pakelcomedy: ~

```
pakelcomedy@pakelcomedy:~$ ping 192.168.1.4
PING 192.168.1.4 (192.168.1.4) 56(84) bytes of data.
64 bytes from 192.168.1.4: icmp_seq=105 ttl=128 time=61.0 ms
64 bytes from 192.168.1.4: icmp_seq=106 ttl=128 time=2.96 ms
64 bytes from 192.168.1.4: icmp_seq=107 ttl=128 time=210 ms
64 bytes from 192.168.1.4: icmp_seq=108 ttl=128 time=27.3 ms
64 bytes from 192.168.1.4: icmp_seq=109 ttl=128 time=49.7 ms
64 bytes from 192.168.1.4: icmp_seq=110 ttl=128 time=73.6 ms
64 bytes from 192.168.1.4: icmp_seq=111 ttl=128 time=94.4 ms
64 bytes from 192.168.1.4: icmp_seq=112 ttl=128 time=14.7 ms
64 bytes from 192.168.1.4: icmp_seq=113 ttl=128 time=36.4 ms
64 bytes from 192.168.1.4: icmp_seq=114 ttl=128 time=59.5 ms
64 bytes from 192.168.1.4: icmp_seq=115 ttl=128 time=83.8 ms
64 bytes from 192.168.1.4: icmp_seq=116 ttl=128 time=50.1 ms
64 bytes from 192.168.1.4: icmp_seq=117 ttl=128 time=23.9 ms
64 bytes from 192.168.1.4: icmp_seq=118 ttl=128 time=2.61 ms
64 bytes from 192.168.1.4: icmp_seq=119 ttl=128 time=8.86 ms
64 bytes from 192.168.1.4: icmp_seq=120 ttl=128 time=91.7 ms
64 bytes from 192.168.1.4: icmp_seq=121 ttl=128 time=11.4 ms
64 bytes from 192.168.1.4: icmp_seq=122 ttl=128 time=33.8 ms
64 bytes from 192.168.1.4: icmp_seq=123 ttl=128 time=3.08 ms
64 bytes from 192.168.1.4: icmp_seq=124 ttl=128 time=2.61 ms
64 bytes from 192.168.1.4: icmp_seq=125 ttl=128 time=203 ms
64 bytes from 192.168.1.4: icmp_seq=126 ttl=128 time=23.3 ms
64 bytes from 192.168.1.4: icmp_seq=127 ttl=128 time=46.8 ms
```

Ubuntu

```
pakelcomedy@DanielUmar:~$ ping 192.168.1.22
PING 192.168.1.22 (192.168.1.22) 56(84) bytes of data.
64 bytes from 192.168.1.22: icmp_seq=1 ttl=63 time=45.6 ms
64 bytes from 192.168.1.22: icmp_seq=2 ttl=63 time=70.8 ms
64 bytes from 192.168.1.22: icmp_seq=3 ttl=63 time=95.9 ms
64 bytes from 192.168.1.22: icmp_seq=4 ttl=63 time=14.9 ms
64 bytes from 192.168.1.22: icmp_seq=5 ttl=63 time=254 ms
64 bytes from 192.168.1.22: icmp_seq=6 ttl=63 time=92.3 ms
```

pakelcomedy@pakelcomedy: ~

```
pakelcomedy@pakelcomedy:~$ sudo docker swarm init --advertise-addr 192.168.1.22
Swarm initialized: current node (l9vg79ja6n8hfr2ttoydjx8gi) is now a manager.

To add a worker to this swarm, run the following command:

    docker swarm join --token SWMTKN-1-6adh3n7mz2mahmztzqqdn6ejrok8u53q4rw8kio5s8a0nvtidw-esjqigu5ne9z5php0uxamji2u 192.
168.1.22:2377

To add a manager to this swarm, run 'docker swarm join-token manager' and follow the instructions.
pakelcomedy@pakelcomedy:~$
```

Ubuntu

```
pakelcomedy@DanielUmar:~$ docker swarm join --token SWMTKN-1-6adh3n7mz2mahmztzqqdn6ejrok8u53q4rw8kio5s8a0nvtidw-esjqigu5ne9z5php0ux
amji2u 192.168.1.22:2377
This node joined a swarm as a worker.
pakelcomedy@DanielUmar:~$
```

pakelcomedy@pakelcomedy: ~

```
pakelcomedy@pakelcomedy:~$ sudo docker node ls
ID                            HOSTNAME      STATUS    AVAILABILITY   MANAGER STATUS   ENGINE VERSION
ejax48krhw5xqpy3o430fajhh     DanielUmar    Ready     Active                          29.1.3
l9vg79ja6n8hfr2ttoydjx8gi *   pakelcomedy   Ready     Active         Leader           29.3.0
pakelcomedy@pakelcomedy:~$
```