

RPX**Riplex Token**

BEP-20 DIGITAL ASSET

Whitepaper v1.0
Binance Smart Chain

TOKEN ARCHITECTURE AND LAUNCH FRAMEWORK

Riplex Token Whitepaper

A fixed-supply BEP-20 token engineered with launch-stage safeguards, automated fee conversion, liquidity reinforcement, transparent operational funding, and a post-launch decentralization pathway.

TOKEN NAME

Riplex

TICKER

RPX

NETWORK

BNB Smart Chain

STANDARD

BEP-20

SUPPLY

100,000,000,000 RPX

SUPPLY MODEL

Fixed, Non-Mintable

DOCUMENT TYPE**Technical
Whitepaper****VERSION****1.0****TOKEN STANDARD****BEP-20****PRIMARY PAIR****RPX / WBNB**

Riplex Token Whitepaper v1.0. This document summarizes the smart contract architecture and intended operational mechanics of RPX. Final launch materials should be reviewed alongside verified source code, audit reports, official website disclosures, and applicable legal guidance.

Table of Contents

[01 / Executive Summary](#)[02 / Market and Design Rationale](#)[03 / Protocol Design Principles](#)[04 / Token Overview](#)[05 / Tokenomics](#)[06 / Transaction Taxes](#)[07 / Fee Allocation Model](#)[08 / Liquidity Framework](#)[09 / Launch Protection](#)[10 / Limits and Exclusions](#)[11 / Fee Processing Architecture](#)[12 / Participant Value Proposition](#)[13 / Operations and Monitoring](#)[14 / Ownership and Governance](#)[15 / Decentralization Pathway](#)[16 / Security Considerations](#)[17 / Smart Contract Function Map](#)[18 / Deployment Workflow](#)[19 / Audit and Verification Readiness](#)[20 / Professional Launch Checklist](#)[21 / Roadmap](#)[22 / Risk Disclosure](#)[23 / Conclusion](#)

01 / Executive Summary

Executive Positioning

RPX is structured as a transparent BEP-20 launch framework with fixed supply, bounded launch controls, permanent contract-held LP locking, and public fee-processing telemetry. The design emphasizes predictable mechanics, visible constraints, and operational accountability.

FIXED SUPPLY

LP LOCK

CAPPED TAXES

LAUNCH CONTROLS

- No mint authority after deployment.
- Trading requires LP to be held by the contract.
- Key settings are restricted to pre-launch.
- Fee-processing health is publicly visible.

Riplex Token, represented by the symbol RPX, is a BEP-20 digital asset designed for Binance Smart Chain. Its smart contract combines a fixed supply model with launch-stage safeguards, automated tax conversion, liquidity support, monitoring functions, and a defined route toward permanent liquidity locking and ownership renunciation.

The RPX architecture is built around a clear operating principle: configuration flexibility is available before public trading, while sensitive controls become constrained after launch. This structure allows the project team to prepare liquidity, wallets, limits, taxes, and launch protections before opening the market, then reduce discretionary control once trading begins.

RPX is intended for projects that require transparent token mechanics, predictable supply, liquidity reinforcement, and operational funding channels without introducing mint authority or uncapped post-launch tax control.

The contract has been designed to make critical launch decisions visible and mechanically enforceable. Instead of relying only on off-chain promises, RPX encodes maximum tax limits, launch-only configuration windows, LP-lock behavior, and public status reporting directly into the token logic. This makes the token easier for holders, auditors, and ecosystem partners to evaluate.

From a strategic perspective, RPX aims to combine the accessibility of a standard BEP-20 asset with additional controls commonly expected from a responsible market launch. The result is a token framework that can support community growth while reducing several common trust concerns associated with early-stage decentralized asset launches.

02 / Market and Design Rationale

Token launches on automated market makers often face early volatility, liquidity imbalance, bot activity, and investor trust concerns. RPX addresses these concerns through contract-level constraints that are visible on-chain and designed to be verifiable by users, auditors, and listing partners.

In many token launches, the most important risks appear during the first hours of trading. Unrestricted wallets can accumulate large positions, bots can exploit the first blocks, liquidity can be launched without durable lock commitments, and tax controls can remain too flexible after the community has entered the market. RPX approaches these issues by separating the launch preparation phase from the post-launch operating phase.

Before launch, the project team can configure necessary operational parameters. After launch, the contract intentionally narrows the scope of privileged changes. This approach is designed to preserve launch readiness without leaving broad administrative power active indefinitely.

Predictable Supply

No minting mechanism exists, which prevents future supply expansion through privileged contract calls.

Controlled Launch

Trading begins only after initial liquidity is added and LP tokens are held by the contract.

Liquidity Reinforcement

A portion of transaction tax can be converted into additional RPX/WBNB liquidity.

Operational Transparency

Fee-processing status, pending balances, and failure states are publicly visible.

03 / Protocol Design Principles

RPX is guided by four core design principles: supply certainty, launch accountability, operational sustainability, and progressive decentralization. Each principle is represented by a specific set of contract mechanics rather than by narrative claims alone.

Supply certainty is achieved through a fixed total supply and the absence of any minting function. **Launch accountability** is supported by requiring initial LP before trading and by permanently locking contract-held LP when trading is enabled. **Operational sustainability** is supported through a defined tax allocation model for liquidity, marketing, and development. **Progressive decentralization** is supported through the ability to finalize decentralization after launch by renouncing ownership.

The contract also favors explicit boundaries over open-ended privilege. Tax rates have a hard maximum, dead blocks have a hard maximum, cooldown duration has a hard maximum, and configuration functions are limited to the pre-launch phase. These restrictions create a clearer expectation framework for market participants.

Transparency by Default

Public mappings, status functions, event emissions, and clear limits help participants inspect the active contract state.

Bounded Administration

Owner configuration exists for launch preparation, but major launch parameters are not designed for indefinite post-launch adjustment.

Market Discipline

Cooldowns, dead blocks, same-block sell prevention, and wallet limits create a controlled first-market environment.

Operational Continuity

Liquidity, marketing, and development allocations support market depth and project execution without expanding supply.

04 / Token Overview

Parameter	Specification
Token Name	Riplex
Token Symbol	RPX
Blockchain	BNB Smart Chain / Binance Smart Chain
Token Standard	BEP-20 compatible interface
Decimals	18
Maximum Supply	100,000,000,000 RPX
Supply Model	Fixed supply, created once at deployment
Mint Function	Not present
Burn Function	Not present
Primary AMM Integration	PancakeSwap-compatible router
Primary Liquidity Pair	RPX / WBNB

05 / Tokenomics

100B

TOTAL SUPPLY

18

DECIMALS

0

FUTURE MINTING

1x

INITIAL MINT

The entire RPX supply is created during contract deployment and assigned to the deployer wallet. The total supply is represented by `MAX_SUPPLY = 100,000,000,000 ether`, using the Solidity convention where `ether` represents 10^{18} base units.

Because the contract contains no mint function, no owner or external account can increase the supply after deployment. This establishes a fixed monetary base for market participants and liquidity providers.

A fixed supply model is particularly important for transparent market analysis. Holders can evaluate circulating distribution, liquidity depth, and market capitalization without needing to account for future privileged mint events. This improves token predictability and simplifies due diligence for community members, analytics platforms, and exchange review teams.

RPX does not include a burn function in the current contract. This means tokenomics are centered on liquidity support, market access controls, and operational funding rather than supply reduction mechanics. Any future ecosystem utility should be evaluated separately from the core token supply design described in this document.

06 / Transaction Taxes

RPX supports three tax categories: buy tax, sell tax, and wallet-to-wallet transfer tax. These values are configurable before launch and protected by a maximum tax ceiling.

The tax model is intentionally moderate by default. Buy tax is lower than sell tax to reduce entry friction, while sell tax contributes more heavily to liquidity and operating reserves during exit-side market activity. The wallet-to-wallet transfer tax is minimal, allowing ordinary holder movement while still maintaining consistency across taxable transfers.

Transaction Type	Default Rate	Maximum Allowed
Buy	3%	10%
Sell	5%	10%
Transfer	1%	10%

Taxes are configured through `setTaxes()`, which is restricted to the owner and only callable before launch. After trading is enabled, these launch-sensitive parameters are frozen by design.

This design reduces the risk of post-launch tax escalation. Market participants can inspect the contract and confirm that the owner cannot later increase taxes through the same pre-launch configuration function after trading has been enabled.

07 / Fee Allocation Model

Collected tax tokens are allocated across liquidity, marketing, and development. The share denominator is 10,000 basis points, and the default allocation totals 100%.

Allocation Category	Default Share	Role
Liquidity	50%	Supports RPX/WBNB market depth through automated liquidity addition.
Marketing	30%	Accrues BNB for growth, awareness, community campaigns, and ecosystem expansion.
Development	20%	Accrues BNB for technical operations, integrations, audits, and product work.

The contract accrues marketing and development BNB as pending balances. This avoids automatic BNB pushes during every fee-processing cycle and allows each wallet to claim its allocation when needed.

The allocation model is designed to balance market structure and project operations. Liquidity share supports pool depth, marketing share supports awareness and community expansion, and development share supports technical maintenance, integrations, audit activity, and ecosystem delivery.

Because marketing and development funds accrue as claimable balances, the contract avoids forcing immediate outbound transfers during the swap process. This helps reduce failed fee-processing events caused by recipient behavior and makes pending balances easier to monitor independently.

08 / Liquidity Framework

Initial Liquidity

The owner seeds liquidity through `addInitialLiquidity()` before trading is enabled. This function transfers RPX from the owner to the contract, approves the router, supplies RPX and BNB to the AMM pair, and stores the resulting LP tokens inside the token contract.

Permanent LP Lock

When `enableTrading()` is called, the contract requires existing LP tokens and makes the lock permanent by setting `lpLockPermanent` to true and `lpUnlockTime` to the maximum uint256 value. This creates a strong on-chain signal that contract-held LP tokens are not intended to be withdrawn after launch.

Automated Liquidity Support

During fee processing, part of the collected RPX is paired with BNB and added back into the RPX/WBNB pool. This mechanism is designed to support liquidity depth over time while keeping marketing and development funding separate and transparent.

Liquidity is one of the most important trust and usability components of any AMM-traded token. Deeper liquidity can help reduce price impact for ordinary trades and can support healthier market conditions over time. RPX therefore treats liquidity as an ongoing system function rather than only a one-time launch event.

The contract-held LP design also creates a more transparent custody model. Initial LP tokens generated through the contract remain inside the contract, and the launch process permanently locks them when public trading is enabled.

09 / Launch Protection

RPX includes launch-stage protection mechanisms designed to reduce abusive early trading behavior and improve the fairness of initial market access.

Launch protection is not designed to eliminate market risk, but to reduce specific forms of early mechanical abuse. Dead blocks restrict immediate buy activity from the pair, cooldowns slow rapid repeated buys, and same-block sell prevention limits buy-and-sell behavior within a single block.

Protection	Default	Maximum / Rule
Dead Blocks	3 blocks	Cannot exceed 10 blocks.
Cooldown	30 seconds	Cannot exceed 1 hour.
Same-Block Sell Prevention	Enabled through logic	A wallet cannot buy and sell in the same block.
Trading Gate	Disabled by default	Public trading requires owner activation and locked LP.

These controls are bounded by maximum values so launch protection cannot become excessive. This is important because protection mechanisms should support market fairness without giving the project team unlimited ability to restrict normal trading behavior.

10 / Limits and Exclusions

The contract includes configurable maximum transaction and maximum wallet controls. These are intended to reduce early concentration risk and discourage oversized initial movements.


Limit	Default Setting	Purpose
Maximum Transaction Amount	1% of total supply	Controls the largest non-excluded transfer amount.
Maximum Wallet Amount	2% of total supply	Controls non-excluded wallet accumulation.

Fee, limit, and protection exclusions are tracked before launch so they can be cleaned up when trading is enabled. The contract then restores only required system exclusions for the token contract itself.

The launch-account tracking system is an important operational detail. It helps prevent forgotten pre-launch exemptions from remaining active after the market opens. By clearing tracked launch exclusions during trading activation, the contract reduces the risk of hidden privileged accounts receiving fee, limit, or protection advantages.

11 / Fee Processing Architecture

Fee processing converts collected tax tokens into BNB, liquidity, and pending wallet balances. The default threshold is `MAX_SUPPLY / 100,000`.



The system checks router quotes before swapping, applies slippage controls, and records failure states for quote, swap, or liquidity errors. This improves observability and helps operators identify whether external router conditions or liquidity conditions are affecting fee processing.

The contract selects only the configured threshold amount for each processing cycle rather than attempting to process the entire contract balance at once. This helps reduce the market impact of individual fee-processing events and creates a more predictable conversion pattern.

If a quote, swap, or liquidity step fails, the contract records the failure step and block. This information can be used by operators to decide whether to retry fee processing, review router conditions, adjust pre-launch settings before trading, or communicate current status to the community.

12 / Participant Value Proposition

RPX is structured to provide different forms of value clarity to different participant groups. Holders benefit from a fixed supply, capped tax settings, public monitoring functions, and an LP-lock design that can be inspected on-chain. Liquidity providers and market participants benefit from a contract architecture that prioritizes liquidity reinforcement and launch controls.

For the project team, RPX creates a defined operational funding model without relying on hidden minting or unlimited tax authority. Marketing and development resources are generated transparently from taxable transaction flow and recorded as pending BNB balances until claimed by the configured wallets.

For ecosystem partners, the contract provides a clearer review surface: total supply is fixed, router and pair addresses are validated during construction, launch settings are bounded, fee-processing health is publicly visible, and the ownership-renunciation pathway is explicitly available after launch.

For holders:

fixed supply, capped taxes, visible status, and reduced post-launch discretion.

For operators:

defined funding paths, retryable fee processing, and clear launch controls.

For reviewers:

verifiable contract behavior, event trail, and documented launch workflow.

13 / Operations and Monitoring

RPX exposes public view functions that support operational transparency and dashboard integration.

Function	Information Returned
<code>feeProcessingStatus()</code>	Failure status, failure block, failure step, contract token balance, pending marketing BNB, and pending development BNB.
<code>nextFeeProcessingAmount()</code>	Amount of RPX eligible for the next processing call.
<code>trackedLaunchAccounts()</code>	Pre-launch accounts tracked for exclusion cleanup.

Manual `processFees()` support allows fee processing to be triggered externally after launch when the contract has enough tax tokens or a previous fee-processing failure exists.

A professional operations process should monitor contract token balance, pending marketing and development BNB, last fee-processing failure step, launch-block status, LP token balance, and ownership state. These data points can support public dashboards, internal launch checklists, and post-launch transparency reports.

14 / Ownership and Governance

RPX uses a two-step ownership transfer model. The current owner starts a transfer with `transferOwnership(address newOwner)`, and the pending owner must complete it with `acceptOwnership()`. This reduces accidental ownership loss and provides a safer handover process.

Before launch, ownership controls allow the project team to configure taxes, wallets, tax shares, swap thresholds, slippage, cooldown settings, limits, and launch exclusions. After launch, these pre-launch controls are no longer available.

During the pre-launch phase, ownership should be treated as an operational responsibility rather than a permanent control structure. The owner coordinates deployment, liquidity creation, verification, and final parameter review. After launch, the remaining ownership role should be communicated clearly to the community, including the expected timing and conditions for final decentralization.

The contract's two-step transfer process also supports safer handover to a multisignature wallet or governance-controlled address before launch, if the project chooses to use that operational model.

15 / Decentralization Pathway

After public trading begins, the owner may call `finalizeDecentralization()`. This function permanently locks liquidity, sets the LP unlock time to the maximum uint256 value, clears pending ownership transfer state, and sets the owner address to zero.

Once executed, owner-only controls become inaccessible. This provides a clear route from managed launch to reduced administrative control.

Decentralization should be treated as a staged process. The first stage is transparent deployment and parameter configuration. The second stage is public launch with permanent LP locking. The final stage is ownership renunciation once operational readiness, monitoring stability, and community communications are complete.

16 / Security Considerations

Feature	Security Contribution
Fixed Supply	Prevents inflation through later token creation.
No Mint Function	Removes privileged minting risk.
Tax Ceiling	Caps all tax categories at 10% before launch.
Launch-Only Configuration	Prevents post-launch manipulation of sensitive launch settings.
LP Locking	Contract-held LP is made permanent when trading starts.
Non-Reentrant Sensitive Calls	Protects liquidity, rescue, claim, and fee-processing functions.
Two-Step Ownership Transfer	Reduces accidental transfer to incorrect addresses.
Failure Telemetry	Records fee-processing failure step and block.
Router and Pair Validation	Validates router, factory, WBNB, and pair contract addresses during construction.

A professional third-party audit and testnet rehearsal are strongly recommended before mainnet deployment. This whitepaper describes the intended mechanics and should not be treated as a substitute for independent security review.

Security review should include unit testing, fork testing against PancakeSwap-compatible infrastructure, liquidity-add simulations, fee-processing failure simulations, transfer-limit checks, ownership-transfer tests, and post-launch configuration restriction tests. These checks help verify both ordinary BEP-20 behavior and the custom launch mechanics described in this paper.

External dependencies should also be reviewed. RPX depends on router, factory, pair, and WBNB contract behavior. While the token validates these addresses during deployment, market behavior still depends on external liquidity conditions and AMM execution.

17 / Smart Contract Function Map

Function	Access	Purpose
<code>addInitialLiquidity()</code>	Owner, before launch	Adds RPX/WBNB liquidity and stores LP tokens in the contract.
<code>enableTrading()</code>	Owner, before launch	Enables public trading, clears launch exclusions, and permanently locks LP.
<code>setTaxes()</code>	Owner, before launch	Configures buy, sell, and transfer taxes within the maximum tax cap.
<code>setTaxWallets()</code>	Owner, before launch	Sets liquidity, marketing, and development wallets.
<code>setTaxShares()</code>	Owner, before launch	Configures liquidity, marketing, and development allocation shares.
<code>processFees()</code>	Public, after launch	Processes accumulated tax tokens into liquidity and pending BNB balances.
<code>claimMarketingBNB()</code>	Marketing wallet recipient only	Claims accrued marketing BNB.
<code>claimDevelopmentBNB()</code>	Development wallet recipient only	Claims accrued development BNB.
<code>finalizeDecentralization()</code>	Owner, after launch	Permanently locks LP and renounces ownership.

18 / Deployment Workflow

1. Deploy the RPX contract with a valid PancakeSwap-compatible router address.
2. Verify the source code on BscScan and publish project documentation.
3. Configure taxes, wallets, allocation shares, limits, cooldown, slippage, and launch protection settings.
4. Add initial RPX/WBNB liquidity through `addInitialLiquidity()`.
5. Confirm the contract holds LP tokens and monitoring functions return expected values.
6. Enable public trading through `enableTrading()`.
7. Monitor fee processing, pending balances, and liquidity behavior.
8. Finalize decentralization when the project is ready to renounce ownership.

Before mainnet launch, the same workflow should be rehearsed on testnet or a forked environment. A rehearsal should confirm token distribution, LP creation, trading enablement, launch protection timing, tax collection, fee processing, wallet claims, and final decentralization behavior.

Launch communications should include verified contract address, router information, tax rates, max transaction and wallet limits, LP-lock explanation, and official wallet references. Clear communication reduces confusion and helps users distinguish official contract data from impersonation attempts.

19 / Audit and Verification Readiness

A professional RPX launch should include contract verification, independent review, and reproducible launch testing. Verification should make the deployed bytecode, constructor arguments, license, and source code visible through a trusted block explorer so users can compare public claims with on-chain reality.

The audit scope should include BEP-20 transfer behavior, allowance behavior, tax calculation, launch exclusion cleanup, LP-lock assumptions, fee-processing failure paths, router approval logic, pending BNB claims, ownership transfer, and final decentralization. Testing should also confirm that pre-launch functions cannot be called after trading has been enabled.

Readiness Area	Recommended Evidence
Source Verification	Verified source code and constructor parameters on BscScan or equivalent explorer.
Audit Review	Independent audit report covering custom tokenomics, liquidity, launch protection, and owner controls.
Testnet Rehearsal	Documented dry run for deployment, liquidity addition, trading enablement, fee processing, and ownership finalization.
Launch Disclosure	Public communication of token address, tax settings, router, pair, LP status, and official wallets.

20 / Professional Launch Checklist

The following checklist summarizes the operational standard recommended before opening RPX to public trading. It is intended to reduce avoidable launch errors and improve user confidence in the project process.

Checklist Item	Status Objective
Contract compiled from final audited source	Deployment bytecode matches the reviewed contract version.
Official wallets confirmed	Marketing, development, liquidity, and ownership addresses are verified internally.
Launch parameters finalized	Taxes, shares, limits, cooldown, slippage, and dead blocks are reviewed before trading.
Initial liquidity prepared	Token and BNB amounts are confirmed, and LP custody behavior is understood.
Public documentation published	Website, whitepaper, contract address, and official channels are aligned.
Monitoring dashboard ready	Fee status, pair liquidity, pending balances, and ownership state are trackable.

21 / Roadmap

Phase	Milestones
Phase 1: Foundation	Contract finalization, testnet rehearsal, third-party audit preparation, website and documentation release.
Phase 2: Deployment	Mainnet deployment, BscScan verification, launch parameter configuration, initial liquidity addition.
Phase 3: Market Launch	Trading activation, launch monitoring, community onboarding, liquidity and fee-processing observation.
Phase 4: Ecosystem Growth	Marketing campaigns, partnership outreach, listing submissions, community expansion, utility exploration.
Phase 5: Decentralization	Permanent LP confirmation, ownership renunciation, governance communication, long-term community stewardship.

22 / Risk Disclosure

RPX is a blockchain-based digital asset and may be exposed to market volatility, liquidity risk, smart contract risk, regulatory uncertainty, third-party router dependencies, and user execution risk. Token price may fluctuate significantly, and there is no guarantee of market performance, liquidity, listing approval, or ecosystem adoption.

This whitepaper is for informational purposes only. It is not financial, legal, tax, or investment advice. Users, liquidity providers, and partners should conduct independent due diligence before interacting with the token or participating in the market.

References to liquidity support, tax allocation, operational funding, or decentralization describe contract mechanics and intended operational processes. They should not be interpreted as guarantees of price stability, profit, yield, project success, or regulatory status.

23 / Conclusion

Riplex Token combines a fixed supply model with responsible launch controls, transparent fee allocation, liquidity support, operational monitoring, and a defined path toward decentralization. Its architecture balances pre-launch configurability with post-launch restrictions to reduce discretionary control after the market opens.

Through permanent LP locking, capped taxes, no mint authority, and publicly visible fee-processing status, RPX is structured to provide a clearer and more accountable token framework for the Binance Smart Chain ecosystem.

The long-term strength of RPX will depend not only on contract mechanics, but also on disciplined launch execution, transparent communication, security review, and community trust. The smart contract provides the technical foundation; responsible operations and ecosystem delivery complete the broader project framework.