A-THON
ALLTERRAIN
ASHVA 4S
OFF-ROAD'S DOMINATOR
*COPYRIGHT & IMPENDING PATENT

A-THON's ASHVA 4S	ASHVA 4S XTR	ASHVA 4S PFX
SPECIFICATIONS		
ENGINE & DRIVETRAIN		
Engine Type	4 stroke, V-twin, Differentail Integrated, Liquid Cooling	4 stroke, V-twin, Liquid Cooling
Power	976 cc, 71 hp @ 6500 rpm	976 cc, 84.5 hp @ 6500 rpm
Fuel System	EFI, Gasoline	EFI, Gasoline
Ignition System	Electric Start	Electric Start
Transmission	Automatic (CVT)	Automatic (CVT)
No. of Gears	L - H - N - R -P (5 positions)	L - H - N - R -P (5 positions)
SUSPENSION		
Front Shocks	Coil Over Dual Rated Nitro	Coil Over Dual Rated Nitro
Front Suspension	Double Wishbone	Double Wishbone
Rear Shocks	Coil Over Dual Rated Remote Canister	Coil Over Dual Rated Remote Canister
Rear Suspension	Trailing ARM With Triple Camber Links	Trailing ARM With Triple Camber Links
BRAKES & TIRES/RIM		
Front & Rear Brakes	Disc	Disc
Front Tires	31 x 10.5	31 x 10.5
Rear Tires	31 x 10.5	31 x 10.5
Wheel Size	Alloy R15 - 7"	Alloy R15 - 7"

A-THON's ASHVA 4S	ASHVA 4S XTR	ASHVA 4S PFX
SPECIFICATIONS		
DIMENSIONS		
Length	4320 mm	4320 mm
Width	1950 mm	1950 mm
Height	2000 mm	2000 mm
Wheelbase	3412 mm	3412 mm
Track Width	1653 mm	1653 mm
Payload Capacity	700 kg	700 kg
Dry Weight	1300 Kg	1300 Kg
Fuel Tank Capacity	30 L	30 L
Ground Clearance	381 mm	381 mm
Cargo Capacity	60 L	60 L
FEATURES		
Cargo System	In built cargo box	In built cargo box
Transmission Modes	2WD, 4WD, Front & Rear + Open & Lock Differential Modes	2WD, 4WD, Front & Rear + Open & Lock Differential Modes
Chassis/ Cage	Space Frame	Space Frame
Hitch Type	Single Point (Front & Rear)	Single Point (Front & Rear)
Lighting	Halogen	Halogen
Seat Belt	4- point/ 5-point	4- point/ 5-point
Seat Type	Bucket	Bucket
Seat Capacity	Four	Four
Instrumentation	Semi Digital Instrument Cluster	Semi Digital Instrument Cluster
Snorkel	Inlet & Outlet for CVT	Inlet & Outlet for CVT
Gravel Guard	Yes	Yes

*Terms & Conditions- Tested on A-thon Test Track without any attachments
*Specifications subjected to change due to periodic upgrades in the product & technology
*All parameters may slightly vary from the actual specifications
*As per A-THON recommended attachments

PFX

RACING RED

MYSTIC BLACK

ELECTRIC YELLOW

ROCK

BATTLE GREEN

ORANGE

LUNAR GREY

ELECTRIC BLUE

XTR

MYSTIC BLACK

BATTLE GREEN

ROCK

ORANGE