Linear Programming

Madhavan Mukund

https://www.cmi.ac.in/~madhavan

Programming, Data Structures and Algorithms using Python
Week 11

Optimization problems

- Many computational tasks involve optimization
 - Shortest path
 - Minimum cost spanning tree
 - Longest common subsequence

Optimization problems

- Many computational tasks involve optimization
 - Shortest path
 - Minimum cost spanning tree
 - Longest common subsequence
- ... subject to constraints
 - Shortest path follows edges in the graph
 - Spanning tree is a subset of the given edges
 - Subsequence letters are from the given words

Optimization problems

- Many computational tasks involve optimization
 - Shortest path
 - Minimum cost spanning tree
 - Longest common subsequence
- ... subject to constraints
 - Shortest path follows edges in the graph
 - Spanning tree is a subset of the given edges
 - Subsequence letters are from the given words

Linear programming

- Constraints and objective to be optimized are linear functions
 - Constraints: $a_1x_1 + a_2x_2 + \cdots + a_mx_m \le K$, $b_1x_1 + b_2x_2 + \cdots + b_mx_m \ge L$, ...
 - Objective: $c_1x_1 + c_2x_2 + \cdots + c_mx_m$



- Profit for each box of barfis is Rs 100
- Profit for each box of halwa is Rs 600

- Profit for each box of barfis is Rs 100
- Profit for each box of halwa is Rs 600
- Daily demand for barfis is at most 200 boxes
- Daily demand for halwa is at most 300 boxes

- Profit for each box of barfis is Rs 100
- Profit for each box of halwa is Rs 600
- Daily demand for barfis is at most 200 boxes
- Daily demand for halwa is at most 300 boxes
- Staff can produce 400 boxes a day, altogether

- Profit for each box of barfis is Rs 100
- Profit for each box of halwa is Rs 600
- Daily demand for barfis is at most 200 boxes
- Daily demand for halwa is at most 300 boxes
- Staff can produce 400 boxes a day, altogether
- What is the most profitable mix of barfis and halwa to produce?



Grandiose Sweets sells cashew barfis and dry fruit halwa.

Linear programming model

- Profit for each box of barfis is Rs 100
- Profit for each box of halwa is Rs 600
- Daily demand for barfis is at most 200 boxes
- Daily demand for halwa is at most 300 boxes
- Staff can produce 400 boxes a day, altogether
- What is the most profitable mix of barfis and halwa to produce?

Grandiose Sweets sells cashew barfis and dry fruit halwa.

- Profit for each box of barfis is Rs 100
- Profit for each box of halwa is Rs 600
- Daily demand for barfis is at most 200 boxes
- Daily demand for halwa is at most 300 boxes
- Staff can produce 400 boxes a day, altogether
- What is the most profitable mix of barfis and halwa to produce?

Linear programming model

- **b** boxes of barfi to produce per day
- h boxes of halwa to produce per day

Grandiose Sweets sells cashew barfis and dry fruit halwa.

- Profit for each box of barfis is Rs 100
- Profit for each box of halwa is Rs 600
- Daily demand for barfis is at most 200 boxes
- Daily demand for halwa is at most 300 boxes
- Staff can produce 400 boxes a day, altogether
- What is the most profitable mix of barfis and halwa to produce?

Linear programming model

- **b** boxes of barfi to produce per day
- h boxes of halwa to produce per day
- Profit: 100b + 600h

Grandiose Sweets sells cashew barfis and dry fruit halwa.

- Profit for each box of barfis is Rs 100
- Profit for each box of halwa is Rs 600
- Daily demand for barfis is at most 200 boxes
- Daily demand for halwa is at most 300 boxes
- Staff can produce 400 boxes a day, altogether
- What is the most profitable mix of barfis and halwa to produce?

Linear programming model

- **b** boxes of barfi to produce per day
- h boxes of halwa to produce per day
- Profit: 100b + 600h
- Demand constraints:
 - *b* ≤ 200
 - *h* ≤ 300

Grandiose Sweets sells cashew barfis and dry fruit halwa.

- Profit for each box of barfis is Rs 100
- Profit for each box of halwa is Rs 600
- Daily demand for barfis is at most 200 boxes
- Daily demand for halwa is at most 300 boxes
- Staff can produce 400 boxes a day, altogether
- What is the most profitable mix of barfis and halwa to produce?

Linear programming model

- **b** boxes of barfi to produce per day
- h boxes of halwa to produce per day
- Profit: 100b + 600h
- Demand constraints:
 - *b* ≤ 200
 - $h \le 300$
- Production constraint: $b + h \le 400$

Grandiose Sweets sells cashew barfis and dry fruit halwa.

- Profit for each box of barfis is Rs 100
- Profit for each box of halwa is Rs 600
- Daily demand for barfis is at most 200 boxes
- Daily demand for halwa is at most 300 boxes
- Staff can produce 400 boxes a day, altogether
- What is the most profitable mix of barfis and halwa to produce?

Linear programming model

- **b** boxes of barfi to produce per day
- h boxes of halwa to produce per day
- Profit: 100b + 600h
- Demand constraints:
 - *b* ≤ 200
 - *h* ≤ 300
- Production constraint: $b + h \le 400$
- Implicit constraints:
 - *b* ≥ 0
 - $h \ge 0$

Objective

■ Maximize 100b + 600h

Linear programming model

- b boxes of barfi to produce per day
- h boxes of halwa to produce per day
- Profit: 100b + 600h
- Demand constraints:
 - *b* ≤ 200
 - *h* ≤ 300
- Production constraint: $b + h \le 400$
- Implicit constraints:
 - *b* ≥ 0
 - $h \ge 0$

Objective

■ Maximize 100b + 600h

Constraints

- *b* ≤ 200
- *h* ≤ 300
- $b + h \le 400$
- *b* ≥ 0
- $h \ge 0$

Linear programming model


- **b** boxes of barfi to produce per day
- h boxes of halwa to produce per day
- Profit: 100b + 600h
- Demand constraints:
 - *b* ≤ 200
 - *h* ≤ 300
- Production constraint: $b + h \le 400$
- Implicit constraints:
 - *b* ≥ 0
 - $h \ge 0$

Objective

■ Maximize 100b + 600h

Constraints

- *b* ≤ 200
- *h* < 300
- $b + h \le 400$
- b > 0
- $h \ge 0$




Objective

■ Maximize 100b + 600h

Constraints

- *b* ≤ 200
- *h* < 300
- $b + h \le 400$
- b > 0
- $h \ge 0$




Objective

■ Maximize 100b + 600h

Constraints

- *b* ≤ 200
- *h* < 300
- $b + h \le 400$
- b > 0
- $h \ge 0$




Objective

■ Maximize 100b + 600h

Constraints

- *b* ≤ 200
- *h* < 300
- $b + h \le 400$
- b > 0
- $h \ge 0$




Objective

■ Maximize 100b + 600h

Constraints

- *b* ≤ 200
- *h* ≤ 300
- $b + h \le 400$
- b > 0
- $h \ge 0$




Objective

■ Maximize 100b + 600h

Constraints

- *b* ≤ 200
- *h* < 300
- $b + h \le 400$
- b > 0
- $h \ge 0$

Pictorially



Objective: c = 100b + 600h


Objective

■ Maximize 100b + 600h

Constraints

- *b* < 200
- *h* < 300
- $b + h \le 400$
- b > 0
- $h \ge 0$

Pictorially



Objective: c = 100b + 600h


Objective

■ Maximize 100b + 600h

Constraints

- *b* ≤ 200
- *h* < 300
- $b + h \le 400$
- b > 0
- $h \ge 0$

Pictorially



Objective: c = 100b + 600h


Objective

■ Maximize 100b + 600h

Constraints

- *b* < 200
- *h* < 300
- $b + h \le 400$
- b > 0
- $h \ge 0$

Pictorially



Objective: c = 100b + 600h


Objective

■ Maximize 100b + 600h

Constraints

- *b* < 200
- *h* < 300
- $b + h \le 400$
- b > 0
- $h \ge 0$

Pictorially



Objective: c = 100b + 600h


Objective

■ Maximize 100b + 600h

Constraints

- *b* < 200
- *h* < 300
- $b + h \le 400$
- b > 0
- $h \ge 0$

Pictorially



Objective: c = 100b + 600h

Simplex algorithm

■ Start at any vertex, evaluate objective

Simplex algorithm

- Start at any vertex, evaluate objective
- If an adjacent vertex has a better value, move

Simplex algorithm

- Start at any vertex, evaluate objective
- If an adjacent vertex has a better value, move
- If current vertex is better than all neighbours, stop

Simplex algorithm

- Start at any vertex, evaluate objective
- If an adjacent vertex has a better value, move
- If current vertex is better than all neighbours, stop
- Can be exponential, but efficient in practice

Simplex algorithm

- Start at any vertex, evaluate objective
- If an adjacent vertex has a better value, move
- If current vertex is better than all neighbours, stop
- Can be exponential, but efficient in practice
- Theoretically efficient algorithms exist

Simplex algorithm

- Start at any vertex, evaluate objective
- If an adjacent vertex has a better value, move
- If current vertex is better than all neighbours, stop
- Can be exponential, but efficient in practice
- Theoretically efficient algorithms exist

Existence of solutions

Simplex algorithm

- Start at any vertex, evaluate objective
- If an adjacent vertex has a better value, move
- If current vertex is better than all neighbours, stop
- Can be exponential, but efficient in practice
- Theoretically efficient algorithms exist

Existence of solutions

■ Feasible region is convex

Simplex algorithm

- Start at any vertex, evaluate objective
- If an adjacent vertex has a better value, move
- If current vertex is better than all neighbours, stop
- Can be exponential, but efficient in practice
- Theoretically efficient algorithms exist

Existence of solutions

- Feasible region is convex
- May be empty constraints are unsatisfiable, no solutions

Solving linear programs

Simplex algorithm

- Start at any vertex, evaluate objective
- If an adjacent vertex has a better value, move
- If current vertex is better than all neighbours, stop
- Can be exponential, but efficient in practice
- Theoretically efficient algorithms exist

Existence of solutions

- Feasible region is convex
- May be empty constraints are unsatisfiable, no solutions
- May be unbounded no upper/lower limit on objective

Grandiose Sweets adds almond rasmalai

■ Profit per box: barfis – Rs 100, halwa – Rs 600, rasmalai – Rs 1300

- Profit per box: barfis Rs 100, halwa Rs 600. rasmalai – Rs 1300
- Daily demand, in boxes: barfis 200, halwa - 300, rasmalai - unlimited

- Profit per box: barfis Rs 100, halwa Rs 600, rasmalai Rs 1300
- Daily demand, in boxes: barfis 200, halwa 300, rasmalai unlimited
- Production capacity: 400 boxes a day, altogether

- Profit per box: barfis Rs 100, halwa Rs 600, rasmalai Rs 1300
- Daily demand, in boxes: barfis 200, halwa 300, rasmalai unlimited
- Production capacity: 400 boxes a day, altogether
- Milk supply is limited
 - 600 boxes halwa or 200 boxes rasmalai
 - Or any combination (rasmalai needs 3 times as much milk)

- Profit per box: barfis Rs 100, halwa Rs 600, rasmalai Rs 1300
- Daily demand, in boxes: barfis 200, halwa 300, rasmalai unlimited
- Production capacity: 400 boxes a day, altogether
- Milk supply is limited
 - 600 boxes halwa or 200 boxes rasmalai
 - Or any combination (rasmalai needs 3 times as much milk)
- Most profitable mix to produce?

Grandiose Sweets adds almond rasmalai

- Profit per box: barfis Rs 100, halwa Rs 600, rasmalai Rs 1300
- Daily demand, in boxes: barfis 200, halwa 300, rasmalai unlimited
- Production capacity: 400 boxes a day, altogether
- Milk supply is limited
 - 600 boxes halwa or 200 boxes rasmalai
 - Or any combination (rasmalai needs 3 times as much milk)
- Most profitable mix to produce?

New linear program

Grandiose Sweets adds almond rasmalai

- Profit per box: barfis Rs 100, halwa Rs 600, rasmalai – Rs 1300
- Daily demand, in boxes: barfis 200, halwa 300, rasmalai unlimited
- Production capacity: 400 boxes a day, altogether
- Milk supply is limited
 - 600 boxes halwa or 200 boxes rasmalai
 - Or any combination (rasmalai needs 3 times as much milk)
- Most profitable mix to produce?

New linear program

Objective

■ Maximize 100b + 600h + 1300r

Grandiose Sweets adds almond rasmalai

- Profit per box: barfis Rs 100, halwa Rs 600, rasmalai Rs 1300
- Daily demand, in boxes: barfis 200, halwa 300, rasmalai unlimited
- Production capacity: 400 boxes a day, altogether
- Milk supply is limited
 - 600 boxes halwa or 200 boxes rasmalai
 - Or any combination (rasmalai needs 3 times as much milk)
- Most profitable mix to produce?

New linear program

Objective

■ Maximize 100b + 600h + 1300r

- *b* ≤ 200
- *h* ≤ 300

Grandiose Sweets adds almond rasmalai

- Profit per box: barfis Rs 100, halwa Rs 600, rasmalai Rs 1300
- Daily demand, in boxes: barfis 200, halwa 300, rasmalai unlimited
- Production capacity: 400 boxes a day, altogether
- Milk supply is limited
 - 600 boxes halwa or 200 boxes rasmalai
 - Or any combination (rasmalai needs 3 times as much milk)
- Most profitable mix to produce?

New linear program

Objective

■ Maximize 100b + 600h + 1300r

- *b* ≤ 200
- *h* ≤ 300
- $b + h + r \le 400$

Grandiose Sweets adds almond rasmalai

- Profit per box: barfis Rs 100, halwa Rs 600, rasmalai Rs 1300
- Daily demand, in boxes: barfis 200, halwa 300, rasmalai unlimited
- Production capacity: 400 boxes a day, altogether
- Milk supply is limited
 - 600 boxes halwa or 200 boxes rasmalai
 - Or any combination (rasmalai needs 3 times as much milk)
- Most profitable mix to produce?

New linear program

Objective

■ Maximize 100b + 600h + 1300r

- *b* ≤ 200
- *h* ≤ 300
- $b + h + r \le 400$
- $h + 3r \le 600$

Grandiose Sweets adds almond rasmalai

- Profit per box: barfis Rs 100, halwa Rs 600, rasmalai Rs 1300
- Daily demand, in boxes: barfis 200, halwa 300, rasmalai unlimited
- Production capacity: 400 boxes a day, altogether
- Milk supply is limited
 - 600 boxes halwa or 200 boxes rasmalai
 - Or any combination (rasmalai needs 3 times as much milk)
- Most profitable mix to produce?

New linear program

Objective

■ Maximize 100b + 600h + 1300r

- *b* ≤ 200
- *h* ≤ 300
- $b + h + r \le 400$
- $h + 3r \le 600$
- $b \ge 0$, $h \ge 0$, $r \ge 0$

New linear program

Objective

■ Maximize 100b + 600h + 1300r


- *b* < 200
- *h* < 300
- $b + h + r \le 400$
- $h + 3r \le 600$
- b > 0, h > 0, r > 0

New linear program

Objective

■ Maximize 100b + 600h + 1300r

- *b* < 200
- *h* < 300
- $b + h + r \le 400$
- $h + 3r \le 600$
- b > 0, h > 0, r > 0




New linear program


Objective

■ Maximize 100b + 600h + 1300r


- *b* < 200
- *h* < 300
- $b + h + r \le 400$
- $h + 3r \le 600$
- b > 0, h > 0, r > 0




• Why is (0, 300, 100) optimal?



- Why is (0, 300, 100) optimal?
- Profit is 100b + 600h + 1300r




- Why is (0, 300, 100) optimal?
- Profit is 100b + 600h + 1300r
- Consider the following constraints
 - (A) $h \le 300$
 - (*B*) $b + h + r \le 400$
 - (*C*) $h + 3r \le 600$




- Why is (0, 300, 100) optimal?
- Profit is 100b + 600h + 1300r
- Consider the following constraints
 - (A) $h \le 300$
 - (*B*) $b + h + r \le 400$
 - (C) h + 3r < 600
- Combine as


$$100 \cdot (A) + 100 \cdot (B) + 400 \cdot (C)$$



- Why is (0, 300, 100) optimal?
- Profit is 100b + 600h + 1300r
- Consider the following constraints
 - (A) $h \le 300$
 - (*B*) $b + h + r \le 400$
 - (C) h + 3r < 600
- Combine as $100 \cdot (A) + 100 \cdot (B) + 400 \cdot (C)$
- Result is 100b + 600h + 1300r < 310000



- Why is (0, 300, 100) optimal?
- Profit is 100b + 600h + 1300r
- Consider the following constraints
 - (A) $h \le 300$
 - (*B*) $b + h + r \le 400$
 - (*C*) $h + 3r \le 600$
- Combine as $100 \cdot (A) + 100 \cdot (B) + 400 \cdot (C)$
- Result is $100b + 600h + 1300r \le 310000$
- LHS is profit, so value at (0,300,100) matches upper bound on profit



LP Duality

 We derived an upper bound on the objective through a linear combination of constraints

- Why is (0, 300, 100) optimal?
- Profit is 100b + 600h + 1300r
- Consider the following constraints

(A)
$$h \le 300$$

(*B*)
$$b + h + r \le 400$$

(C)
$$h + 3r \le 600$$

Combine as

$$100 \cdot (A) + 100 \cdot (B) + 400 \cdot (C)$$

- Result is $100b + 600h + 1300r \le 310000$
- LHS is profit, so value at (0,300,100) matches upper bound on profit

10 / 10

LP Duality

- We derived an upper bound on the objective through a linear combination of constraints
- This is always possible!

- Why is (0, 300, 100) optimal?
- Profit is 100b + 600h + 1300r
- Consider the following constraints
 - (A) $h \le 300$
 - (*B*) $b + h + r \le 400$
 - (*C*) $h + 3r \le 600$
- Combine as $100 \cdot (A) + 100 \cdot (B) + 400 \cdot (C)$
- Result is $100b + 600h + 1300r \le 310000$
- LHS is profit, so value at (0,300,100) matches upper bound on profit

LP Duality

- We derived an upper bound on the objective through a linear combination of constraints
- This is always possible!
- Dual LP problem
 - Minimize linear combination of constraints
 - Variables are multipliers for the linear combination
 - Implicit constraint: multipliers are non-negative
 - Optimum solution solves both the original (primal) and the dual LP

- Why is (0, 300, 100) optimal?
- Profit is 100b + 600h + 1300r
- Consider the following constraints
 - (*A*) $h \le 300$
 - (*B*) $b + h + r \le 400$
 - (*C*) $h + 3r \le 600$
- Combine as $100 \cdot (A) + 100 \cdot (B) + 400 \cdot (C)$
- Result is $100b + 600h + 1300r \le 310000$
- LHS is profit, so value at (0,300,100) matches upper bound on profit