# Linear Programming: Production Planning

Madhavan Mukund

https://www.cmi.ac.in/~madhavan

Programming, Data Structures and Algorithms using Python
Week 11

# Linear programming

- Constraints and objective to be optimized are linear functions
  - Constraints:  $a_1x_1 + a_2x_2 + \cdots + a_mx_m \le K$ ,  $b_1x_1 + b_2x_2 + \cdots + b_mx_m \ge L$ , ...
  - Objective:  $c_1x_1 + c_2x_2 + \cdots + c_mx_m$
- Defines a convex feasible region

## Linear programming

- Constraints and objective to be optimized are linear functions
  - Constraints:  $a_1x_1 + a_2x_2 + \cdots + a_mx_m \le K$ ,  $b_1x_1 + b_2x_2 + \cdots + b_mx_m \ge L$ , ...
  - Objective:  $c_1x_1 + c_2x_2 + \cdots + c_mx_m$
- Defines a convex feasible region

## Simplex algorithm

- Start at any vertex, evaluate objective
- If an adjacent vertex has a better value, move
- If current vertex is better than all neighbours, stop

## Linear programming

- Constraints and objective to be optimized are linear functions
  - Constraints:  $a_1x_1 + a_2x_2 + \cdots + a_mx_m \le K$ ,  $b_1x_1 + b_2x_2 + \cdots + b_mx_m \ge L$ , ...
  - Objective:  $c_1x_1 + c_2x_2 + \cdots + c_mx_m$
- Defines a convex feasible region

## Simplex algorithm

- Start at any vertex, evaluate objective
- If an adjacent vertex has a better value, move
- If current vertex is better than all neighbours, stop
- Can be exponential, but efficient in practice
- Theoretically efficient algorithms exist

## LP duality

- Can always construct a linear combination of constraints that tightly captures upper bound on objective function
- Dual LP problem
  - Minimize linear combination of constraints
  - Variables are multipliers for the linear combination
  - Implicit constraint: multipliers are non-negative
  - Optimum solution solves both the original (primal) and the dual LP

Handwoven carpets

### Handwoven carpets

- 30 employees,
  - Each produces 20 carpets a month
  - Salary Rs 20,000
  - Labour cost: Rs 1000 per carpet

### Handwoven carpets

- 30 employees,
  - Each produces 20 carpets a month
  - Salary Rs 20,000
  - Labour cost: Rs 1000 per carpet
- Seasonal monthly demand
  - $d_1, d_2, \dots, d_{12}$ , demand from January to December

#### Handwoven carpets

- 30 employees,
  - Each produces 20 carpets a month
  - Salary Rs 20,000
  - Labour cost: Rs 1000 per carpet
- Seasonal monthly demand
  - $d_1, d_2, \dots, d_{12}$ , demand from January to December

### Handwoven carpets

- 30 employees,
  - Each produces 20 carpets a month
  - Salary Rs 20,000
  - Labour cost: Rs 1000 per carpet
- Seasonal monthly demand
  - $d_1, d_2, \ldots, d_{12}$ , demand from January to December

- Overtime
  - Pay 80% extra
  - Overtime limit is 30% per worker

#### Handwoven carpets

- 30 employees,
  - Each produces 20 carpets a month
  - Salary Rs 20,000
  - Labour cost: Rs 1000 per carpet
- Seasonal monthly demand
  - $d_1, d_2, \ldots, d_{12}$ , demand from January to December

- Overtime
  - Pay 80% extra
  - Overtime limit is 30% per worker
- Hiring and firing
  - Hiring costs Rs 3200 per worker
  - Firing costs Rs 4000 per worker

### Handwoven carpets

- 30 employees,
  - Each produces 20 carpets a month
  - Salary Rs 20,000
  - Labour cost: Rs 1000 per carpet
- Seasonal monthly demand
  - **d**<sub>1</sub>,  $d_2, \ldots, d_{12}$ , demand from January to December

- Overtime
  - Pay 80% extra
  - Overtime limit is 30% per worker
- Hiring and firing
  - Hiring costs Rs 3200 per worker
  - Firing costs Rs 4000 per worker
- Make surplus and store
  - Costs Rs 80 per carpet

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Monthly demand  $d_1, d_2, \ldots, d_{12}$
- Overtime: pay 80% extra, overtime limit is 30% per worker
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet

•  $w_i$ : workers in month i,  $w_0 = 30$ 

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Monthly demand  $d_1, d_2, \ldots, d_{12}$
- Overtime: pay 80% extra, overtime limit is 30% per worker
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet

- $w_i$ : workers in month i,  $w_0 = 30$
- $\mathbf{x}_i$ : carpets made in month i

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Monthly demand  $d_1, d_2, \ldots, d_{12}$
- Overtime: pay 80% extra, overtime limit is 30% per worker
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet

- $w_i$ : workers in month i,  $w_0 = 30$
- $\mathbf{x}_i$ : carpets made in month i
- $o_i : carpets made in overtime, month i$

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Monthly demand  $d_1, d_2, \ldots, d_{12}$
- Overtime: pay 80% extra, overtime limit is 30% per worker
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet

- $w_i$ : workers in month i,  $w_0 = 30$
- $\mathbf{x}_i$ : carpets made in month i
- $o_i : carpets made in overtime, month i$
- $\bullet$   $h_i$ : workers hired at start of month i

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Monthly demand  $d_1, d_2, \ldots, d_{12}$
- Overtime: pay 80% extra, overtime limit is 30% per worker
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet

- $w_i$ : workers in month i,  $w_0 = 30$
- $\mathbf{x}_i$ : carpets made in month i
- $o_i : carpets made in overtime, month i$
- h<sub>i</sub>: workers hired at start of month i

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Monthly demand  $d_1, d_2, \ldots, d_{12}$
- Overtime: pay 80% extra, overtime limit is 30% per worker
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet

- $w_i$ : workers in month i,  $w_0 = 30$
- $\mathbf{x}_i$ : carpets made in month i
- $o_i : carpets made in overtime, month i$
- h<sub>i</sub>: workers hired at start of month i
- $f_i$ : workers fired at start of month i
- lacksquare si : surplus carpets after month i
  - $s_0 = 0$

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Monthly demand  $d_1, d_2, \ldots, d_{12}$
- Overtime: pay 80% extra, overtime limit is 30% per worker
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet

- $w_i$ : workers in month i,  $w_0 = 30$
- $\mathbf{x}_i$ : carpets made in month i
- $o_i : carpets made in overtime, month i$
- h<sub>i</sub>: workers hired at start of month i
- $f_i$ : workers fired at start of month i
- $s_i$ : surplus carpets after month i $s_0 = 0$
- 72 variables, plus  $w_0$ ,  $s_0$

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Monthly demand  $d_1, d_2, \ldots, d_{12}$
- Overtime: pay 80% extra, overtime limit is 30% per worker
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Montly demand  $d_1, \ldots, d_{12}$
- Overtime: 80% extra, limit 30%
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet
- $w_i$ : workers in month i,  $w_0 = 30$
- x<sub>i</sub> : carpets made in month i
- $o_i : carpets made in overtime, month i$
- $\blacksquare$   $h_i$ : workers hired at start of month i
- f<sub>i</sub>: workers fired at start of month i
- $\bullet$   $s_i$ : surplus after month i,  $s_0 = 0$

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Montly demand  $d_1, \ldots, d_{12}$
- Overtime: 80% extra, limit 30%
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet
- $w_i$ : workers in month i,  $w_0 = 30$
- x<sub>i</sub> : carpets made in month i
- $o_i : carpets made in overtime, month i$
- h<sub>i</sub>: workers hired at start of month i
- $\bullet$   $f_i$ : workers fired at start of month i
- $\bullet$   $s_i$ : surplus after month i,  $s_0 = 0$

- All variables are nonnegative
  - $\mathbf{w}_i, x_i, o_i, h_i, f_i, s_i \geq 0$

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Montly demand  $d_1, \ldots, d_{12}$
- Overtime: 80% extra, limit 30%
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet
- $w_i$ : workers in month i,  $w_0 = 30$
- x<sub>i</sub> : carpets made in month i
- o<sub>i</sub> : carpets made in overtime, month i
- h<sub>i</sub>: workers hired at start of month i
- $f_i$ : workers fired at start of month i
- $\bullet$   $s_i$ : surplus after month i,  $s_0 = 0$

- All variables are nonnegative
  - $\mathbf{w}_i, x_i, o_i, h_i, f_i, s_i \geq 0$
- Carpets made = regular + overtime
  - $x_i = 20w_i + o_i$

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Montly demand  $d_1, \ldots, d_{12}$
- Overtime: 80% extra, limit 30%
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet
- $w_i$ : workers in month i,  $w_0 = 30$
- x<sub>i</sub> : carpets made in month i
- $o_i : carpets made in overtime, month i$
- h<sub>i</sub>: workers hired at start of month i
- $f_i$ : workers fired at start of month i
- $\bullet$   $s_i$ : surplus after month i,  $s_0 = 0$

- All variables are nonnegative
  - $\mathbf{w}_i, x_i, o_i, h_i, f_i, s_i \geq 0$
- Carpets made = regular + overtime
  - $x_i = 20w_i + o_i$
- Number of workers match hiring/firing

$$w_i = w_{i-1} + h_i - f_i$$

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Montly demand  $d_1, \ldots, d_{12}$
- Overtime: 80% extra, limit 30%
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet
- $w_i$ : workers in month i,  $w_0 = 30$
- $\blacksquare$   $x_i$ : carpets made in month i
- $o_i : carpets made in overtime, month i$
- $\blacksquare$   $h_i$ : workers hired at start of month i
- $\bullet$   $f_i$ : workers fired at start of month i
- $\bullet$   $s_i$ : surplus after month i,  $s_0 = 0$

- All variables are nonnegative
  - $\mathbf{w}_i, x_i, o_i, h_i, f_i, s_i \geq 0$
- Carpets made = regular + overtime
  - $x_i = 20w_i + o_i$
- Number of workers match hiring/firing

$$w_i = w_{i-1} + h_i - f_i$$

- Number of stored carpets connected to earlier stock, production, demand
  - $s_i = s_{i-1} + x_i d_i$

- 30 employees, each 20 carpets a month, salary Rs 20,000, Rs 1000 per carpet
- Montly demand  $d_1, \ldots, d_{12}$
- Overtime: 80% extra, limit 30%
- Hiring cost Rs 3200, firing cost Rs 4000
- Surplus storage cost: Rs 80 per carpet
- $w_i$ : workers in month i,  $w_0 = 30$
- $\blacksquare$   $x_i$ : carpets made in month i
- $o_i : carpets made in overtime, month i$
- h<sub>i</sub>: workers hired at start of month i
- $f_i$ : workers fired at start of month i
- $\bullet$   $s_i$ : surplus after month i,  $s_0 = 0$

- All variables are nonnegative
  - $\mathbf{w}_i, x_i, o_i, h_i, f_i, s_i \geq 0$
- Carpets made = regular + overtime
  - $x_i = 20w_i + o_i$
- Number of workers match hiring/firing
- Number of stored carpets connected to earlier stock, production, demand
  - $s_i = s_{i-1} + x_i d_i$
- Overtime production at most 6 carpets per worker (30% of regular production)
  - $o_i \leq 6w_i$

#### Constraints

$$w_0 = 30, s_0 = 0$$

For each  $i \in \{1, 2, ..., 12\}$ 

- $w_i, x_i, o_i, h_i, f_i, s_i > 0$
- $x_i = 20w_i + o_i$
- $w_i = w_{i-1} + h_i f_i$
- $s_i = s_{i-1} + x_i d_i$
- $o_i < 6w_i$

#### Constraints

 $w_0 = 30, s_0 = 0$ 

For each  $i \in \{1, 2, ..., 12\}$ 

- $\mathbf{w}_i, x_i, o_i, h_i, f_i, s_i \geq 0$
- $x_i = 20w_i + o_i$
- $w_i = w_{i-1} + h_i f_i$
- $s_i = s_{i-1} + x_i d_i$
- $o_i \leq 6w_i$

## Objective

Minimize the cost

$$20000(w_1 + w_2 + \cdots + w_{12}) + 3200(h_1 + h_2 + \cdots + h_{12}) + 4000(f_1 + f_2 + \cdots + f_{12}) + 80(s_1 + s_2 + \cdots + s_{12}) + 1800(o_1 + o_2 + \cdots + o_{12})$$

Run Simplex and find a solution

- Run Simplex and find a solution
- Are we done?

- Run Simplex and find a solution
- Are we done?
- Optimum may have fractional values
  - Hire 10.6 workers in March

- Run Simplex and find a solution
- Are we done?
- Optimum may have fractional values
  - Hire 10.6 workers in March

Handling fractional solutions

- Run Simplex and find a solution
- Are we done?
- Optimum may have fractional values
  - Hire 10.6 workers in March

## Handling fractional solutions

Round off to 10 or 11 and recompute cost

- Run Simplex and find a solution
- Are we done?
- Optimum may have fractional values
  - Hire 10.6 workers in March

## Handling fractional solutions

- Round off to 10 or 11 and recompute cost
- If values are "large", rounding does not affect quality of solution much

- Run Simplex and find a solution
- Are we done?
- Optimum may have fractional values
  - Hire 10.6 workers in March

## Handling fractional solutions

- Round off to 10 or 11 and recompute cost
- If values are "large", rounding does not affect quality of solution much
- Values are "small", need more care when rounding

- Run Simplex and find a solution
- Are we done?
- Optimum may have fractional values
  - Hire 10.6 workers in March

## Handling fractional solutions

- Round off to 10 or 11 and recompute cost
- If values are "large", rounding does not affect quality of solution much
- Values are "small", need more care when rounding
- Insisting on integer solutions makes the problem computationally intractable

Integer Linear Programming

