```
SQL Schema:
Category Table
      CREATE TABLE category (
       categoryid int(11) NOT NULL AUTO_INCREMENT,
       name varchar(255) COLLATE utf8_unicode_ci NOT NULL,
       status enum('Enable','Disable') COLLATE utf8_unicode_ci NOT NULL,
       PRIMARY KEY (categoryid)
      ) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8 unicode ci;
      ALTER TABLE category
       MODIFY categoryid int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=8;
2) Author Table
      CREATE TABLE author (
       authorid int(11) NOT NULL AUTO_INCREMENT,
       name varchar(200) COLLATE utf8_unicode_ci NOT NULL,
       status enum('Enable','Disable') COLLATE utf8_unicode_ci NOT NULL,
       PRIMARY KEY (authorid)
      ) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;
      ALTER TABLE author
       MODIFY authorid int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=5;
3) Publisher Table:
      CREATE TABLE publisher (
       publisherid int(11) NOT NULL AUTO_INCREMENT,
       name varchar(255) NOT NULL,
       status enum('Enable','Disable') NOT NULL,
       PRIMARY KEY (publisherid)
      ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
      ALTER TABLE publisher
       MODIFY publisherid int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=11;
```

4) Rack Table:

CREATE TABLE rack (


rackid int(11) NOT NULL AUTO_INCREMENT,
name varchar(200) COLLATE utf8_unicode_ci NOT NULL,
status enum('Enable','Disable') COLLATE utf8_unicode_ci NOT NULL DEFAULT 'Enable',
PRIMARY KEY (rackid)

) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;


ALTER TABLE rack

MODIFY rackid int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=5;


Login Page:




Dashboard:




Book List




Add Book:




Sort Books By Category:




Author's:



Publisher's:



Rack's



Issue Book:

