Compliance Task Group Call – Agenda

Weds, Nov13, 2019 8am Pacific → Standard ← Time

Charter

The Compliance Task Group will

- Develop a <u>framework</u> for RISC-V tests, taking into account approved specifications for:
 - Architectural versions (e.g. RV32I, RV32E, RV64I, RV128I)
 - Standard Extensions (M,A,F,D,Q,L,C,B,J,T,P,V,N)
 - All spec'ed implementation options
 - (incl. MHSU modes, optional CSRs, optional CSR bits)
- Develop a method for selecting <u>and</u> configuring appropriate tests for a RISC-V implementation, taking into account:
 - Platform profile and Execution Environment (EE)
 - Implemented architecture, extensions, and options
- Develop a method to apply the appropriate tests to an implementation and verify that it meets the standard
 - test result signature stored in memory will be compared to a golden model result signature

Adminstrative Pointers

Chair – Allen Baum <u>allen.baum@esperantotech.com</u>

• Co-chair – Stuart Hoad <u>stuart.hoad@microchip.com</u>

• TG membership- Sue Leininger <u>sue@riscv.org</u>

• Send email to her - you must have a lists.riscv.org login

• TG Email tech-compliance@lists.riscv.org

- Notetakers: please send emails to allen.baum@esperantotech.com
- Meetings -Bi-monthly at 9am Pacific time on 2^{nd/}4th Wednesdays
 - Location is https://zoom.us/j/6213886723
- Documents, calendar, roster, etc. in https://lists.riscv.org/tech-compliance/see/documents, /calendars subdirectories
 - https://riscof.readthedocs.io/en/latest/ riscof
 - https://riscv-config.readthedocs.io/en/latest/ config: YAML and WARL spec
- Git repositories
 - https://github.com/riscv/riscv-compliance/
 - https://github.com/rsnikhil/Experimental RISCV Feature Model
 - https://github.com/rsnikhil/Forvis_RISCV-ISA-Spec
 - https://gitlab.com/incoresemi/riscof (Shakti framework)

Attendees

• Allen Baum (Esperanto)

• Lee Moore (Imperas)

• Bill Mcspadden (Seagate)

• Greg Wright (Qualcomm)

Henrik Gustafsson (Qualcomm)

• Neel Gala (IIT Madras)

• Nilesh Asher (Esperanto)

• S Pawan Kumar (IIT Madras)

Sergey Vasiliev (Syntacore)

• Simon Davidmann (Imperas)

• Stuart Hoad (Microchip)

Meeting Agenda (in order of Priority)

- 1. Pull requests
 - 65: Test Format spec: needs reviewing. Volunteers?
 - 71: Added the ability to select a single test from a suite of tests
 - Approved but pulled for resubmission
 - 75: Added tests and coverage report information, modified makefiles, licenses
- 2. Summit announcement
- 3. RISCOF review:

Discussion

1. Pulls

- 65: affects are large, needs approval vote not just pull reviews (review in off-cycle meeting?)
- 71: no issues
- 75:
 - tests added (more C-ext tests needed)
 - test suite restructured to match current Priv spec
 - coverage directory w/results added,
 - Coverage tools checked in yet
 - doesn't affect compliance tests, so OK.
 - Currently on a continuous integration system at Imperas (32i,m,c only)
 - More cover points need to be added over time – do we need more coverage? Cover points
- Announcement: see slide 11 for possible changes

3. Riscof

- No one has reviewed it last 2 weeks not good
- Next meeting: Bill and Stuart have agreed to try it out
- Simon:python more error prone; maintainablility is the issue
 - Current framework hass static signatures only
 - Works well for what have –but for multihart, vectors, priv, needs to be dynamic
- If we can't approve riscof before summit, we will need to modify slide appropriately
- RV64+RV43: can run both, but if a core supports both, need to add initialization code to ensure you're in the right environment

Decisions & Action Items

Decisions

- Pull 65: review in meeting and ask for approval vote
- Pull 71, 75: merged

Action Items

- Allen: Schedule review and vote of testFormat spec
- Everybody: review pull 65; schedule an off-cycle meeting to review?



Future Discussions

- 1. Summit announcement TestFormatSpec (slide 11-12)
- 2. Coverage metric (slide 13)
- 3. Email discussion#5 nonconforming extension support
- 4. WARL definition (slides 14-16)
 https://riscv-config.readthedocs.io/en/latest/yaml-specs.html#warl-field-restriction-proposal

Foundation Expectations

- Objective: publish compliance test 1.0 and finish the public review **before** the RISC-V summit in Dec. Shorter term is pre-1.0 by EO Q3
- Scope: publish tests and expected results run from the executable RISC-V formal specs -- make sure that all formal specs agree with each other
 - (Note: this approach will not work for priv spec)
- Minimal acceptance criteria is RV32Imc and RV64Imc
- Allen will focus on driving the task group to make this happen
- Nikhil will be tasked to ask all formal spec groups to commit their executable model support in the riscv-compliance repository
- Silviu and Yunsup will make the {compliance manager} CFP happen. They just need to understand what help is needed.

Draft Announcement: Testing RISC-V Architectural Compliance

• A v0.1 of the RISC-V Compliance Framework is now available here:

https://github.com/riscv/riscv-compliance/

current framework;

- Enables dynamically comparing signatures of two arbitrary models
 - e.g. your implementation vs. (e.g. RISC-V CSAIL formal model, ovpsim, spike, etc.)
- Can be configured to match your choices of architectural options
 - E.g. extensions implemented, HW unaligned access support, CSRs and WARL fields
- Currently covers RV32I/RV64 IMC,CSR,FENCEI (unprivileged spec) only
 - With more to come, and with better coverage

The RISC-V spec allows many (architectural) implementation choices, so

• A new repository has been created to describe implementation configurations that the Framework will use to select & configure tests:

https://riscv-config.readthedocs.io/en/latest/

RISCV-CONFIG

- Examples & definitions
 - https://github.com/riscv/riscv-config/tree/master/examples
 - https://github.com/riscv/riscv-config/tree/master/riscv_config/schemas
 - https://github.com/riscv/riscv-compliance/tree/master/riscv-ovpsim/config-yaml/examples
- Validator
 - https://github.com/riscv/riscv-config/blob/master/riscv_config/checker.py
- Example integration of converter (OVPsim)
 - https://github.com/riscv/riscv-compliance/tree/master/riscv-ovpsim/config-yaml
- WARL, YAML
 - https://riscv-config.readthedocs.io/en/latest/

Draft Test Coverage Proposal (unpriv)

Classes of things we want to test for

- Decode
 - Immediate test all bits in either polarity will affect output
 - Register specifiers test that changing any bit will affect output, ensure all regs are tested
 - Variations test values of opcodes suffixes that have any string after a "." in its opcode
- Register combinations
 - Destructive (dest = either src) and non-destructive
 - Non-updating (i.e., targeting X0), or non-supplying (X0 as an input)
 - All registers (or immediate bit) should be used per instruction *category*
- Special and exception cases
 - Explicitly defined (e.g. shifts>=XLEN & RD=X0
 - Implicitly defined corner cases
 - Maximal and minimal inputs, or creating maximal outputs
 - Inputs that special case outputs (mostly FP cases, also. shiftamt>=XLEN)
 - Outputs crossing value boundary (e.g. address cross word/page/superpage/VA boundary, FP crossing exponent boundary)

This works for 32i base ops – what do we need to add for priv modes? Mem model? Sequential Dependencies? Other extensions?

Need a review of existing (non-RISC-V) compliance specs

proposed coverage & categories

Arith[I], W1/0,crys

Logical[I], W1/0

Shift[I], W1/0/msk,+

Auipc,Lui,

Ld,St, W1/0, bndXing Br, W1/0, bndXing

Jmp , W1/0, bndXing

Ebreak/ Ecall

W1/0= walking 1/0

BndXing=: boundary crossing

RISCV-CONFIG WARL Syntax

WARL: {optional items in curly braces}

- dependency_fields: [list] use this when legal/illegal values depend on other fields (in list)
- legal: [<warl-string>{,<warl-string>*}]
- wr_illegal: [<warl-string>{,<warl-string>*}] -> update_mode
 where <warl-string> is either "&" separated list of rangehi:rangelo lists
 {[dependency_value] ->} field-name1[bit#hi:bit#lo] in [legal-range-list]
 { & field-name2[bit#hi:bit#lo] in [legal-range] }*

or "&" separated list of bitmasks

```
{[dependency_value] ->} field-name1[bit#hi:bit#lo] bitmask [mask, fixval] { & field-name2[bit#hi:bit#lo] bitmask [mask, fixval] }*
```

(can't mix ranges and bitmasks)

RISCV-CONFIG WARL Example 1

```
When base of mtvec depends on the mode field.
WARL:
 dependency_fields: [mtvec::mode]
 legal:
  - "[0] -> base[29:0] in [0x20000000, 0x20004000]"
                                                               # can take only 2 fixed values when mode==0.
  - "[1] -> base[29:6] in [0x00000:0xF00000] & base[5:0] in [0x00]" # 256 byte aligned when mode==1
 wr illegal:
  - "[0] -> unchanged"
  - "[1] wr val in [0x2000000:0x4000000] -> 0x2000000"
                                                               # predefined value if write value is in this range
  - "[1] wr val in [0x4000001:0x3FFFFFFF] -> unchanged"
                                                               # predefined value if write value is this range
      When base of mtvec depends on the mode field. Using bitmask instead of range
WARL:
 dependency_fields: [mtvec::mode]
 legal:
  - "[0] -> base[29:0] in
                             [0x20000000, 0x20004000]"
                                                               # can take only 2 fixed values when mode==0.
  - "[1] -> base[29:0] bitmask [0x3FFFFFC0, 0x00000000]"
                                                               # 256 byte aligned when mode==1
 wr illegal:
  - "[0] -> unchanged"
                                                               # no illegal for bitmask defined legal strings.
```

RISCV-CONFIG WARL Example 2

no dependencies. Mode field of mtvec can take only 2 legal values using range-descriptor WARL: dependency_fields: legal: - "mode[1:0] **in** [0x0:0x1] # Range of 0 to 1 (inclusive)" # default to 0 if not a legal value wr illegal: - "0x00" # no dependencies. using single-value-descriptors WARL: dependency fields: legal: - "mode[1:0] **in** [0x0,0x1] # also Range of 0 to 1 (inclusive)" wr_illegal: - "0x00" - "[1] wr val in [0x2000000:0x4000000] -> 0x2000000 & wr val in [0x4000001:0x3FFFFFFF] -> unchanged