

ZYRN Landing page build prompt

Table of Contents

Exact build prompt — ZYRN landing page

Build this page **pixel-faithfully**. Stack: React + TypeScript + Vite + Tailwind CSS + lucide-react. Do not invent alternate copy, layout, fonts, colors, or effects. Where this document is silent, choose the quieter option — Zyrn’s design doctrine is instrument-grade restraint.

Page identity

- **Title:** ZYRN — Organizations, Engineered
- **Brand:** uppercase sheared ZYRN wordmark (custom component, spec below). No icon fonts, no hexagon.
- **Overall feel:** dark instrument-grade precision site; full-viewport scroll-scrubbed video background; Vapor typography with subtle shadows; hairline-bordered panels (NOT frosted-glass blobs); mono metadata everywhere; one Pulse accent per viewport; the shear as the single signature device.
- **Doctrine (governs every ambiguous decision):**
 1. Silence is the luxury — 80%+ of any viewport is empty or video.
 2. Metadata as ornament — the only decoration is real information (coordinates, indices, timestamps, version tags) set in mono.
 3. One Pulse per surface — #6E56F8 appears exactly once per viewport.
 4. The shear belongs to the logo only — never shear photos, headlines, or cards.

Design tokens (exact)

Token	Value	Use
Obsidian	#0E0F12	Page bg, dark panels
Vapor	#F2F3F5	Primary text on dark
Pulse	#6E56F8	THE accent. Shear seam, one CTA, live indicators. Once per viewport.
Steel	#767E8C	Secondary text, mono metadata, hairlines at 35% opacity
Hairline	rgba(242,243,245,0.08)	All borders and dividers, 1px

- Page bg #0E0F12; default text #F2F3F5; selection rgba(110,86,248,0.25).
 - **No frosted glass.** Panels are bg-[#0E0F12]/60 backdrop-blur-[2px] border border-[rgba(242,243,245,0.08)] — a dark veil with a hairline, not a white glass chip. This is the single biggest material difference from the NovaAI source.
 - **No white/15 chips, no drop-shadow-lg walls.** Text over video gets text-shadow: 0 1px 12px rgba(14,15,18,0.6) via a utility class, nothing heavier.
-

Fonts

- Google Fonts: **Space Grotesk** weights 400, 500 (display + UI) and **IBM Plex Mono** weights 400, 500 (all metadata, labels, indices).
 - Tailwind: font-sans — 'Space Grotesk', system-ui, sans-serif; font-mono — 'IBM Plex Mono', monospace.
 - Antialiased. Headline tracking -0.01em. Mono labels always text-[11px] uppercase tracking-[0.16em] text-[#767E8C].
 - **The wordmark is never typed as plain text** — it is always the ZyrnShear component (below).
-

Assets

Hero scroll video (CloudFront — keep this exact URL as placeholder):

https://d8j0ntlcm91z4.cloudfront.net/user_38xzZboKViGWJ0ttwIXH07lWA1P/hf_20260729_102822_0e6c87e8-c141-4744-bf32-ad30db296371.mp4

- Wrap the video layer in a treatment div: filter: saturate(0.65) contrast(1.05) plus an Obsidian overlay bg-[#0E0F12]/35 so the footage's warm golds cool toward the Zyrn palette. A second overlay at the top and bottom: bg-gradient-to-b from-[#0E0F12] via-transparent to-[#0E0F12] at 60% opacity — the video emerges from darkness and returns to it.
- TODO(asset): regenerate a native Zyrn video later — abstract dark machined forms, indigo light, cold mist. Same duration class (~8–12s), 1920×1080. Until then the treated placeholder ships.
- Optional local mirrors: /hero.mp4, /hero-poster.jpg. Poster must receive the same filter treatment.

No portrait photo. The Mitha card is replaced by the Access Card (spec in Section One). Zyrn does not show faces on the landing page — the brand is the instrument, not the operator.

The ZyrnShear wordmark component (signature — build first)

A reusable <ZyrnShear /> React component. This is the identity; get it exact.

Structure: - Two absolutely-stacked copies of the text ZYRN (Space Grotesk 500, tracking 0.06em), each clipped to one half: - Top copy: clip-path: inset(0 0 50% 0) - Bottom copy: clip-path: inset(50% 0 0 0) - A seam line: absolutely positioned 2px tall div in Pulse #6E56F8, vertically centered, width calc(100% + 24px) (12px overhang each side), transform-origin: center.

Props: size (font-size px), progress (0–1, drives the shear externally), auto (boolean — self-animates on mount when no scroll binding).

Shear math (fixed law): - Max offset = 10% of font-size (e.g. 6px at 60px). Never more. - Top half: translateX(-offset * progress). Bottom half: translateX(+offset * progress). Always this direction. - Seam: scaleX(progress), opacity progress. - Transition when auto: 650ms cubic-bezier(0.83, 0, 0.17, 1), fires 300ms after mount, shears to progress = 1 and **stays sheared** (aligned = before, sheared = after; it never snaps back). - prefers-reduced-motion: render statically at progress = 1.

Monogram variant <ZyrnMark />: same two-half clip technique applied to a single Z glyph (SVG, stroke #F2F3F5, square caps) with the Pulse seam. Used as favicon, nav mark at mobile widths, and footer stamp.

Global structure

```
relative root (bg #0E0F12)
  ScrollVideo      fixed inset-0 z-0, pointer-events-none (treated
video + overlays)
  HairlineGrid     fixed inset-0 z-[1], pointer-events-none
  ScrollReadout    fixed right edge z-40 (desktop only)
  relative z-10 wrapper
    Navbar         fixed top, z-50
    main
      SectionOne   min-h-screen / 100svh  — hero
      spacer       h-[80vh] aria-hidden    — scrub room (do not
remove)
      SectionTwo   min-h-screen / 100svh  — capability
      Footer       hairline-top strip
```

- Horizontal rhythm: px-5 sm:px-8 md:px-12. Section top pad pt-24 sm:pt-28, bottom pb-12 md:pb-16.
 - **HairlineGrid:** two vertical 1px lines at left: 33.333% and left: 66.666% in rgba(242, 243, 245, 0.04), hidden below md. The page reads as laid on an engineer's grid. Cheap, decisive, instrument-grade.
-

Scroll system (elevated — this is where the immersion lives)

1. Scroll-scrubbed video (keep, tighten)

Fixed full-bleed `z-0`, `overflow-hidden`, `pointer-events-none`. Layers bottom→top: treated poster `<img>` — `<video>` (muted, `playsInline`, `preload=auto`, `object-cover`) — `<canvas>` drawing cached frames. Crossfades duration-500 exactly as the source prompt.

- $\text{progress} = \text{scrolly} / (\text{scrollHeight} - \text{innerHeight})$ clamped 0–1.
- **Lerp factor 0.08** (was 0.12) — slower settle reads as mass and machinery rather than UI. Each rAF: $\text{smoothed} += (\text{target} - \text{smoothed}) * 0.08$.
- Frame cache: offscreen video, up to **120 frames** (or $\text{duration} * 14$, min 30), max width **1024px**, extraction starts after visible video loadeddata + 300ms yield. Canvas draws `ImageBitmap` by smoothed index with `object-cover` math. DPR $\min(\text{devicePixelRatio}, 2)$.
- Fallback: seek visible video to $\text{smoothed} * (\text{duration} - 0.05)$ when $\text{delta} > 0.04\text{s}$.
- **Micro-parallax**: canvas draw scale $1.0 + \text{smoothed} * 0.04$ — an almost-subliminal push-in across the full scroll. Center-anchored.
- No autoplay looping. Motion is scroll-driven only.

2. The shear is scroll-bound in the hero (signature moment)

The hero H1 lockup is `<ZyrnShear size={heroSize} progress={shearProgress} />` where $\text{shearProgress} = \text{clamp}(\text{scrolly} / 220, 0, 1)$, lerped with the same 0.08 factor.

- At page top the wordmark sits **aligned and whole**. As the user makes their first scroll gesture, the halves shear apart and the Pulse seam draws itself left-to-right (`scaleX origin-left` for this instance).
- Once progress reaches 1 it latches — scrolling back up does NOT un-shear (one-way hasSheared ref). The transformation happened; it does not undo. This is the brand narrative executed in scroll physics.
- The nav logo `<ZyrnShear size={20} auto />` self-shears on load, independently.

3. ScrollReadout (new — metadata as ornament, made live)

Fixed vertical rail, `right-5`, vertically centered, desktop only (`hidden lg:flex`), `z-40`, `mono text-[10px]` `tracking-[0.16em]` `text-[#767E8C]`, `writing-mode: vertical-rl`.

Content: `ZYRN / SYS.01` — `{pct}%` where $\{pct\} = \text{Math.round}(\text{smoothed} * 100)$ padded to 3 digits (007, 042, 100). Beside it a 1px track `h-24` in Hairline with a Pulse-colored fill scaling with progress — **this counts as the Pulse instance for mid-scroll viewports** (the hero's Pulse is the seam; when the hero leaves view, the rail's fill is the only Pulse on screen — enforce by giving the rail fill `opacity: 0` until $\text{smoothed} > 0.15$).

The page tells you where you are the way an instrument does: with a number.

4. Reveal animation (sharpened)

IntersectionObserver, threshold 0.15, will-change: transform.

- Hidden: translate-y-6 opacity-0 clip-path: inset(0 0 18% 0)
 - Visible: translate-y-0 opacity-100 clip-path: inset(0 0 0% 0)
 - Transition 700ms cubic-bezier(0.22, 1, 0.36, 1), per-element delay as specified per section.
 - The clip component makes text feel machined into place rather than floated in. Apply to text blocks and panels only — never images/video.
 - prefers-reduced-motion: all reveals render visible statically; scrub still functions (it is position, not animation) but micro-parallax scale locks at 1.0.
-

Navbar (fixed, z-50)

- Full width, border-b border-[rgba(242,243,245,0.08)], bg-[#0E0F12]/70 backdrop-blur-[6px].
 - Row: <ZyrnShear size={20} auto /> left | center links (md+) | right cluster.
 - Links: Work, System, Journal, Contact — text-sm text-[#F2F3F5]/85 hover:text-[#F2F3F5] transition-colors duration-300, gap gap-8 lg:gap-10. Work carries superscript 06 in mono text-[10px] text-[#767E8C].
 - Right cluster: mono label AMM 31.95°N / 35.93°E (hidden xl:block, Steel) + CTA Request access — rounded-[4px] border border-[rgba(242,243,245,0.15)] px-4 py-2 text-xs sm:px-5 sm:text-sm hover:bg-[#F2F3F5]/5 transition-colors duration-300. The nav CTA is hairline, NOT Pulse — the hero owns the viewport's Pulse.
 - Reveal delays: logo 0; links 100 + i*100; right cluster 500.
-

Section One — Hero

Full viewport flex column justify-between.

Top row (flex-col gap-8 → sm:flex-row justify-between):

Left — service index (gap-2), each delay 150 + i*120, mono text-xs uppercase tracking-[0.16em] text-[#F2F3F5]/90:

01 / HUMAN CAPITAL
02 / BUSINESS STRUCTURING
03 / AI TRANSFORMATION
04 / WEB & STRATEGY

(The numbering is real — these are the four service lines, indexed as a system.)

Right — intro (max-w-xs sm:text-right, delay 300), text-lg sm:text-xl leading-relaxed text-[#F2F3F5]: > Zyrn builds the operating core of modern firms — people, structure, and intelligence as one system.

Bottom row (flex-col gap-8 → md:flex-row items-end justify-between):

Left: 1. Badge, delay 150: border-l-2 border-[#F2F3F5] pl-3 py-1.5 (no background fill), mono text-[11px] uppercase tracking-[0.16em] text-[#F2F3F5]/80: BY REFERRAL — 04 SEATS / Q3 2. H1 lockup, delay 280: <ZyrnShear progress={shearProgress} /> at text-5xl sm:text-6xl lg:text-7xl equivalent size, followed on the next line by static text Organizations, engineered. in Space Grotesk 400 text-xl sm:text-2xl text-[#F2F3F5]/85 mt-5 tracking-[-0.01em].

Right — **Access Card** (replaces the portrait card), delay 420: - Container: w-full max-w-xs rounded-lg border border-[rgba(242,243,245,0.08)] bg-[#0E0F12]/60 backdrop-blur-[2px] p-5 - Row 1: mono label NEXT INTAKE (Steel) + right-aligned mono Q3 — 2026 (Vapor) - Hairline divider my-4 - Row 2: four small squares in a row (h-1.5 w-1.5 rounded-[1px]) — three in #F2F3F5/25, one in Pulse with animate-pulse — beside mono text 01 OF 04 SEATS OPEN (Steel). *(This pulsing square + the H1 seam are the same viewport — the seam is the accent; make the seat square #F2F3F5 at rest and Pulse only on card hover to respect one-Pulse.)* - Button mt-4: Request access + lucide ArrowUpRight size14 — w-full justify-center rounded-[4px] bg-[#F2F3F5] px-4 py-2.5 text-xs font-medium text-[#0E0F12] hover:bg-[#F2F3F5]/85 transition-colors duration-300 inline-flex items-center gap-1.5

Mid spacer

div h-[80vh] aria-hidden. Do not remove — it is the scrub runway between sections.

Section Two — Capability

Same full-viewport flex justify-between shell.

Top row: - Left badge, delay 120: left-accent style as hero badge: SYS.02 — INTELLIGENCE LAYER - Right copy, delay 220 (max-w-sm sm:text-right, text-lg sm:text-xl leading-relaxed text-[#F2F3F5]): > Zyrn doesn't advise from the outside. It installs the system and stays until it runs.

Bottom area (flex-1 justify-end, flex-col gap-12 → md:flex-row items-end justify-between gap-16):

Left column (max-w-xl): 1. H2, delay 180, text-5xl sm:text-6xl lg:text-7xl font-normal leading-[1.05] tracking-[-0.01em] text-[#F2F3F5]:

Built once.
Runs itself.

2. Body, delay 320 (mt-6 max-w-md text-sm sm:text-base text-[#F2F3F5]/70): > From org chart to inference layer, Zyrn turns how a firm works into something engineered — measured, versioned, and improving on its own.
3. CTAs, delay 420 (mt-8 flex flex-wrap gap-3):

- Primary: Request access + ArrowUpRight14 — rounded-[4px] bg-[#6E56F8] px-5 py-2.5 text-xs sm:text-sm font-medium text-white hover:bg-[#7d67f9] transition-colors duration-300 (*this is Section Two's single Pulse*)
- Secondary: Read the system doc — rounded-[4px] border border-[rgba(242,243,245,0.15)] px-5 py-2.5 text-xs sm:text-sm text-[#F2F3F5] hover:bg-[#F2F3F5]/5 transition-colors duration-300

Right — capability panel: w-full max-w-md rounded-lg border border-[rgba(242,243,245,0.08)] bg-[#0E0F12]/60 backdrop-blur-[2px] px-5 sm:px-6

Three rows, dividers border-b border-[rgba(242,243,245,0.08)] except last, each flex gap-5 py-5, delay 300 + i*110:

Index	Title	Body
SYS.02a	Diagnostic core	Reads how the organization actually runs — roles, flows, and friction — before touching anything.
SYS.02b	Structural rebuild	Redesigns the operating model so people, process, and AI hold load in the right places.
SYS.02c	Live calibration	Instruments the new system and tunes it against real output, quarter over quarter.

- Index: mono text-[11px] tracking-[0.16em] text-[#767E8C]
- Title: text-base sm:text-lg font-medium text-[#F2F3F5] + lucide ArrowUpRight16 (text-[#F2F3F5]/40, group-hover: translate-x-0.5 - translate-y-0.5 text-[#F2F3F5], transition 300ms)
- Body: mt-1.5 text-sm leading-relaxed text-[#F2F3F5]/60

Footer

Hairline-top strip, flex justify-between items-center py-5, same horizontal rhythm, mono text-[10px] tracking-[0.16em] text-[#767E8C]: - Left: <ZyrnMark size={14} /> + ZYRN — EST. 2026 - Center (hidden md:block): AMM 31.95°N / 35.93°E - Right: V.1.0 / EN — AR

Interactions / motion checklist

1. Scroll scrub maps page scroll — video timeline, lerp 0.08, with 4% push-in parallax
2. Hero wordmark shears with first 220px of scroll and latches sheared (one-way)

3. Nav logo self-shears 300ms after mount
 4. ScrollReadout rail: live 3-digit percentage + Pulse progress fill (desktop)
 5. Clip-reveal fade-ups on viewport entry, 700ms, per-element delays
 6. Button/link transitions duration-300; capability arrows nudge diagonally on hover
 7. Poster → video → canvas crossfades duration-500
 8. prefers-reduced-motion: shear static at 1, reveals static, parallax off, scrub position-only
 9. No looping autoplay anywhere
-

Responsive rules

- Nav links hidden below md; ScrollReadout hidden below lg; HairlineGrid hidden below md; coordinates label hidden below xl
 - Hero and Section Two stack vertically on mobile, side-by-side from sm/md as specified
 - min-h-screen plus supports-[height:100svh]:min-h-[100svh]
 - Touch: video playsInline + muted
 - Mobile nav shows <ZyrnMark /> instead of full wordmark below sm
-

Do not

- Do not use white frosted-glass chips (bg-white/15 backdrop-blur-md) anywhere — Obsidian veils with hairlines only
 - Do not let Pulse #6E56F8 appear more than once per viewport
 - Do not shear anything except the ZyrnShear / ZyrnMark components
 - Do not replace Space Grotesk / IBM Plex Mono
 - Do not add gradients (except the two Obsidian video-edge fades), glows, or noise overlays
 - Do not use exclamation marks or superlatives anywhere in copy
 - Do not show faces or stock portraits
 - Do not remove the 80vh spacer
 - Do not type ZYRN as plain text in nav, hero, or footer
-

Acceptance

Top of page: hairline nav with self-shearing logo + indexed service list + intro + aligned ZYRN wordmark over the treated scroll video, referral badge and Access Card in place. First scroll gesture: the wordmark shears apart, Pulse seam draws, and latches — while the video begins scrubbing and the right-rail readout counts. After the spacer: SYS.02 badge, “Built once. Runs itself.”, dual CTAs with a single Pulse button, three-row capability panel. Footer stamp with coordinates and version. Every viewport shows exactly one Pulse element. Visual match to this spec at localhost:5199.