






TABEL UJI FUNGSIONALITAS

“Implementasi Sistem Otomasi Respon Insiden Web Defacement dan Denial of Service (Studi Kasus: Badan Pangan CSIRT)”


Test ID	Test Case (Skenario Uji)	Hasil yang Diharapkan	Status (S/TS)	Bukti Tangkapan Layar
UF.01	Melakukan <i>scanning</i> terhadap Agent dan memeriksa <i>alert/log</i> yang masuk ke Wazuh	Wazuh berhasil menerima dan menampilkan <i>alert/log</i> dari Agent.	S	 The screenshot displays two parts of the evidence. The top part is a terminal window showing an Nmap scan command and its output for IP 172.20.10.114. The output indicates that the host is up, 998 ports are closed, and two ports (22/tcp for ssh and 80/tcp for http) are open. The scan was completed in 0.17 seconds. The bottom part is a screenshot of the Wazuh dashboard. It shows a search for alerts related to the agent IP 172.20.10.114, resulting in 19,865 hits. A bar chart shows the distribution of alerts over time. Below the chart, a table lists several alerts, all with a severity of 'High' and a status of 'New'. The alerts are related to Nmap scans from the agent IP to the Wazuh server (172.28.10.114) on ports 581, 400, and 80, all resulting in error codes (501, 400, and 400 respectively).

UF.02	Membuat <i>workflow</i> sederhana dan menjalankannya di Shuffle	Shuffle berhasil menyimpan dan menjalankan <i>workflow</i>	S	
UF.03	Mengimpor <i>workflow</i> baru berformat JSON di Shuffle	Shuffle berhasil menambahkan <i>workflow</i> menggunakan file JSON	S	







UF.04	Mengunduh <i>workflow</i> dalam format JSON di Shuffle	Shuffle berhasil mengunduh (<i>export</i>) <i>workflow</i> dalam format JSON	S	 The screenshot displays the 'Org Workflows' interface. At the top, there are tabs for 'Org Workflows', 'My Workflows', 'Discover Workflows', and 'Org Forms'. Below these is a search bar labeled 'Filter Workflows' and a dropdown menu for 'All Categories'. A large modal dialog is centered on the screen, asking 'Want to auto-sanitize this workflow before exporting?'. It explains that this will make potentially sensitive fields like username, password, and URL empty. There are 'YES' and 'NO' buttons. Below the dialog, a 'Recent download history' notification shows a file named 'testing.json' (31.3 KB) with a status of 'Done'.
-------	--	--	---	---


UF.05	Melakukan pencarian informasi ancaman tentang suatu IoC (<i>attribute</i>) di MISP	MISP berhasil menampilkan informasi hasil pencarian IoC yang diberikan	S	Search Attribute You can search for attributes based on contained expression within the value, event ID, submitting organisation, category and type. For the value, event ID and organisation, you can enter several search terms by entering each term as a new line. To exclude things from a result, use the NOT operator (!) in front of the term. For string searches (such as searching for an expression, tags, etc) - lookups are simple string matches. If you want a substring match encapsulate the lookup string between % characters. Containing the following expressions 124089995494be38d866de08c12f99ef Having tag or being an attribute of an event having the tag Being attributes of the following event IDs, event UUIDs or attribute UUIDs From the following organisation(s) Type md5 Category ALL ☐ Only find IOCs flagged as to IDS First seen and Last seen Attributes not having first seen or last seen set might not appear in the search First seen date Last seen date First seen time Last seen time Expected format: HH:MM:SS.ssssss+TT:TT Expected format: HH:MM:SS.ssssss+TT:TT Search Attributes < previous next > Search <table><tr><th>Date</th><th>Event</th><th>Org</th><th>Category</th><th>Type</th><th>Value</th><th>Tags</th><th>Galaxies</th><th>Comment</th><th>Related</th><th>Feed</th><th>IDS</th><th>Distribution</th><th>Sightings</th><th>Activity</th><th>Actions</th></tr><tr><td>2015-07-28</td><td>1</td><td>CiHuZuSPMLbe</td><td>Payload delivery</td><td>md5</td><td>124089995494be38d866de08c12f99ef</td><td></td><td></td><td>Imported via the freest import.</td><td>☒</td><td>1390 34</td><td></td><td>☒ Inherit event</td><td></td><td></td><td></td></tr><tr><td>2015-06-06</td><td>34</td><td>CiHuZuSPMLbe</td><td>Artifacts dropped</td><td>md5</td><td>124089995494be38d866de08c12f99ef</td><td></td><td></td><td>Sikula malware</td><td>☒</td><td>1390 1</td><td></td><td>☒ Inherit event</td><td></td><td></td><td></td></tr><tr><td>2016-02-23</td><td>1390</td><td>CUDESQ</td><td>Artifacts dropped</td><td>md5</td><td>124089995494be38d866de08c12f99ef</td><td></td><td></td><td></td><td>☒</td><td>34 1</td><td></td><td>☒ Inherit event</td><td></td><td></td><td></td></tr></table> < previous next >	Date	Event	Org	Category	Type	Value	Tags	Galaxies	Comment	Related	Feed	IDS	Distribution	Sightings	Activity	Actions	2015-07-28	1	CiHuZuSPMLbe	Payload delivery	md5	124089995494be38d866de08c12f99ef			Imported via the freest import.	☒	1390 34		☒ Inherit event				2015-06-06	34	CiHuZuSPMLbe	Artifacts dropped	md5	124089995494be38d866de08c12f99ef			Sikula malware	☒	1390 1		☒ Inherit event				2016-02-23	1390	CUDESQ	Artifacts dropped	md5	124089995494be38d866de08c12f99ef				☒	34 1		☒ Inherit event			
Date	Event	Org	Category	Type	Value	Tags	Galaxies	Comment	Related	Feed	IDS	Distribution	Sightings	Activity	Actions																																																					
2015-07-28	1	CiHuZuSPMLbe	Payload delivery	md5	124089995494be38d866de08c12f99ef			Imported via the freest import.	☒	1390 34		☒ Inherit event																																																								
2015-06-06	34	CiHuZuSPMLbe	Artifacts dropped	md5	124089995494be38d866de08c12f99ef			Sikula malware	☒	1390 1		☒ Inherit event																																																								
2016-02-23	1390	CUDESQ	Artifacts dropped	md5	124089995494be38d866de08c12f99ef				☒	34 1		☒ Inherit event																																																								


UF.06	Menambahkan IoC (<i>attribute</i>) ke dalam suatu <i>event</i> di MISP	MISP berhasil menerima masukan IoC(<i>attribute</i>) baru dan informasi ancaman yang diunggah	S	 The screenshot shows the 'Add Attribute' modal in MISP. The 'Category' is set to 'Payload type' and the 'Type' is 'text'. The 'Distribution' is set to 'Inherit event'. The 'Value' field contains 'lockbit.exe'. Below the value field is a 'Contextual Comment' field and several checkboxes: 'Batch import', 'For Intrusion Detection System', and 'Disable Correlation'. There are also fields for 'First seen date', 'Last seen date', 'First seen time', and 'Last seen time'. At the bottom of the modal are 'Submit' and 'Cancel' buttons. Below the modal, a portion of the MISP interface is visible, showing a table of events. The table has columns for Date, Context, Category, Type, Value, Tags, Galaxies, Comment, Correlate, Related Events, Feed hits, IDS, Distribution, Sightings, Activity, and Actions. The first row shows an event with Date '2025-08-06', Context 'cc3...t5e', Category 'Payload type', Type 'text', and Value 'lockbit.exe'.
-------	--	---	---	--


UF.07	Membuat <i>case</i> insiden baru di DFIR IRIS	DFIR IRIS berhasil membuat <i>case</i> insiden baru	S	Create a new case × Fields with an asterisk are required. Access to the case can be granted to other users once the case is created. Users pertaining to the customer will be able to see the case by default. Analyst01 Case name * New Case Ransomware Select case template Malicious-Code: Ransomware Short description * deskripsi SOC ticket ID Create  That's done ! Case has been successfully created Go to dashboard Switch to newly created case
-------	---	---	---	--



UF.08	Mengubah deskripsi <i>case</i> dan menambahkan informasi IoC ke <i>case</i> insiden di DFIR IRIS	DFIR IRIS berhasil memperbarui dan memperkaya <i>case</i> insiden	S	
UF.09	Menutup suatu <i>case</i> insiden pada DFIR IRIS	DFIR IRIS berhasil menutup <i>case</i> insiden	S	

				
UF.10	Melakukan simulasi insiden <i>web defacement</i> dan upaya penyerangan ke Agent	Sistem berhasil mengambil <i>alert</i> insiden <i>web defacement</i> dari Wazuh sebagai <i>workflow trigger</i>	S	

				
UF.11		Sistem berhasil mengirimkan notifikasi insiden <i>web defacement</i> ke Telegram secara otomatis	S	Incident Notification - Badan Pangan CSIRT 2 members August 10 Unread messages NFA IR-SOC Lab Wazuh Alert Detected (#1754797068.21040) Description: Web Defacement Attack Detected: /var/www/html/makaryo/index.html Severity Level: 12 Agent: LAB_Ubuntu Timestamp: 2025-08-10T03:37:48.802+0000 Rule ID: 100002 Category: ['aggregation', 'customweb', 'attack', 'defacement', 'custom'] Mohon ditinjau segera. 10:38 AM



UF.12		Sistem berhasil membuat <i>case</i> insiden <i>web defacement</i> pada DFIR IRIS secara otomatis	S	 #271 - Wazuh Alert: Web Defacement Attack Detected: /var/www/html/makaryo/index.html on LAB_Ubuntu Open on 2025-08-10 by administrator Owned by administrator Low Unknown Customer: Analyst01 SOC ID: SOC-NFA Manage Processors Pipelines Request review Generate report Activity report Case summary Changes saved Last synced: 11:02:34 AM Edit Refresh Sebuah alert telah diterima dari sistem deteksi (Wazuh/Suricata) dan sedang dalam proses analisis lebih lanjut. Informasi awal: - Agent: LAB_Ubuntu - Waktu: 2025-08-10T03:37:48.802+0000 - Severity: 12 - Deskripsi Rule: Web Defacement Attack Detected: /var/www/html/makaryo/index.html - Kategori: ['aggregation', 'customweb', 'attack', 'defacement', 'custom'] *Case ini dibuat secara otomatis untuk kebutuhan triase dan investigasi awal. Berhasil membuat Case Insiden (Alert ID #1754797068.21040) pada DFIR IRIS. Case Name: #271 - Wazuh Alert: Web Defacement Attack Detected: /var/www/html/makaryo/index.html on LAB_Ubuntu Case ID: 271 Created Date: 2025-08-10 👉 Mohon ditindaklanjuti segera. 10:38 AM
-------	--	---	---	---



UF.13		Sistem berhasil mendapatkan informasi IoC dari Virustotal secara otomatis	S	 The screenshot displays a 'Filehash Analysis' interface with a dark theme. At the top, there's a blue icon and the title 'Filehash Analysis' with a subtitle 'get_a_hash_report_'. Below this, a JSON report is shown with expandable sections. The 'Results for Filehash_Analysis' section is expanded, showing a status of 200 and a body containing one item. This item's 'data' section is also expanded, showing a file type and a link to the Virustotal website. The file ID is 'ff9eb9db7fdd47778365de2daea05a'.
-------	--	---	---	--


UF.14		Sistem berhasil memperbarui <i>case</i> insiden <i>web defacement</i> pada DFIR IRIS secara otomatis	S	
UF.15	Memberikan <i>user input</i> untuk melanjutkan <i>workflow</i> respon insiden <i>web defacement</i> otomatis	Sistem berhasil mengirimkan perintah respon insiden <i>web defacement</i> secara otomatis ke Agent	S	

				 Response run_subflow ⊖ "Results for Response" : { 4 items "success" : true "execution_id" : "9a89174f-55ba-41dc-956d-3383fd195ac0" "authorization" : "d5a53654-6525-4070-99c8-82a924db39ec" "result" : { 3 items "success" : "true" "output" : "" "error_logs" : "" } } } 
--	--	--	--	---



UF.16		Sistem berhasil menambahkan atau mengirimkan informasi insiden (IoC) ke MISP secara otomatis	S	Web Defacement Attack Detected: /var/www/html/makaryo/index.html Event ID1814 UUID575796f0-bd25-40aa-bc76-ad7f8b053e0 Creator orgORGNAME Owner orgORGNAME Creator useradmin@admin.test Protected Event (experimental)Event is in unprotected mode. Switch to protected mode Tags Date2025-08-06 Threat LevelLow AnalysisOngoing DistributionThis community only Warnings Contextualisation: Your event has neither tags nor galaxy clusters attached - generally adding context to an event allows for quicker decision making and more accurate filtering, it is highly recommended that you label your events to the best of your ability. PublishedNo #Attributes1 (0 Objects) First recorded change2025-08-08 07:53:02 Last change2025-08-08 07:53:02 Modification map Sightings0 (0) - restricted to own organisation only → Photos → Galaxy → Event graph → Event timeline → Correlation graph → Galaxy matrix → Event reports → Attributes → Discussion 1814: Web Deface... Related Events Order by date Web Defacement Attack Detected: /var/www/html/makaryo/index.html2025-08-061
-------	--	--	---	--

UF.18		Sistem berhasil mengirimkan laporan respon insiden ke Telegram	S											
UF.19	Melakukan simulasi insiden <i>denial of service</i> dan upaya penyerangan ke Agent	Sistem berhasil mengambil <i>alert</i> insiden <i>denial of service</i> dari Wazuh sebagai <i>workflow trigger</i>	S	 <table border="1"> <thead> <tr> <th>Time</th> <th>agent.ip</th> <th>agent.name</th> <th>full_log</th> <th>rule.description</th> </tr> </thead> <tbody> <tr> <td>Aug 18, 2025 @ 12:10:28.878</td> <td>172.28.18.114</td> <td>LAB_Ubuntu</td> <td>172.28.18.112 - - [18/Aug/2025:05:10:27 +0000] "GET / HTTP/1.1" 400 409 491 "TESTING_PURPOSES_ONLY" Mozilla/5.0 (Macintosh; Intel Mac OS X 10.9; rv:27.0) Gecko/20100101 Firefox/27.0 AppleWebKit/533.21.1 (KHTML, like Gecko) Version/5.0.5 Safari/533.21.1</td> <td>DoS Attack Detected on Web Server</td> </tr> </tbody> </table>	Time	agent.ip	agent.name	full_log	rule.description	Aug 18, 2025 @ 12:10:28.878	172.28.18.114	LAB_Ubuntu	172.28.18.112 - - [18/Aug/2025:05:10:27 +0000] "GET / HTTP/1.1" 400 409 491 "TESTING_PURPOSES_ONLY" Mozilla/5.0 (Macintosh; Intel Mac OS X 10.9; rv:27.0) Gecko/20100101 Firefox/27.0 AppleWebKit/533.21.1 (KHTML, like Gecko) Version/5.0.5 Safari/533.21.1	DoS Attack Detected on Web Server
Time	agent.ip	agent.name	full_log	rule.description										
Aug 18, 2025 @ 12:10:28.878	172.28.18.114	LAB_Ubuntu	172.28.18.112 - - [18/Aug/2025:05:10:27 +0000] "GET / HTTP/1.1" 400 409 491 "TESTING_PURPOSES_ONLY" Mozilla/5.0 (Macintosh; Intel Mac OS X 10.9; rv:27.0) Gecko/20100101 Firefox/27.0 AppleWebKit/533.21.1 (KHTML, like Gecko) Version/5.0.5 Safari/533.21.1	DoS Attack Detected on Web Server										


UF.20		Sistem berhasil mengirimkan notifikasi insiden <i>denial of service</i> ke Telegram secara otomatis	S	
UF.21		Sistem berhasil membuat <i>case</i> insiden <i>denial of service</i> pada DFIR IRIS secara otomatis	S	


				
UF.22		Sistem berhasil mendapatkan informasi IoC dari Virustotal secara otomatis	S	

				 The screenshot displays a mobile application interface titled "Details" at the top. Below the title is a blue square icon with a white 'X' and the text "IP Analysis" followed by "get_an_ip_address_report". The main content area shows a JSON response for "Results for IP_Analysis". The JSON structure includes a "status" of 200, a "body" containing a "data" array with one item (id: "172.20.10.112", type: "ip_address"), and a "links" object with a "self" URL pointing to "https://www.virustotal.com/". Other fields like "attributes", "url", "headers", "cookies", and "success" (true) are also visible. The interface has a dark theme with orange and white text. A small orange square icon with a white 'G' is in the bottom right corner of the screenshot.
--	--	--	--	--

UF.23		Sistem berhasil memperbarui <i>case</i> insiden <i>denial of service</i> pada DFIR IRIS secara otomatis	S	 The screenshot shows a security dashboard interface. At the top, there's a navigation bar with tabs: Summary, Notes, Assets, IOC, Timeline, Graph, Tasks, Evidence. Below this, a search bar is visible. The main content area is titled 'Basic Enrichment with Virustotal (Case ID #273)'. It displays a list of analysis results with columns for Malicious, Suspicious, Undetected, and Harmless. The results show that the file is not malicious, suspicious, or harmful, but it is undetected. A note at the bottom indicates that the evidence can be viewed on the target machine.
UF.24	Memberikan <i>user input</i> untuk melanjutkan <i>workflow</i> respon insiden <i>denial of service</i> otomatis	Sistem berhasil mengirimkan perintah respon insiden <i>denial of service</i> secara otomatis ke Agent	S	 The screenshot shows a chat interface with a green header. The main content area contains a message asking if the workflow should be continued for the incident response. Below the message, there are two buttons: 'Lanjutkan Workflow' (Continue Workflow) and 'Hentikan Workflow' (Stop Workflow). At the bottom, there is a footer with the text 'Hubungi kami apabila ada masalah dengan pesan ini.' and a timestamp '12:11 PM'.

				Details Response run_subflow ⊖ "Results for Response" : { 4 items "success" : true "execution_id" : "b77ec9a1-07b3-4426-85c9-7f0451060ce6" "authorization" : "9bf401d0-4075-4e3c-af3e-500c7b7ac603" "result" : { 3 items "success" : "true" "output" : "" "error_logs" : "" } } Berhasil menjalankan respon insiden Denial of Service - Blok IP Source menggunakan Iptables - Restart Web Server 12:17 PM
--	--	--	--	---

UF.25		Sistem berhasil menambahkan atau mengirimkan informasi insiden (IoC) ke MISP secara otomatis	S	
-------	--	--	---	--

UF.27		Sistem berhasil mengirimkan laporan respon insiden ke Telegram	S	
-------	--	--	---	---

Keterangan:

S = Sesuai

TS = Tidak Sesuai