

NATIONAL REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

22B & 23B, Pushpam Complex, Vibgyor High School Rd, Thubarahalli, Munnekollal, Bengaluru, Karnataka 560066 +91784-782-4444

14/07/2021 12:47:34

14/07/2021 12:56:13

: Santosh Shah Name

Billing Date Sample Collected on : 56 Yrs

Sex : Female Sample Received on 14/07/2021 15:29:50 15/07/2021 12:32:02 P. ID No. : P984056842 Report Released on

: 99642702814510 Barcode No. 9608874 **Accession No**

Referring Doctor: SELF

Referred By

Age

Report Status - Final

Unit **Test Name** Result **Biological Ref. Interval**

MOLECULAR DIAGNOSTICS

COVID-19 Virus Qualitative RT PCR

* Covid - 19

Not Detected

COVID-19 Virus Qualitative RT PCR

Clinical Significance:

RESULT	Interpretation
DETECTED	RNA specific to SARS-CoV-2 Detected
NOT DETECTED	RNA specific to SARS-CoV-2 NOT detected
INCONCLUSIVE	A repeat testing on fresh sample is recommended

- 1. Negative result does not rule out the possibility of Covid-19 infection. Presence of inhibitors, mutations & insufficient RNA specific to SARS-CoV-2 can influence the test result. Kindly correlate the results with clinical findings.
- 2. Test conducted on Nasal & Throat Swab Samples
- 3. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease.
- 4. Kindly consult referring Physician / Authorized hospitals for appropriate follow up.
- 5. Covid-19 Test conducted as per kits approved by ICMR / CE-IVD / USFDA.
- 6. LOD of assay: 10 GCE (Genomic copy equivalants)/Reaction
- 7. Target genes specific for SARS -CoV-2 included in the assay are: N, S & ORF1ab
- 8.. ICMR Registration number for Covid -19 is PATHKINDG001

* Marked tests are processed in our companion laboratories

** End of Report**

Dr. Gautam Bhatia

MBBS, MD (Pathology) **Pathologist**

The Test/s market with (#) is are not accredited by NABL $\frac{19012000007460}{1}$









