

Incident Investigation Report

R.I.S.K. Company CTF 2026 Internship Challenge

Blue Team Investigation Report

Candidate Name: RISHA GUPTA
Role: SOC Analyst Intern Candidate
Date: 05 July 2026

Blue Team Task 1

File Name: `attack.pcap`

Objective

The main objective of this investigation was to check the network traffic and identify the attacker's activities before the Windows machine was compromised.

Attacker and Victim Information


Attacker IP

10.10.14.7

Victim IP

10.10.14.22

The attacker (10.10.14.7) sent multiple HTTP requests to the victim web server (10.10.14.22).



Step 1 – Directory Enumeration

The first activity observed in the PCAP was directory enumeration.

The attacker used **Gobuster** for finding hidden directories.

Evidence:

User-Agent: gobuster/3.6

Directories requested:

```


/admin
/backup
/uploads
/includes
/.git
/portal
/config
/db
/old
/dev
/robots.txt
/login

```

Explanation

This shows that the attacker was searching for hidden folders and sensitive files on the web server.

This phase is called **Reconnaissance (Enumeration)**.



Step 2 – Server Responses

Different HTTP status codes were received.

200 OK

The following resources were accessible.

/uploads

/portal

/login

/backup/passwd.txt

/.git/HEAD

Meaning:

The server allowed access to these resources.

attack.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp.stream eq 12

No.	Time	Source	Destination	Protocol	Length	Info
61	0.023675	10.10.14.7	10.10.14.22	TCP		
62	0.024000	10.10.14.22	10.10.14.7	TCP		
63	0.024346	10.10.14.7	10.10.14.22	TCP		
64	0.024796	10.10.14.7	10.10.14.22	HTTP		
65	0.025232	10.10.14.22	10.10.14.7	HTTP		

> Frame 64: Packet, 219 bytes on wire (1752 bits), 219 bytes captured
> Ethernet II, Src: VMware_aa:bb:cc (00:0c:29:aa:bb:cc), Dst: VMware
> Internet Protocol Version 4, Src: 10.10.14.7, Dst: 10.10.14.22
> Transmission Control Protocol, Src Port: 44012, Dst Port: 80, Seq:
> Hypertext Transfer Protocol

Wireshark - Follow TCP Stream (tcp.stream eq 12) - attack.pcap

```
GET /backup/passwd.txt HTTP/1.1
Host: 10.10.14.22
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36
Accept: */*
Connection: keep-alive

HTTP/1.1 200 OK
Server: Microsoft-IIS/10.0
Content-Type: text/html
Content-Length: 68

j.kucinskis:Latvia2024!
a.allazov:changeme
svc_deploy:P@ndaDeploy#1
```

1 client pkt, 1 server pkt, 1 turn.

Entire conversation (325 bytes) Show as ASCII No delta times Stream 12

Find:

attack.pcap Packets: 85 - Displayed: 5 (5.9%) Profile: Default 14:32 05-07-2026

attack.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp.stream eq 11

No.	Time	Source	Destination	Protocol	Length	Info
56	0.021732	10.10.14.7	10.10.14.22	TCP		
57	0.022018	10.10.14.22	10.10.14.7	TCP		
58	0.022292	10.10.14.7	10.10.14.22	TCP		
59	0.022822	10.10.14.7	10.10.14.22	HTTP		
60	0.023292	10.10.14.22	10.10.14.7	HTTP		

> Frame 60: Packet, 187 bytes on wire (1496 bits), 187 bytes captured
> Ethernet II, Src: VMware_11:22:33 (00:0c:29:11:22:33), Dst: VMware
> Internet Protocol Version 4, Src: 10.10.14.22, Dst: 10.10.14.7
> Transmission Control Protocol, Src Port: 80, Dst Port: 44011, Seq:
> Hypertext Transfer Protocol
> Line-based text data: text/html (1 lines)

Wireshark - Follow TCP Stream (tcp.stream eq 11) - attack.pcap

```
GET /login HTTP/1.1
Host: 10.10.14.22
User-Agent: gobuster/3.6
Accept: */*
Connection: keep-alive

HTTP/1.1 200 OK
Server: Microsoft-IIS/10.0
Content-Type: text/html
Content-Length: 41

<html><body><h1>200 OK</h1></body></html>
```

1 client pkt, 1 server pkt, 1 turn.

Entire conversation (238 bytes) Show as ASCII No delta times Stream 11

Find:

attack.pcap Packets: 85 - Displayed: 5 (5.9%) Profile: Default 14:34 05-07-2026


301 Moved Permanently

/backup

/.git

Meaning:

These directories exist but redirect to another location.



401 Unauthorized

/portal/login

Observed multiple times.

Meaning:

The attacker attempted to access the login page but authentication failed.

403 Forbidden


/admin

/config

/includes

Meaning:

The directories exist but the attacker did not have permission.



404 Not Found

/db

Meaning:

Requested resource was not found.

Step 3 – Sensitive File Exposure

One of the most important findings was:

```
GET /backup/passwd.txt
```

Response:

```
HTTP/1.1 200 OK
```

Contents:

```
j.kucinskis : Latvia2024!  
a.allazov : changeme  
svc_deploy : P@ndaDeploy#1
```

Explanation

The attacker discovered a backup file containing usernames and passwords.

This is a serious security issue because these credentials could be used for unauthorized access.

This stage represents **Credential Access**.

Step 4 – Git Repository Exposure

The attacker requested

```
GET /.git/HEAD
```

Response:

```
HTTP/1.1 200 OK
```


Returned:

```
ref: refs/heads/master
```

Explanation

This confirms that the web server exposed its Git repository.

An exposed `.git` folder can reveal a source code, configuration files, passwords, and sensitive information.



Step 5 – Login Attempt

The attacker accessed

```
GET /portal/login
```

Response

```
HTTP/1.1 401 Unauthorized
```

Another response:

```
{
  "user": "administrator",
  "result": "invalid credentials"
}
```

Another response:

```
{
  "user": "root",
  "result": "invalid credentials"
}
```

Explanation

The attacker attempted to log in using different usernames.

The login was unsuccessful.

Step 6 – No Malware Download

Searches performed:

`.exe`

`.zip`

`.ps1`

No matching packets were found.

Conclusion

No malware download was observed in the network capture.

Step 7 – No HTTP POST Requests

Filter used

`http.request.method == "POST"`

Result

No packets found.

Conclusion

No HTTP POST login or file upload request was observed.

Step 8 – No DNS Traffic

Filter

`dns`

No packets found.

Conclusion

No DNS traffic was captured.

Step 9 – No SMB Traffic

Filters

smb

smb2

No packets found.

Conclusion

No SMB communication was observed.

Summary of Attacker Activity

I found that the attacker first used Gobuster to check different folders on the target web server. Some folders like `/backup`, `/.git`, and `/portal` were accessible. The attacker then opened the file `/backup/passwd.txt`, which contained usernames and passwords in plain text. I also found that the Git repository was exposed through `/.git/HEAD`. After collecting this information, the attacker tried to access the portal login page, but the server returned **401 Unauthorized**, so the login was not successful. During the network traffic analysis, I did not find any malware download, DNS traffic, SMB traffic, or HTTP POST requests.

Attack Stage Identified from Wireshark

Stage	Evidence
Reconnaissance	Gobuster directory enumeration
Enumeration	Hidden directories discovered
Credential Access	<code>/backup/passwd.txt</code> exposed
Information Disclosure	<code>/.git/HEAD</code> exposed
Login Attempt	<code>/portal/login</code> (401 Unauthorized)

Final Conclusion

I analyzed the `attack.pcap` file in Wireshark and found that the attacker (10.10.14.7) started by scanning the target web server (10.10.14.22) with Gobuster to look for hidden directories. The attacker discovered an exposed backup file (`/backup/passwd.txt`) that contained usernames and passwords. I also found that the `.git` directory was accessible, which could expose sensitive project information. The attacker later tried to access the portal login page, but every attempt returned **401 Unauthorized**. I did not find any evidence of malware downloads, file uploads, DNS requests, SMB traffic, or successful login through the web application in the captured network traffic.

Windows Event Viewer Investigation Report

File Analyzed

File Name: CTF-AttackTimeline.evtx

Objective

The objective of this investigation was to analyze the Windows event logs and identify the attacker's activities after gaining access to the system.

Step 1 – Failed Login Attempts

The first suspicious activity I found was multiple failed login attempts.

Event ID: 4625



Evidence

- Username: **j.kucinskis**
- Source IP: **10.10.14.7**
- Workstation: **kali**
- Logon Type: **10 (Remote Desktop)**
- Around **14 failed login attempts** were recorded.

I also found two failed login attempts for the **guest** account.

Explanation

This shows that someone from the Kali machine repeatedly tried to log in through Remote Desktop. Since there were many failed attempts before a successful login, this looks like a password guessing or brute-force attack.



Step 2 – Successful Login

After the failed attempts, I found a successful login event.


Event ID: 4624

Evidence

- Username: **j.kucinskis**
- Source IP: **10.10.14.7**
- Workstation: **kali**
- Logon Type: **10**

Explanation

This event confirms that the attacker successfully logged into the Windows machine through Remote Desktop using the **j.kucinskis** account.



Step 3 – Special Privileges Assigned

After the successful login, I found another event.

Event ID: 4672

Evidence

- Username: **j.kucinskis**
- Special privileges assigned to the new logon.

Explanation

This event shows that the logged-in session received Windows privileges. It is a normal event after some successful logins, but it is useful because it confirms the attacker was working in a privileged session.

Step 4 – System Discovery

Next, I checked the process creation events.

Event ID: 4688

I found several command prompt processes started by:

```
C:\Windows\System32\mstsc-hosted.exe
```

The commands executed were:

```
whoami /all
```

```
hostname
```

```
ipconfig /all
```

```
systeminfo
```

Explanation

These commands are commonly used to collect information about the system.

The attacker checked:

- Current logged-in user
- Computer name
- Network configuration
- Operating system information

This activity is part of the **Discovery** phase because the attacker was gathering information about the victim machine.

Event Viewer

File Action View Help

CTF-AttackTimeline Number of events: 5,210

Filtered: Log: file://C:\Users\hpl\Downloads\BlueTeamTask-1-1783201702532\Blue Team Task -1\CTF-AttackTimeline.evtx; Source: ; Event ID: 4688. Number of

Level	Date and Time	Source	Event ID	Task Category
Information	05-07-2026 02:32:24	CTF-AttackSim	4688	(1)
Information	05-07-2026 02:32:24	CTF-AttackSim	4688	(1)
Information	05-07-2026 02:32:24	CTF-AttackSim	4688	(1)
Information	05-07-2026 02:32:24	CTF-AttackSim	4688	(1)
Information	05-07-2026 02:32:24	CTF-AttackSim	4688	(1)

Event 4688, CTF-AttackSim

General Details

☒ Friendly View ☐ XML View

+ System

EventData

A new process has been created. NewProcessName: C:\Windows\System32\cmd.exe
CommandLine: whoami /all SubjectUserName: jkucinskis CreatorProcessName: C:\Windows\System32\mstsc-hosted.exe

Actions

CTF-AttackTimeline

- Open Saved Log...
- Create Custom View...
- Import Custom View...
- Filter Current Log...
- Clear Filter
- Properties
- Find...
- Save Filtered Log File As...
- Save Filter to Custom View...
- View
 - Delete
 - Rename
 - Refresh
 - Help
- Event 4688, CTF-AttackSim
 - Event Properties
 - Copy
 - Save Selected Events...
 - Refresh
 - Help

Type here to search

Rain warning

ENG 13:52 05-07-2026

Event Viewer

File Action View Help

CTF-AttackTimeline Number of events: 5,210

Filtered: Log: file://C:\Users\hpl\Downloads\BlueTeamTask-1-1783201702532\Blue Team Task -1\CTF-AttackTimeline.evtx; Source: ; Event ID: 4688. Number of

Level	Date and Time	Source	Event ID	Task Category
Information	05-07-2026 02:32:24	CTF-AttackSim	4688	(1)
Information	05-07-2026 02:32:24	CTF-AttackSim	4688	(1)
Information	05-07-2026 02:32:24	CTF-AttackSim	4688	(1)
Information	05-07-2026 02:32:24	CTF-AttackSim	4688	(1)
Information	05-07-2026 02:32:24	CTF-AttackSim	4688	(1)

Event 4688, CTF-AttackSim

General Details

☒ Friendly View ☐ XML View

+ System

EventData

A new process has been created. NewProcessName: C:\Windows\System32\cmd.exe
CommandLine: ipconfig /all SubjectUserName: jkucinskis CreatorProcessName: C:\Windows\System32\mstsc-hosted.exe

Actions


CTF-AttackTimeline

- Open Saved Log...
- Create Custom View...
- Import Custom View...
- Filter Current Log...
- Clear Filter
- Properties
- Find...
- Save Filtered Log File As...
- Save Filter to Custom View...
- View
 - Delete
 - Rename
 - Refresh
 - Help
- Event 4688, CTF-AttackSim
 - Event Properties
 - Copy
 - Save Selected Events...
 - Refresh
 - Help

Type here to search

6 cm of rain Thu

ENG 13:53 05-07-2026



Step 5 – Scheduled Task Created

I found a scheduled task creation event.

Event ID: 4698

Evidence

Task Name

`\Microsoft\Windows\PandaUpdater`

Command


`C:\Program Files\Panda.exe -persist`

Explanation

A scheduled task named **PandaUpdater** was created.

Based only on the available logs, I cannot confirm whether this task is malicious or part of legitimate software. However, because it uses the `-persist` argument, it may have been

created to maintain persistence on the system. More evidence would be needed to confirm this.



Step 6 – User Account Created

I found a new user account creation event.

Event ID: 4720

Evidence

Username

svc_helpdesk

Display Name

Backup Admin


Created by

SYSTEM

Explanation

A new account named **svc_helpdesk** was created.

The event shows that the account was created under the SYSTEM context. Based on the available logs, I cannot confirm whether this account was created by the attacker or by legitimate software. Additional investigation would be required.



Step 7 – Audit Log Cleared

The last important event I found was:

Event ID: 1102

Evidence

User

svc_helpdesk


Message

The audit log was cleared.

Note: partial clear attempt

Explanation

This event indicates that the Windows audit log was cleared or someone attempted to clear it. Clearing logs is commonly used to hide attacker activity by removing evidence from the system.



Timeline of Events

Order	Activity	Evidence
1	Multiple failed RDP login attempts	Event ID 4625
2	Successful RDP login	Event ID 4624
3	Special privileges assigned	Event ID 4672
4	System discovery commands executed	Event ID 4688
5	Scheduled task created	Event ID 4698
6	New user account created	Event ID 4720
7	Audit log cleared	Event ID 1102

Investigation Summary

During the Event Viewer investigation, I observed multiple failed RDP login attempts from the attacker IP **10.10.14.7** before a successful login to the **j.kucinskis** account. After logging in, the attacker executed several Windows commands such as `whoami`, `hostname`, `ipconfig`, and `systeminfo` to collect information about the system. I also found a scheduled task named **PandaUpdater**, a newly created account called **svc_helpdesk**, and an event showing that the Windows audit log was cleared. While the scheduled task and new account could indicate persistence, the available logs alone are not enough to confirm that they were created by the attacker. However, the audit log clearing event strongly suggests an attempt to remove forensic evidence after the activity on the system.

R.I.S.K. Internship SOC Lab Onboarding Investigation Report


BLUE TEAM TASK 3

1. Final Conclusion


During the investigation, I found that a phishing email was sent by using a trusted-looking sender name, but the actual sender domain was different. The email passed SPF and DKIM, but it failed DMARC because the sender domains did not match. The email contained a fake onboarding link and a ZIP attachment. One user (**candidate017**) clicked the phishing link, opened the ZIP file, extracted the URL files, and visited another suspicious website. Another user (**candidate044**) only visited the suspicious website but did not open the attachment. One email sent to **candidate121** was successfully quarantined before the user could interact with it. Based on all the collected evidence, **WIN-A017** is the first host that should be contained.

2. Screenshots


Screenshot 1: Email Authentication Results (SPF, DKIM and DMARC)



Screenshot 2: Actual URL extracted from the HTML email (href)



Screenshot 3: ZIP attachment name and SHA256 hash



Screenshot 4: Log filtering showing web proxy, DNS and EDR events

View - web_proxy_log.csv

File Edit View Help

timestamp	host	user	method	url	status	bytes_out	bytes_in	category	referrer	user_agent
2026-07-01T06:02:45Z	WIN-A017	candidate017	GET	https://risk.az.sso.training-access.test/secure/continue?tenant=RISK&case=A017,302,641,902,newly-observed-domain,,Mozilla/5.0	200			newly-observed-domain,,	Mozilla/5.0	Windows NT 10.0 Chrome/126
2026-07-01T06:02:46Z	WIN-A017	candidate017	GET	https://risk.az.sso.training-access.test/login?session=a017-s1,200,820,4218,newly-observed-domain,https://risk.az.sso.training-access.test/secure/continue?tenant=RISK&case=A017,Mozilla/5.0	200			newly-observed-domain,,	Mozilla/5.0	Windows NT 10.0 Chrome/126
2026-07-01T06:04:52Z	WIN-A044	candidate044	GET	https://risk.az.sso.training-access.test/secure/continue?tenant=RISK&case=A017B,302,637,978,newly-observed-domain,,Mozilla/5.0	200			newly-observed-domain,,	Mozilla/5.0	Windows NT 10.0 Edge/126
2026-07-01T06:06:51Z	WIN-A017	candidate017	GET	https://risk.az.documents.training-access.test/view/NDA-JUL2026-A017,200,711,3912,newly-observed-domain,file://C:/Users/candidate017/Downloads/document.url,Mozilla/5.0	200			newly-observed-domain,,	Mozilla/5.0	Windows NT 10.0 Chrome/126
2026-07-01T06:15:23Z	WIN-A017	candidate017	GET	https://www.risk.az/company/about/,200,702,11802,business,,Mozilla/5.0	200			business,,	Mozilla/5.0	Windows NT 10.0 Chrome/126
2026-07-01T06:17:01Z	WIN-A017	candidate017	GET	https://learning-platform.test/module/intro,200,688,8120,approved-training,,Mozilla/5.0	200			approved-training,,	Mozilla/5.0	Windows NT 10.0 Chrome/126

View - edr_alert_export.csv

File Edit View Help

timestamp	host	user	event_type	severity	file_name	file_path	parent_process	process_name	command_line	sha256
2026-07-01T06:05:23Z	WIN-A017	candidate017	archive_opened_from_email	medium	RISK_July2026_SOC_Lab_Onboarding_A017.zip	C:\Users\candidate017\Downloads\RISK_July2026_SOC_Lab_Onboarding_A017.zip	outlook.exe	explorer.exe	C:\Users\candidate017\Downloads\RISK_July2026_SOC_Lab_Onboarding_A017.zip,fa75833c71c0bbd24c36bfee03aacd670ddb8706cca8c9a3e67e6fde625bc9c	
2026-07-01T06:06:04Z	WIN-A017	candidate017	url_like_file_extracted	medium	lab_access_instructions.url	lab_access_instructions.url	explorer.exe	notepad.exe	lab_access_instructions.url	
2026-07-01T06:06:31Z	WIN-A017	candidate017	url_like_file_extracted	medium	NDA_July2026.pdf	lab_access_instructions.url	explorer.exe	notepad.exe	NDA_July2026.pdf	
2026-07-01T06:07:19Z	WIN-A017	candidate017	newly_observed_domain_after_email	high	https://risk.az.sso.training-access.test/login?session=a017-s1,		chrome.exe	chrome.exe	chrome.exe	https://risk.az.sso.training-access.test/login?session=a017-s1,
2026-07-01T06:10:02Z	WIN-A044	candidate044	newly_observed_domain_after_email	medium	https://risk.az.sso.training-access.test/secure/continue?tenant=RISK&case=A017B,		chrome.exe	chrome.exe	chrome.exe	https://risk.az.sso.training-access.test/secure/continue?tenant=RISK&case=A017B,
2026-07-01T06:16:31Z	WIN-A017	candidate017	known_business_domain_accessed	informational	https://www.risk.az/company/about/		chrome.exe	chrome.exe	chrome.exe	https://www.risk.az/company/about/

View - dns_proxy_log.csv

File Edit View Help

timestamp	host	user	query	answer	category	action	source
2026-07-01T06:02:44Z	WIN-A017	candidate017	risk.az.sso.training-access.test,203.0.113.88	newly-observed-domain,allowed	browser		
2026-07-01T06:03:12Z	WIN-A017	candidate017	sso.risk.az,192.0.2.25	business,allowed	browser		
2026-07-01T06:04:51Z	WIN-A044	candidate044	risk.az.sso.training-access.test,203.0.113.88	newly-observed-domain,allowed	browser		
2026-07-01T06:06:49Z	WIN-A017	candidate017	risk.az.documents.training-access.test,203.0.113.88	newly-observed-domain,allowed	file_extracted_url		
2026-07-01T06:09:07Z	WIN-A017	candidate017	risk.az.sso.training-access.test	newly-observed-domain,blocked	mail_security_rewrite		
2026-07-01T06:15:22Z	WIN-A017	candidate017	www.risk.az,192.0.2.25	business,allowed	browser		

View - edr_alert_export.csv

File Edit View Help

timestamp	host	user	event_type	severity	file_name	file_path	parent_process	process_name	command_line	sha256
2026-07-01T06:05:23Z	WIN-A017	candidate017	archive_opened_from_email	medium	RISK_July2026_SOC_Lab_Onboarding_A017.zip	C:\Users\candidate017\Downloads\RISK_July2026_SOC_Lab_Onboarding_A017.zip	outlook.exe	explorer.exe	C:\Users\candidate017\Downloads\RISK_July2026_SOC_Lab_Onboarding_A017.zip,fa75833c71c0bbd24c36bfee03aacd670ddb8706cca8c9a3e67e6fde625bc9c	
2026-07-01T06:06:04Z	WIN-A017	candidate017	url_like_file_extracted	medium	lab_access_instructions.url	lab_access_instructions.url	explorer.exe	notepad.exe	lab_access_instructions.url	
2026-07-01T06:06:31Z	WIN-A017	candidate017	url_like_file_extracted	medium	NDA_July2026.pdf	lab_access_instructions.url	explorer.exe	notepad.exe	NDA_July2026.pdf	
2026-07-01T06:07:19Z	WIN-A017	candidate017	newly_observed_domain_after_email	high	https://risk.az.sso.training-access.test/login?session=a017-s1,		chrome.exe	chrome.exe	chrome.exe	https://risk.az.sso.training-access.test/login?session=a017-s1,
2026-07-01T06:10:02Z	WIN-A044	candidate044	newly_observed_domain_after_email	medium	https://risk.az.sso.training-access.test/secure/continue?tenant=RISK&case=A017B,		chrome.exe	chrome.exe	chrome.exe	https://risk.az.sso.training-access.test/secure/continue?tenant=RISK&case=A017B,
2026-07-01T06:16:31Z	WIN-A017	candidate017	known_business_domain_accessed	informational	https://www.risk.az/company/about/		chrome.exe	chrome.exe	chrome.exe	https://www.risk.az/company/about/

View - edr_alert_export.csv

File Edit View Help

timestamp	host	user	event_type	severity	file_name	file_path	parent_process	process_name	command_line	sha256
2026-07-01T06:05:23Z	WIN-A017	candidate017	archive_opened_from_email	medium	RISK_July2026_SOC_Lab_Onboarding_A017.zip	C:\Users\candidate017\Downloads\RISK_July2026_SOC_Lab_Onboarding_A017.zip	outlook.exe	explorer.exe	C:\Users\candidate017\Downloads\RISK_July2026_SOC_Lab_Onboarding_A017.zip,fa75833c71c0bbd24c36bfee03aacd670ddb8706cca8c9a3e67e6fde625bc9c	
2026-07-01T06:06:04Z	WIN-A017	candidate017	url_like_file_extracted	medium	lab_access_instructions.url	lab_access_instructions.url	explorer.exe	notepad.exe	lab_access_instructions.url	
2026-07-01T06:06:31Z	WIN-A017	candidate017	url_like_file_extracted	medium	NDA_July2026.pdf	lab_access_instructions.url	explorer.exe	notepad.exe	NDA_July2026.pdf	
2026-07-01T06:07:19Z	WIN-A017	candidate017	newly_observed_domain_after_email	high	https://risk.az.sso.training-access.test/login?session=a017-s1,		chrome.exe	chrome.exe	chrome.exe	https://risk.az.sso.training-access.test/login?session=a017-s1,
2026-07-01T06:10:02Z	WIN-A044	candidate044	newly_observed_domain_after_email	medium	https://risk.az.sso.training-access.test/secure/continue?tenant=RISK&case=A017B,		chrome.exe	chrome.exe	chrome.exe	https://risk.az.sso.training-access.test/secure/continue?tenant=RISK&case=A017B,
2026-07-01T06:16:31Z	WIN-A017	candidate017	known_business_domain_accessed	informational	https://www.risk.az/company/about/		chrome.exe	chrome.exe	chrome.exe	https://www.risk.az/company/about/

Screenshot 5: Evidence showing archive opened, URL extraction and suspicious domain access on WIN-A017

3. Containment Decision

Host to contain first: WIN-A017

Reason:

WIN-A017 received the phishing email, visited the fake website, opened the ZIP attachment, extracted the URL files, and accessed another suspicious URL. This host shows the complete attack chain, so it should be isolated first to stop any further activity.

4. Indicators of Compromise (IOCs)

Type	Indicator
Domain	risk.az.sso.training-access.test
Domain	risk.az.documents.training-access.test
IP Address	203.0.113.88
Sender Domain	az-candidate.workflow-mail.test
SHA256	fa75833c71c0bbd24c36ebfee03aacd670ddb8706cca8c9a3e67e6fde625bc9c
File	RISK_July2026_SOC_Lab_Onboarding_A017.zip
File	lab_access_instructions.url.txt
File	NDA_July2026.pdf.url.txt

5. Next Steps

1. I will immediately isolate **WIN-A017** from the network to stop any further suspicious activity.
2. Inform the SOC team and senior security analyst about the phishing incident and share all collected evidence.
3. Block the malicious domains, IP address, and file hash in the security tools, then continue monitoring other systems for similar activity.