

Smart Sugar Tracker & Diabetic Medicine Log

Track, Understand & Control Your Blood Sugar Like a Pro



Track, Understand & Control Your Blood Sugar Like a Pro

A Companion Tool for the 100+ Diabetic-Friendly Indian Recipes Bundle

Why Tracking is the #1 Habit of Successful Diabetics

>

*Your doctor sees you for 10 minutes every 3 months. Your blood sugar numbers tell the story 24/7. People who consistently track their sugar levels reduce their HbA1c by an average of ****1.0–1.5%**** more than those who don't — simply because they can **SEE** what is working and what isn't. This tracker puts that power in your hands.*

■ SECTION 1: HOW TO USE THIS TRACKER

Setting Up in Google Sheets (Recommended — Free & Auto-Calculates)

Step 1: Open Google Drive (drive.google.com). Click "+ New" → "Google Sheets."

Step 2: Name your file: `My Sugar & Medicine Tracker — [Your Name] — [Year]`

Step 3: Create the following tabs at the bottom of the sheet by clicking the "+" icon:

- Tab 1: `Daily Sugar Log`
- Tab 2: `Medicine Log`
- Tab 3: `Monthly Summary`
- Tab 4: `Food Response Log`
- Tab 5: `Exercise & Lifestyle`

Step 4: Copy each table from this document into the corresponding tab.

Step 5: Apply Conditional Formatting (for automatic color coding):

- Select the data range in the Daily Sugar Log
- Go to Format → Conditional Formatting
- Add rules:
 - `If value < 140` → Fill color: Light Green (#d9ead3)
 - `If value is between 140 and 180` → Fill color: Light Yellow (#fff2cc)
 - `If value > 180` → Fill color: Light Red (#f4cccc)

Step 6: Share with your doctor: File → Share → "Copy Link" → Send to doctor on WhatsApp before appointments.

Setting Up in Microsoft Excel (Offline Version)

- Step 1:** Open Microsoft Excel. Create a new workbook.
- Step 2:** Create worksheets using the tabs at the bottom: Right-click "Sheet1" → Rename.
- Step 3:** Apply Conditional Formatting:
- Select data range → Home tab → Conditional Formatting → New Rule
 - Use "Format cells that contain" → Cell Value → Less than → 140 → Format → Green fill
 - Repeat for 140–180 (Yellow), Greater than 180 (Red)
- Step 4:** For weekly averages, use the formula: `=AVERAGE(B2:B8)` (adjust cell range as needed)

SECTION 2: DAILY BLOOD SUGAR LOG (30-Day Table)

Understanding Your Numbers Before You Start

Measurement	Normal (Non-Diabetic)	Diabetic Target	High (Check with Doctor)
Fasting (Morning)	70–99 mg/dL	80–130 mg/dL	Above 180 mg/dL
Post-Breakfast (2hr)	Under 140	Under 140	Above 200 mg/dL
Post-Lunch (2hr)	Under 140	Under 160	Above 200 mg/dL
Post-Dinner (2hr)	Under 140	Under 160	Above 200 mg/dL
Bedtime	100–120	100–150	Above 180 mg/dL
HbA1c	Under 5.7%	Under 7.0%	Above 8.0% — urgent

30-Day Daily Blood Sugar Log

Day	Date	Fasting (mg/dL)	Post-Breakfast (2hr)	Post-Lunch (2hr)	Post-Dinner (2hr)	Bedtime	Hb A1c	Notes / How I Feel
1								
2								
3								
4								
5								
6								
7								
WEEK 1 AVERAGE		=AVERAGE(C2:C8)	=AVERAGE(D2:D8)	=AVERAGE(E2:E8)	=AVERAGE(F2:F8)	=AVERAGE(G2:G8)	—	
8								
9								
10								
11								
12								
13								
14								
WEEK 2 AVERAGE		=AVERAGE(C10:C16)	=AVERAGE(D10:D16)	=AVERAGE(E10:E16)	=AVERAGE(F10:F16)	=AVERAGE(G10:G16)	—	
15								

16								
17								
18								
19								
20								
21								
WE EK 3 A VG	<code>=AVERAGE(C18:C24)</code>	<code>=AVERAGE(D18:D24)</code>	<code>=AVERAGE(E18:E24)</code>	<code>=AVERAGE(F18:F24)</code>	<code>=AVERAGE(G18:G24)</code>	—		
22								
23								
24								
25								
26								
27								
28								
29								
30								
WE EK 4 A VG	<code>=AVERAGE(C26:C35)</code>	<code>=AVERAGE(D26:D35)</code>	<code>=AVERAGE(E26:E35)</code>	<code>=AVERAGE(F26:F35)</code>	<code>=AVERAGE(G26:G35)</code>	—		
MO NT H A VG	<code>=AVERAGE(C2:C35)</code>	<code>=AVERAGE(D2:D35)</code>	<code>=AVERAGE(E2:E35)</code>	<code>=AVERAGE(F2:F35)</code>	<code>=AVERAGE(G2:G35)</code>	—		

Color Code Legend (Apply Conditional Formatting)

- GREEN: Under 140 mg/dL — Excellent control
- YELLOW: 140–180 mg/dL — Acceptable, room for improvement
- RED: Above 180 mg/dL — Review diet and consult doctor

SECTION 3: MEDICINE & SUPPLEMENT LOG (30-Day Table)

Important Note Before Filling

Never change your medicine dosage based on this log alone. This log is for TRACKING, not self-prescribing. Always consult your doctor for any changes.

Day	Date	Medicine 1 Name	Dose	Time Taken	Medicine 2 Name	Dose	Time Taken	Supplements Taken	Missed Any? (Y/N)	Side Effects Noticed
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13										

14										
15										
16										
17										
18										
19										
20										
21										
22										
23										
24										
25										
26										
27										
28										
29										
30										

Common Diabetes Medicines Reference (For Filling the Log)

Medicine Name	Type	Usually Taken	Notes
Metformin (Glyciphage)	Biguanide	With meals (reduces nausea)	Most common first-line medicine
Glimepiride	Sulfonylurea	Before breakfast	Take with food to avoid hypoglycemia

Januvia (Sitagliptin)	DPP-4 Inhibitor	Once daily, any time	Very safe, few side effects
Jardiance (Empagliflozin)	SGLT2 Inhibitor	Morning	Drink extra water; reduces heart risk
Insulin (various types)	Injectable	As prescribed	Log injection site too
Berberine	Natural supplement	With meals	Natural alternative, consult doctor
Chromium Picolinate	Supplement	With meals	Helps insulin sensitivity

■ SECTION 4: MONTHLY PROGRESS TRACKER (12-Month Summary)

Fill this at the end of each month. This is what you show your doctor.

Month	Start HbA1c (%)	End HbA1c (%)	Change	Avg Fasting Sugar	Avg Post-Meal	Weight (kg)	Waist (inches)	Doctor's Feedback
Month 1								
Month 2								
Month 3			=B4-C4`					
Month 4								
Month 5								
Month 6			=B7-C7`					
Month 7								
Month 8								
Month 9			=B10-C10`					
Month 10								
Month 11								

Month 12			=B13-C13`					
6-Month Result								
12-Month Result								

HbA1c Progress Target

- **Starting HbA1c > 9%:** Target to bring below 8% in 3 months
- **Starting HbA1c 7–9%:** Target to bring below 7% in 6 months
- **Starting HbA1c 6.5–7%:** Target to maintain below 6.5% (pre-diabetes range)

SECTION 5: FOOD-TO-SUGAR RESPONSE LOG

This is the most powerful section. It tells you YOUR personal food triggers — not generic advice.

How to Use:

1. Before eating, note your blood sugar (pre-meal).
2. Eat ONLY the food you want to test (no mixed meals for accurate testing).
3. After 2 hours, check sugar again.
4. Calculate the spike: Post-meal – Pre-meal = Spike.
5. If spike is under 30 mg/dL = this food is SAFE for you personally.
6. If spike is 30–60 mg/dL = eat this food in smaller portions.
7. If spike is above 60 mg/dL = AVOID this food or discuss with your dietitian.

#	Date	Food Eaten	Quantity	Pre-Meal Sugar	2hr Post-Meal	Spike (Post-Pre)	Keep / Reduce / Avoid	Notes
1		White Rice (1 cup)	1 cup			=F2-E2`		

2		Brown Rice (1 cup)	1 cup			`=F3-E3`		
3		Chapati (Whole Wheat)	2 rotis					
4		Chapati (Maida)	2 rotis					
5		Jowar Roti	2 rotis					
6		Bajra Roti	2 rotis					
7		Oats Upma	1.5 cups					
8		Poha	1.5 cups					
9		Rajma-Chawal	1 plate					
10		Dal-Rice	1 plate					
11		Mango (1 slice)	100g					
12		Banana (1 full)	1 medium					
13		Guava	1 medium					
14		Apple	1 medium					
15		Watermelon	1 cup					
16		Samosa (1 piece)	1 piece					
17		Dosa (plain)	2 dosas					
18		Idli (4 pieces)	4 pieces					
19		Aloo Paratha	1 paratha					

20		Khichdi	1.5 cups					
21		Sweet Curd (flavored)	100g					
22		Plain Curd	100g					
23		Bread (White, 2 slices)	2 slices					
24		Bread (Whole Grain, 2 slices)	2 slices					
25		Packed Biscuits (3–4)	30g					
26		Roasted Chana	30g					
27		Makhana	30g					
28		Fruit Juice (packed)	200ml					
29		Coconut Water	200ml					
30		Chai with sugar (1 cup)	200ml					

■ SECTION 6: EXERCISE & LIFESTYLE LOG (30-Day Table)

Day	Date	Exercise Type	Duration (mins)	Sugar BEFORE Exercise	Sugar AFTER Exercise	Drop/Rise	Sleep Hours	Energy (1-10)	Stress Level (1-10)
1		Walk							
2		Walk							
3		Yoga							

4		Walk							
5		Rest Day	—	—	—	—			
6		Walk							
7		Walk + Stretching							
8		Walk							
9		Yoga							
10		Walk							
11		Walk							
12		Rest Day	—	—	—	—			
13		Walk							
14		Walk + Light Weights							
15		Walk							
16		Yoga							
17		Walk							
18		Walk							
19		Rest Day	—	—	—	—			
20		Walk							
21		Walk							
22		Walk							
23		Yoga							
24		Walk							
25		Walk							
26		Rest Day	—	—	—	—			

27		Walk							
28		Walk + Light Weights							
29		Walk							
30		Walk							

Exercise & Sugar Control: What the Research Shows

Exercise Type	Duration	Average Sugar Drop
Brisk Walk (after meals)	15 minutes	20–35 mg/dL
Brisk Walk	30 minutes	35–55 mg/dL
Yoga (specific poses)	30 minutes	15–25 mg/dL
Swimming	30 minutes	40–60 mg/dL
Light Weight Training	30 minutes	30–50 mg/dL
Cycling	30 minutes	35–55 mg/dL

***Golden Rule:** A 15-minute brisk walk AFTER each meal is the single most effective lifestyle intervention for post-meal sugar spikes.*

■ SECTION 7: TIPS FOR READING YOUR NUMBERS

What to Tell Your Doctor (Script)

When you go to your next appointment, hand your doctor this printed log and say:

""Doctor, I have been tracking my blood sugar, food responses, and exercise for the past 30 days using this structured log. Could you review my trends and tell me if my current medication needs adjustment based on this data?""

This approach will impress any doctor and lead to a much more productive consultation.

Warning Signs — When to Call Your Doctor IMMEDIATELY

- Fasting sugar consistently above **250 mg/dL** for 3+ days
- Post-meal sugar above **300 mg/dL**
- Symptoms of hypoglycemia (shaking, sweating, confusion) with reading below **70 mg/dL**
- HbA1c increase of more than **0.5%** in one month

Positive Milestones to Celebrate ■

- Fasting sugar under **110 mg/dL** consistently — Excellent!
- Post-meal under **140 mg/dL** — Outstanding!
- HbA1c drop of **0.5%** — Celebrate this with your family!
- HbA1c under **7.0%** — Your diabetes is well-controlled!

*""This tracker is part of the 100+ Diabetic-Friendly Indian Recipes Bundle. For personalized guidance, join our Premium VIP WhatsApp Community.**

>

© Diabetic Friendly Indian Recipes | All Rights Reserved

For informational purposes only. Always consult your physician before modifying medications or diet.