

Discrete Math Practical



Name = Rishabh
University Roll No. = 23020570037
College Roll No. =20231437
Course = BSC.(computer science)(h)
Submitted to = Dr. Aakash

Acknowledgement

I would like to express my sincere gratitude to Dr. Aakash for his invaluable guidance and support throughout the duration of the discrete mathematics practical sessions. His expertise, encouragement, and patience have been instrumental in deepening my understanding of the subject matter.

I am also thankful to Dr. Aakash for his constructive feedback, which has helped me improve my problem-solving skills and approach to tackling mathematical concepts.

Furthermore, I extend my appreciation to Dr. Aakash for creating an enriching learning environment that facilitated fruitful discussions and collaborative learning among my peers.

Lastly, I would like to acknowledge the efforts of all the teaching assistants and staff members who contributed to the smooth conduct of the practical sessions.

Righabi

S.No.	Practical	no.	Remarks
	Practical 1: Create a class SET. Create member functions to perform the following SET operations:		
	1) is member: check whether an element		
	belongs to the set or not and return 2) value as true/false.		
		1-2	_
-		9	_
	4) subset: Check whether one set is a subset	::	_
	5) union and Intersection of two Sets.		_
	between two cots		
	8) cartesian Product of Sets		9
	Practical 2: Create a class RELATION use Matrix		-
	notation to represent a relation. Include		
	member functions to check if the relation is		
7	Reflexive, Symmetric, Anti-symmetric,		>
	Transitive. Using these functions check whether		2
	the given relation is: Equivalence.		1
	or Partial Order relation or None		5
12	Practical 3: Write a Program that generates all		THE STATE OF THE S
က	the permutations of a given set of digits, with or	6-7	
	without repetition.		
	Practical 4: For any number n, write a program to		
	list all the solutions of the equation x1 + x2 + x3 +		
4	+ xn = C, where C is a constant (C<=10) and x1,	8-3	\
	x2,x3,,xn are nonnegative integers, using brute		
	force strategy		>
	Practical 5: Write a Program to evaluate a		
	polynomial function. (For example, store f(x) =	11-01	
2	4n2 + 2n + 9 in an array and for a given value of n,		
	International of the second of the second		

6	Practical 6: Write a Program to check if a given graph, is a complete graph. Represent the graph using the Adjacency Matrix representation.	11-12	5)
7	Practical 7: Write a Program to check if a given graph, is a complete graph. Represent the graph using the Adjacency List representation.	13-14	4 All
8	Practical 8: Write a Program to accept a directed graph G and compute the in-degree and outdegree of each vertex.	15-16	715

Practical 1:

```
Welcome
                Prectical1.py X
Prectical1.py > ...
 #Prectical by Rishabh
      """1. Create A Class SET. Create Member Functions To Perform The Following SET Operations:
          1) Is Member: Check Whether An Element Belongs To The Set Or Not And Return
          Value As True/False.
          2) Powerset: List All The Elements Of The Power Set Of A Set .
          3) Subset: Check Whether One Set Is A Subset Of The Other Or Not.
          4) Union And Intersection Of Two Sets.
          5) Complement: Assume Universal Set As Per The Input Elements From The User.
          6) Set Difference And Symmetric Difference Between Two Sets.
          7) Cartesian Product Of Sets.
      Write A Menu Driven Program To Perform The Above Functions On An Instance Of The SET Class."""
      class SET:
          def init (self, u set):
              self.u_set = u_set
          def is member(self, element):
              if element in self.u set:
                  return "Element Found"
                  return "Element Not Found"
          def powerset(self):
              1st=[]
              length = len(self.u set)
              for i in range(1 << length):
                  lst.append({self.u_set[j] for j in range(length) if (i & (1 << j))})</pre>
              print("Your Required Powerset Are:: ", lst)
          def subset(self, subset set):
              if subset_set.u_set.issubset(self.u_set):
                  return "This Is A Subset"
                  return "This Is Not A Subset"
          def union intersection(self, set2):
              print("Intersection Of Your Sets Are:: \n", self.u set.intersection(set2.u set))
              print("Union Of Your Sets Are:: \n", self.u_set.union(set2.u_set))
```

```
Prectical1.py >  main
     def main():
          J.CHECK WHETHER ONE SET IS A SUBSET OF THE OTHER OF NOT.
          4. Find Union And Intersection Of Two Sets.
          5.Find Complement Of Set.
          6.Find Difference And Symmetric Difference Between Two Sets.
          7.Find Cartesian Product Of Sets.
          Enter Your Choice:: """))
          if choice == '1':
              set1 = SET(set create())
              element = int(input("Enter Your Element:"))
              print(set1.is member(element))
          elif choice == '2':
              set1 = SET(list(set_create()))
              set1.powerset()
          elif choice == '3':
              universal set = SET(set create(uni="Universal Set"))
              subset_set = SET(set_create(uni="Subset"))
              print(universal set.subset(subset set))
          elif choice == '4':
              set1 = SET(set create(uni="First Set"))
              set2 = SET(set create(uni="Another Set"))
              set1.union intersection(set2)
          elif choice == '5':
83
              universal set = SET(set create(uni=" Universal Set "))
              complement_set = SET(set_create(uni="Set"))
              universal set.complement(complement set)
          elif choice == '6':
              universal set = SET(set create("Universal Set Or Main"))
              another set = SET(set create("Another Set"))
              universal set.difference and symmetric difference(another set)
          elif choice == '7':
              set1 = SET(set_create("First set"))
              set2 = SET(set create("Another set"))
              set1.cartesian product(set2)
          else:
              print("Invalid Input!!\nPlease Try Again")
              main()
      if name == " main ":
          for i in range(8):
              main()
```

```
⋈ Welcome
                Prectical1.py X
Prectical1.py > 分 main
 58 def main():
 PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
PS C:\Maths ptectical sem 2\Discreate\Prectical1.pv"
Main Menu!!
    1. Check Whether An Element Belongs To The Set Or Not.
    2.List All The Elements Of The Power Set Of A Set.
    3.Check Whether One Set Is A Subset Of The Other Or Not.
    4.Find Union And Intersection Of Two Sets.
    5. Find Complement Of Set.
    6.Find Difference And Symmetric Difference Between Two Sets.
    7.Find Cartesian Product Of Sets.
    Enter Your Choice:: 1
Enter Your Element Of set With A Space:: 1 3 5 7
Your Given set Are:: {1, 3, 5, 7}
Enter Your Element:8
Element Not Found
Main Menu!!
    1.Check Whether An Element Belongs To The Set Or Not.
    2.List All The Elements Of The Power Set Of A Set.
    3. Check Whether One Set Is A Subset Of The Other Or Not.
    4. Find Union And Intersection Of Two Sets.
    5.Find Complement Of Set.
    6. Find Difference And Symmetric Difference Between Two Sets.
    7.Find Cartesian Product Of Sets.
    Enter Your Choice:: 2
Enter Your Element Of set With A Space:: 4 5 7 5
Your Given set Are:: {4, 5, 7}
Your Required Powerset Are:: [set(), {4}, {5}, {4, 5}, {7}, {4, 7}, {5, 7}, {4, 5, 7}]
Main Menu!!
    1. Check Whether An Element Belongs To The Set Or Not.
    2.List All The Elements Of The Power Set Of A Set.
    3. Check Whether One Set Is A Subset Of The Other Or Not.
    4. Find Union And Intersection Of Two Sets.
    5.Find Complement Of Set.
    6.Find Difference And Symmetric Difference Between Two Sets.
    7.Find Cartesian Product Of Sets.
    Enter Your Choice::
```

```
₱ Prectical1.py > ♥ main
58 def main():
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
Enter Your Element Of Universal Set With A Space:: 5 6 3 8 9
Your Given Universal Set Are:: {3, 5, 6, 8, 9}
Enter Your Element Of Subset With A Space:: 4 6 2
Your Given Subset Are:: {2, 4, 6}
This Is Not A Subset
Main Menu!!
   1. Check Whether An Element Belongs To The Set Or Not.
   2.List All The Elements Of The Power Set Of A Set.
   3. Check Whether One Set Is A Subset Of The Other Or Not.
   4.Find Union And Intersection Of Two Sets.
   5.Find Complement Of Set.
   6.Find Difference And Symmetric Difference Between Two Sets.
   7.Find Cartesian Product Of Sets.
   Enter Your Choice:: 4
Enter Your Element Of First Set With A Space:: 1 88 4 6 2 86
Your Given First Set Are:: {1, 2, 4, 6, 86, 88}
Enter Your Element Of Another Set With A Space:: 7 8 5 6 42 5
Your Given Another Set Are:: {5, 6, 7, 8, 42}
Intersection Of Your Sets Are::
{6}
Union Of Your Sets Are::
{1, 2, 4, 5, 6, 7, 8, 42, 86, 88}
Main Menu!!
   1. Check Whether An Element Belongs To The Set Or Not.
   2.List All The Elements Of The Power Set Of A Set.
   3.Check Whether One Set Is A Subset Of The Other Or Not.
   4.Find Union And Intersection Of Two Sets.
   5.Find Complement Of Set.
   6.Find Difference And Symmetric Difference Between Two Sets.
   7. Find Cartesian Product Of Sets.
   Enter Your Choice:: 5
Enter Your Element Of Universal Set With A Space:: 8 54 9 5
Your Given Universal Set Are:: {8, 9, 5, 54}
Enter Your Element Of Set With A Space:: 8 5 4 7
Your Given Set Are:: {8, 4, 5, 7}
Your Complement Of Set Is::
```

```
PROBLEMS
         OUTPUT
                   DEBUG CONSOLE TERMINAL
                                             PORTS
Your Complement Of Set Is::
 {9, 54}
Main Menu!!
    1. Check Whether An Element Belongs To The Set Or Not.
    2.List All The Elements Of The Power Set Of A Set.
    3.Check Whether One Set Is A Subset Of The Other Or Not.
    4. Find Union And Intersection Of Two Sets.
    5.Find Complement Of Set.
    6.Find Difference And Symmetric Difference Between Two Sets.
    7.Find Cartesian Product Of Sets.
    Enter Your Choice:: 6
Enter Your Element Of Universal Set Or Main With A Space:: 5 4 59 8 9 2
Your Given Universal Set Or Main Are:: {2, 4, 5, 8, 9, 59}
Enter Your Element Of Another Set With A Space:: 8 5 6 7 4
Your Given Another Set Are:: {4, 5, 6, 7, 8}
Difference Of Your Sets Are::
 {9, 2, 59}
Symmetric Difference of your sets are::
 {2, 6, 7, 9, 59}
Main Menu!!
    1.Check Whether An Element Belongs To The Set Or Not.
    2.List All The Elements Of The Power Set Of A Set.
    3.Check Whether One Set Is A Subset Of The Other Or Not.
    4. Find Union And Intersection Of Two Sets.
    5.Find Complement Of Set.
    6.Find Difference And Symmetric Difference Between Two Sets.
    7.Find Cartesian Product Of Sets.
    Enter Your Choice:: 7
Enter Your Element Of First set With A Space:: 85 6 8 9 4 5
Your Given First set Are:: {4, 5, 6, 8, 9, 85}
Enter Your Element Of Another set With A Space:: 8 5 6 7 4
Your Given Another set Are:: {4, 5, 6, 7, 8}
Your Cartesian Product Are:: {(5, 4), (4, 6), (5, 7), (9, 5), (85, 6), (9, 8), (8, 6), (6, 5)
(6, 8), (4, 5), (5, 6), (4, 8), (9, 7), (8, 5), (85, 8), (9, 4), (85, 5), (8, 8), (6, 4), (6, 4)
\{1, 7, (4, 7), (4, 4), (5, 5), (8, 4), (85, 4), (5, 8), (8, 7), (9, 6), (85, 7), (6, 6)\}
Main Menull
```

Practical 2:

```
prectical2.py > ...
prectical2.py X
                                                                                                            class RELATION:
                                                                                                                def transitive(self):
prectical2.py > ...
                                                                                                                    return True
  1 #practical by Rishabh
  3 > """2. Create a class RELATION, use Matrix notation to represent a relation. Include...
                                                                                                                def anti_symmetric(self):
                                                                                                                    for i in range(self.length):
      from numpy import array
                                                                                                                        for j in range(self.length):
      class RELATION:
                                                                                                                            if i != j and self.matrix[i][j] and self.matrix[j][i]:
           def init (self, matrix):
                                                                                                                                return False
              self.matrix = matrix
                                                                                                                    return True
               self.length = len(matrix)
                                                                                                            def enter matrix():
          def reflexive(self):
                                                                                                                lst = list(map(int, input("Enter All Relation In Form Of Matrix Value With A Space:: ").split()))
              for i in range(self.length):
                  if not self.matrix[i][i]:
                                                                                                                row = int(input("Enter How Many Row or Columns In Your Square Matrix:: "))
                      return False
                                                                                                                matrix = array(lst).reshape(row, row)
              return True
                                                                                                                print("Your Required Matrix Are:: \n", matrix)
                                                                                                                return matrix
           def symmetric(self):
              for i in range(self.length):
                                                                                                            def main():
                   for j in range(self.length):
                                                                                                                rel = RELATION(enter matrix())
                      if self.matrix[i][j] != self.matrix[j][i]:
                                                                                                                if rel.reflexive() and rel.symmetric() and rel.transitive():
                           return False
                                                                                                                    return "Your Relation is Equivalence Relation."
              return True
                                                                                                                elif rel.reflexive() and rel.anti symmetric() and rel.transitive():
          def transitive(self):
                                                                                                                     return "Your Relation is Partial Order Relation."
              for i in range(self.length):
                                                                                                                else:
                  for j in range(self.length):
                                                                                                                    return "None"
                       for k in range(self.length):
                                                                                                            if name == " main ":
                          if self.matrix[i][j] and self.matrix[j][k] and not self.matrix[i][k]:
                                                                                                                print(main())
                              return False
              return True
          def anti symmetric(self):
              for i in range(self.length):
                  for j in range(self.length):
                      if i != j and self.matrix[i][j] and self.matrix[j][i]:
                          return False
               return True
```

```
prectical2.py X
prectical2.py > \( \frac{1}{4} \) RELATION > \( \frac{1}{4} \) anti_symmetric
  8 class RELATION:
           def symmetric(self):
                for i in range(self.length):
                    for j in range(self.length):
                        if self.matrix[i][j] != self.matrix[j][i]:
                            return False
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
em 2\Discreate\prectical2.py"
Enter All Relation In Form Of Matrix Value With A Space:: 101010101
Enter How Many Row or Columns In Your Square Matrix:: 3
Your Required Matrix Are::
 [[1 0 1]
 [0 1 0]
 [1 0 1]]
 Your Relation is Equivalence Relation.
PS C:\Maths ptectical sem 2\Discreate> python -u "c:\Maths ptectical sem 2\Discreate\prectical2.py"
Enter All Relation In Form Of Matrix Value With A Space:: 1 0 0 0 1 1 0 0 1 1 1 0 1 1 1 1
Enter How Many Row or Columns In Your Square Matrix:: 4
Your Required Matrix Are::
 [[1000]
 [1 1 0 0]
 [1 1 1 0]
 [1 \ 1 \ 1 \ 1]
Your Relation is Partial Order Relation.
PS C:\Maths ptectical sem 2\Discreate> python -u "c:\Maths ptectical sem 2\Discreate\prectical2.py"
Enter All Relation In Form Of Matrix Value With A Space:: 1 0 1 1 0 1 0 0 1
Enter How Many Row or Columns In Your Square Matrix:: 3
Your Required Matrix Are::
 [[1 0 1]
 [1 0 1]
 [0 0 1]]
None
PS C:\Maths ptectical sem 2\Discreate>
```

Practical 3:

```
myenv > Scripts > 🏓 practical3.py > ...
      # practical by Rishabh
       """3. Write a Program that generates all the permutations of a given set of Set, with or
      without repetition."""
      from itertools import permutations, product
      def generate permutations(Set, repetition):
          if repetition:
              return list(permutations(Set))
          else:
              return list(product(Set, repeat=len(Set)))
      if name == " main ":
          Set = set(map(int, input("Enter all element of set with space:").split()))
          with repetition = generate permutations(Set, repetition=True)
          without repetition = generate permutations(Set, repetition=False)
          print("Permutations with repetition:")
          for perm in with repetition:
              print(perm)
          print("\nPermutations without repetition:")
          for perm in without repetition:
              print(len(with repetition),len(without repetition))
```

```
return list(permutations(Set))
PROBLEMS
          OUTPUT
                   DEBUG CONSOLE TERMINAL
                                             PORTS
PS C:\Maths ptectical sem 2\Discreate> python -u "c:\Maths ptectical sem 2\Discreate\myenv\Scripts\practical3.py"
Enter all elements of set with space: 1 2 3
Permutations with repetition:
(1, 2, 3)
(1, 3, 2)
(2, 1, 3)
(2, 3, 1)
(3, 1, 2)
(3, 2, 1)
Permutations without repetition:
(1, 1, 1)
(1, 1, 2)
(1, 1, 3)
(1, 2, 1)
(1, 2, 2)
(1, 2, 3)
(1, 3, 1)
(1, 3, 2)
(1, 3, 3)
(2, 1, 1)
(2, 1, 2)
(2, 1, 3)
(2, 2, 1)
(2, 2, 2)
(2, 2, 3)
(2, 3, 1)
(2, 3, 2)
(2, 3, 3)
(3, 1, 1)
(3, 1, 2)
(3, 1, 3)
```

Practical 4:

```
prectical2.py
             practical3.pv
                           practical4.py X
myenv > Scripts > 🏓 practical4.py > ...
   1 # practical by Rishabh
       """4. For any number n, write a program to list all the solutions of the equation x1 + x2 + x
   3 x3 + ... + xn = C, where C is a constant (C<=10) and x1, x2,x3,...,xn are non-negative
   4 integers, using brute force strategy."""
      def find_solutions(C, n):
           def generate solutions(current sum, current solution, remaining terms):
               if current sum == C:
                   solutions.append(current solution[:])
                   return
               if not remaining_terms:
  11
                   return
  12
               for i in range(remaining terms[0], C - current sum + 1):
                   current_solution.append(i)
  13
                   generate solutions(current sum + i, current solution, remaining terms[1:])
                   current solution.pop()
          solutions = []
  17
          generate_solutions(0, [], list(range(C + 1)))
          return solutions
  21
      if name == " main ":
          n = int(input("Enter number of terms::"))
          C = int(input("Enter value of constant::"))
          all solutions = find solutions(C, n)
          print(f"All solutions for {n} terms equation which sum is {C}")
          for solution in all solutions:
               print(solution)
```

```
return list(permutations(Set))
          OUTPUT
                   DEBUG CONSOLE
                                  TERMINAL
                                             PORTS
PS C:\Maths ptectical sem 2\Discreate> python -u "c:\Maths ptectical sem 2\Discreate\myenv\Scripts\practical3.py"
Enter all elements of set with space: 1 2 3
Permutations with repetition:
(1, 2, 3)
(1, 3, 2)
(2, 1, 3)
(2, 3, 1)
(3, 1, 2)
(3, 2, 1)
Permutations without repetition:
(1, 1, 1)
(1, 1, 2)
(1, 1, 3)
(1, 2, 1)
(1, 2, 2)
(1, 2, 3)
(1, 3, 1)
(1, 3, 2)
(1, 3, 3)
(2, 1, 1)
(2, 1, 2)
(2, 1, 3)
(2, 2, 1)
(2, 2, 2)
(2, 2, 3)
(2, 3, 1)
(2, 3, 2)
(2, 3, 3)
(3, 1, 1)
(3, 1, 2)
(3, 1, 3)
```

Practical 5:

```
2
      """5. Write a Program to evaluate a polynomial function. (For example store f(x) = 4n2 +
      2n + 9 in an array and for a given value of n, say n = 5, compute the value of f(n)."""
      def solve_polynomial():
          func = list(map(int, input("Enter Your polynomial coefficient Seperated With Space::").split()))
          num = int(input("Enter Value Of Your Variable::"))
          value = 0
          for i in range(-1, -len(func)-1, -1):
              value += func[i]*num**(-i-1)
          return value
      print(solve_polynomial())
PROBLEMS
          OUTPUT DEBUG CONSOLE
                                TERMINAL
                                           PORTS
PS C:\Maths ptectical sem 2\Discreate> python -u "c:\Maths ptectical sem 2\Discreate\myenv\Scripts\practical5.py"
Enter Your polynomial coefficient Seperated With Space::3 6 9 4
Enter Value Of Your Variable::3
166
PS C:\Maths ptectical sem 2\Discreate>
```

Practical 6:

```
prectical2.py
                   practical3.py
                                      practical4.py
                                                         practical5.py
                                                                            practical6.py X
myenv > Scripts > 🕏 practical6.py > ...
       # practical by Rishabh
       """6. Write a Program to check if a given graph is a complete graph. Represent the
       graph using the Adjacency Matrix representation."""
       class Graph:
           def __init__(self, vertices):
               self.vertices = vertices
               self.adj_matrix = [[0] * vertices for _ in range(vertices)]
           def add_edge(self, u, v):
               if graph_type== 1:
                   self.adj_matrix[u][v] = 1
                   self.adj_matrix[v][u] = 1
               else:
                   self.adj matrix[u][v] = 1
           def is complete(self):
               for i in range(self.vertices):
                   for j in range(self.vertices):
                       if i != j and self.adj_matrix[i][j] == 0:
                           return False
               return True
           def get_matrix(self):
               return self.adj_matrix
       if __name__ == "__main__":
           graph type =int(input("Enter Your Graph Type(1.Undirected 2.Directed)::"))
           num_vertices = int(input("Enter number of vertices::"))
           g = Graph(num vertices)
           num=int(input("Enter number of edges::"))
           for i in range(num):
               a=int(input(f"Enter first vertice of {i+1} edge:: "))- 1
               b=int(input(f"Enter second vertice of same edge:: "))- 1
               g.add edge(a,b)
           print("Your Adjacency Matrix is::\n",g.get_matrix())
           if g.is_complete():
               print("The graph is a complete graph.")
           else:
               print("The graph is not a complete graph.")
```

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Maths ptectical sem 2\Discreate> python -u "c:\Maths ptectical sem 2\Discreate\myenv\Scripts\practical6.py"
Enter Your Graph Type(1.Undirected 2.Directed)::1
Enter number of vertices::2
Enter number of edges::1
Enter first vertice of 1 edge:: 1
Enter second vertice of same edge:: 1
Your Adjacency Matrix is::
[[1, 0], [0, 0]]
The graph is not a complete graph.
PS C:\Maths ptectical sem 2\Discreate> python -u "c:\Maths ptectical sem 2\Discreate\myenv\Scripts\practical6.py"
Enter Your Graph Type(1.Undirected 2.Directed)::1
Enter number of vertices::2
Enter number of edges::1
Enter first vertice of 1 edge:: 1
Enter second vertice of same edge:: 2
Your Adjacency Matrix is::
[[0, 1], [1, 0]]
em 2\Discreate\myenv\Scripts\practical6.py"
Enter Your Graph Type(1.Undirected 2.Directed)::2
Enter number of vertices::2
Enter number of edges::2
Enter first vertice of 1 edge:: 1
Enter second vertice of same edge:: 1
Enter first vertice of 2 edge:: 1
Enter second vertice of same edge:: 1
Your Adjacency Matrix is::
[[1, 0], [0, 0]]
The graph is not a complete graph.
PS C:\Maths ptectical sem 2\Discreate> python -u "c:\Maths ptectical sem 2\Discreate\myenv\Scripts\practical6.py"
Enter Your Graph Type(1.Undirected 2.Directed)::2
Enter number of vertices::2
Enter number of edges::2
Enter first vertice of 1 edge:: 1
Enter second vertice of same edge:: 2
Enter first vertice of 2 edge:: 2
Enter second vertice of same edge:: 1
Your Adjacency Matrix is::
[[0, 1], [1, 0]]
The graph is a complete graph.
PS C:\Maths ptectical sem 2\Discreate>
```

Practical 7:

```
practical7.py > 4 Graph >  add_edge
      """7. Write a Program to check if a given graph is a complete graph. Represent the
     graph using the Adjacency List representation."""
      class Graph:
         def __init__(self, vertices):
              self.vertices = vertices
              self.adj_list = [[] for _ in range(vertices)]
         def add_edge(self, u, v):
              if graph_type== 1:
                  self.adj_list[u].append(v)
                 self.adj list[v].append(u)
              else:
14
                  self.adj list[v].append(u)
         def is_complete(self):
              for i in range(self.vertices):
                  for j in range(self.vertices):
                      if i != j and j not in self.adj list[i]:
                         return False
              return True
          def get list(self):
              return self.adj_list
     if __name__ == "__main__":
         graph_type =int(input("Enter Your Graph Type(1.Undirected 2.Directed)::"))
         num_vertices = int(input("Enter number of vertices::"))
         g = Graph(num vertices)
         num=int(input("Enter number of edges::"))
         for i in range(num):
              a=int(input(f"Enter first vertice of {i+1} edge:: "))
             b=int(input(f"Enter second vertice of same edge:: "))
              g.add_edge(a,b)
         print("Your Adjacency Matrix is::\n",g.get_list())
         if g.is_complete():
             print("The graph is a complete graph.")
         else:
              print("The graph is not a complete graph.")
```

```
practical5.py
prectical2.py
                  practical3.py
                                     practical4.py
                                                                          practical6.py
                                                                                             practical7.py X
practical7.py > \( \frac{1}{4} \) Graph > \( \frac{1}{4} \) add_edge
  1 # Practical by Rishabh
 PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
 Enter number of vertices::3
Enter number of edges::3
Enter first vertice of 1 edge:: 0
Enter second vertice of same edge:: 1
Enter first vertice of 2 edge:: 1
Enter second vertice of same edge:: 2
Enter first vertice of 3 edge:: 0
Enter second vertice of same edge:: 2
 Your Adjacency Matrix is::
 [[1, 2], [0, 2], [1, 0]]
 The graph is a complete graph.
PS C:\Maths ptectical sem 2\Discreate> python -u "c:\Maths ptectical sem 2\Discreate\practical7.py"
Enter Your Graph Type(1.Undirected 2.Directed)::1
 Enter number of vertices::3
 Enter number of edges::2
Enter first vertice of 1 edge:: 1
Enter second vertice of same edge:: 1
Enter first vertice of 2 edge:: 1
Enter second vertice of same edge:: 2
Your Adjacency Matrix is::
 [[], [1, 1, 2], [1]]
The graph is not a complete graph.
PS C:\Maths ptectical sem 2\Discreate> python -u "c:\Maths ptectical sem 2\Discreate\practical7.py"
Enter Your Graph Type(1.Undirected 2.Directed)::2
 Enter number of vertices::2
Enter number of edges::2
Enter first vertice of 1 edge:: 0
Enter second vertice of same edge:: 1
Enter first vertice of 2 edge:: 1
Enter second vertice of same edge:: 0
Your Adjacency Matrix is::
 [[1], [0]]
The graph is a complete graph.
PS C:\Maths ptectical sem 2\Discreate>
```

Practical 8:

```
practical8.py X
prectical2.py
                 practical3.py
                                   practical4.py
                                                     practical5.py
                                                                       practical6.py
                                                                                         practical7.py
practical8.py > ...
  1 # practical by Rishabh
       """8. Write a Program to accept a directed graph G and compute the in-degree and out-degree of each vertex."""
      class DirectedGraph:
          def init (self, vertices):
              self.vertices = vertices
              self.adj_list = [[] for _ in range(vertices)]
          def add edge(self, u, v):
              self.adj list[u].append(v)
          def compute_degrees(self):
              in_degrees = [0] * self.vertices
              out degrees = [0] * self.vertices
              for u in range(self.vertices):
                  for v in self.adj list[u]:
                      out_degrees[u] += 1
                      in degrees[v] += 1
              return in_degrees, out_degrees
      if name == " main ":
          num vertices = int(input("Enter number of vertices::"))
          g = DirectedGraph(num_vertices)
          num=int(input("Enter number of edges::"))
          for i in range(num):
              a=int(input(f"Enter first vertice of {i+1} edge:: "))- 1
              b=int(input(f"Enter second vertice of same edge:: "))- 1
              g.add_edge(a,b)
          print("Vertex\tIn-Degree\tOut-Degree")
          in_degrees,out_degrees=g.compute_degrees()
          for v in range(num vertices):
              print(f"{v}\t{in_degrees[v]}\t\t{out_degrees[v]}")
```

```
Seli.auj_list[u].appenu(v)
          def compute_degrees(self):
11
              in_degrees = [0] * self.vertices
              out_degrees = [0] * self.vertices
              for u in range(self.vertices):
                  for v in self.adj_list[u]:
                      out_degrees[u] += 1
                      in_degrees[v] += 1
PROBLEMS
          OUTPUT
                   DEBUG CONSOLE
                                  TERMINAL
                                            PORTS
PS C:\Maths ptectical sem 2\Discreate> python -u "c:\Maths ptectical sem 2\Discreate\practical8.py"
Enter number of vertices::3
Enter number of edges::2
Enter first vertice of 1 edge:: 1
Enter second vertice of same edge:: 2
Enter first vertice of 2 edge:: 2
Enter second vertice of same edge:: 3
Vertex In-Degree
                       Out-Degree
       0
0
2
                       0
PS C:\Maths ptectical sem 2\Discreate>
```