🚀 EC2 Project Restart Guide (After Stopping Instance)

1️⃣ Start EC2

- AWS Console → EC2 → Instances
- Select instance
- Click **Start**

Wait 1–2 minutes until status = **Running**

2️⃣ SSH Into Server

Tml - ssh -i "your-key.pem" ubuntu@YOUR_ELASTIC_IP

3️⃣ Check Docker (RabbitMQ)

Tml - docker ps -a

If container is stopped:

Tml - docker start rabbitmq-container

Verify:

Tml - docker ps

Port 5672 should be running.

4️⃣ Go to Project Folder

Tml - cd ~/ChatBackend

5️⃣ Restore PM2 Processes

If you already ran pm2 save before stopping:

Tml - pm2 resurrect

If not, start manually:

Tml - pm2 start ecosystem.config.js

OR

Tml - pm2 start all

6️⃣ Check Everything Running

Tml - pm2 list

Should show:

- backend
- mail-service
- frontend

7️⃣ If Frontend Gives Error (Rare Case)

Go to frontend:

Tml - cd ~/frontend

Tml - npm install

Tml - npm run build

Tml - pm2 restart frontend

8️⃣ Final Check

Open in browser:

Tml - http://YOUR_ELASTIC_IP

🧠 Emergency Fix Commands

If RabbitMQ error:

Tml - docker restart rabbitmq-container

If mail service fails:

Tml - pm2 restart mail-service

If everything broken:

Tml - pm2 restart all

🔥 **That’s It**

Start EC2
Start Docker
Resurrect PM2
Verify

Whole process: 2–3 minutes.